

SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-17

Print Date: 2025-09-23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Lithium chloride monohydrate
Product Number : L491780
Brand : aladdin
CAS-No. : 85144-11-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION
Address : 14078 Meridian Parkway,
Riverside, CA. 92518
Telephone : +1 (833) 552-7181
Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300
CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute oral toxicity Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

Specific target organ toxicity - single exposure Category 3

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
Precautionary statement(s)	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and ...] thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P321	Specific treatment (see ... on this label).
P330	Rinse mouth.
P302+P352	IF ON SKIN: wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to an approved waste disposal plant.
P264+P265	Wash hands [and ...] thoroughly after handling. Do not touch eyes.
P301+P317	IF SWALLOWED: Get medical help.
P337+P317	If eye irritation persists: Get medical help.
P332+P317	If skin irritation occurs: Get medical help.
P319	Get medical help if you feel unwell.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Lithium chloride hydrate
Formula	: CLi
Molecular weight	: 60.41
CAS No.	: 85144-11-2
EC-NO.	: no data available

Component	Classification	Concentration
Lithium chloride monohydrate		
	no data available	≥99.5% metals basis

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a doctor.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Main symptoms and effects: acute and delayed effects: cough, shortness of breath, headache, nausea, vomiting. Babies breastfed by mothers treated with lithium carbonate will suffer from pallor and T wave inversion. High concentrations of lithium ions will cause dizziness and collapse. If sodium intake is limited, it can cause kidney damage. Dehydration, weight loss, skin effects and thyroid dysfunction have been reported. Possible central nervous system effects include aphasia, blurred vision, sensory loss, convulsion, etc. Repeated exposure to lithium ions can cause diarrhea, vomiting and neuromuscular effects such as tremor, cramp and hyperreflexia. To our knowledge, this chemical, physical and toxic property has not been fully studied.

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.- Hydrogen chloride gas, Lithium oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

It is recommended that emergency treatment personnel wear air breathing apparatus, anti-static clothes and rubber oil resistant gloves. Do not touch or cross the leakage. All equipment used during operation shall be grounded. Cut off the leakage source as much as possible. Eliminate all ignition sources. The warning area shall be defined according to the influence area of liquid flow, steam or dust diffusion, and irrelevant personnel shall evacuate to the safety area from crosswind and upwind.

6.2 Environmental precautions

Store the leakage to avoid environmental pollution. Prevent leakage from entering sewer, surface water and groundwater.

6.3 Methods and materials for containment and cleaning up

Small leakage: collect leakage liquid in airtight container as much as possible. Absorb with sand, activated carbon or other inert materials and transfer to a safe place. Do not flush into the sewer. Large amount of leakage: build a dike or dig a pit for storage. Close the drainage pipe. Cover with foam to inhibit evaporation. Transfer to tank car or special collector with explosion-proof pump for recycling or transport to waste disposal site for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Operators shall receive special training and strictly abide by the operating procedures. Operation and disposal shall be carried out in places with local ventilation or comprehensive ventilation facilities. Avoid contact with eyes and skin, and avoid inhalation of steam. Refer to part 8 for personal protective measures. Keep away from kindling and heat sources. Smoking is strictly prohibited in the workplace. Use explosion-proof ventilation system and equipment. If the tank is required, the flow rate shall be controlled and the grounding device shall be provided to prevent the accumulation of static electricity. Avoid contact with prohibited substances such as oxidant (see Part 10 for prohibited substances). Handle with care to prevent damage to packaging and containers. The emptied container may contain harmful substances. Wash hands after use. Do not eat or drink in the workplace. Fire fighting equipment and leakage emergency treatment equipment of corresponding varieties and quantities shall be provided.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool and ventilated warehouse. The storage temperature should not exceed 37 °C. It shall be stored separately from oxidant and edible chemicals and shall not be mixed (see Part 10 for prohibited substances). Keep container sealed. Keep away from kindling and heat source. The warehouse must be equipped with lightning protection equipment. The exhaust system shall be equipped with a grounding device to conduct static electricity. Explosion proof lighting and ventilation shall be adopted. It is prohibited to use equipment and tools that are easy to generate sparks. The storage area shall be equipped with leakage emergency treatment equipment and appropriate storage materials.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please clean and blow dry the protective gloves selected for your hands must meet the specifications given in regulation (EU) 2016 / 425 and the en 374 standard derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	no data available
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	605 °C
f) Initial boiling point and boiling range	1382 °C

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

g) Flash point	-4 °F
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	no data available
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Electrostatic discharge, heat, humidity, etc.

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

SECTION 12: Ecological information

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

SECTION 13:**13.1 Disposal considerations****Product**

recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information**DOT (US)**

UN number: no data available

Packing group: no data available

Class: no data available

Proper shipping name: no data available

Reportable Quantity(RQ): no data available

Poison Inhalation Hazard: no data available

Environmental Hazards: No

IMDG

UN number: no data available

Packing group: no data available

EMS-No: no data available

Proper shipping name: no data available

IATA

UN number: no data available

Packing group: no data available

Class: no data available

Proper shipping name: no data available

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information**Prepared By**

Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date

18-Aug-2022

Revision Date

17-Sep-2025

Print Date

23-Sep-2025

Revision Summary

SDS sections updated v1

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.