

Chem-Impex International Inc.

Tel: (630) 766-2112

E-mail: sales@chemimpex.com

Shipping and Correspondence:

935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218

Web site: www.chemimpex.com

Manufacturing site:

825 Dillon Drive
Wood Dale, IL 60191 USA

S A F E T Y D A T A S H E E T

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	01229
NAME:	CALCIUM HYDROXIDE
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

SKIN IRRITATION (CATEGORY 2), H315

SERIOUS EYE DAMAGE (CATEGORY 1), H318

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3),
RESPIRATORY SYSTEM, H335

SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 3), H402

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE
SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM**



SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H315 CAUSES SKIN IRRITATION
H318 CAUSES SERIOUS EYE DAMAGE.
H335 MAY CAUSE RESPIRATORY IRRITATION.
H402 HARMFUL TO AQUATIC LIFE.

PRECAUTIONARY STATEMENT(S)

P261 AVOID BREATHING DUST.
P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P273 AVOID RELEASE TO THE ENVIRONMENT
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.
P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P304 + P340 + P312 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. CALL A POISON CENTER/ DOCTOR IF YOU FEEL UNWELL.
P305 + P351 + P338 + P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER/ DOCTOR.
P332 + P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION.
P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
P405 STORE LOCKED UP.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT
OTHERWISE
CLASSIFIED
(HNOC) OR NOT
COVERED BY GHS** NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: Ca(OH)₂

MW: 74.1

CAS-NO. 1305-62-0

PURITY: $\geq$ 95.0% (ASSAY BY TITRATION)

COMPONENT	CLASSIFICATION	CONCENTRATION
CALCIUM HYDROXIDE		
	SKIN IRRIT. 2; EYE DAM. 1; STOT SE 3; AQUATIC ACUTE 3; H315, H318, H335, H402	$\leq$ 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	SHOW THIS MATERIAL SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.
IF INHALED	AFTER INHALATION: FRESH AIR. CALL IN PHYSICIAN.
IN CASE OF SKIN CONTACT	IN CASE OF SKIN CONTACT: TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER. CALL A PHYSICIAN IMMEDIATELY.
IN CASE OF EYE CONTACT	AFTER EYE CONTACT: RINSE OUT WITH PLENTY OF WATER. IMMEDIATELY CALL IN OPHTHALMOLOGIST. REMOVE CONTACT LENSES.
IF SWALLOWED	AFTER SWALLOWING: MAKE VICTIM DRINK WATER (TWO GLASSES AT MOST), AVOID VOMITING (RISK OF PERFORATION). CALL A PHYSICIAN IMMEDIATELY. DO NOT ATTEMPT TO NEUTRALISE.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
PROTECTION OF FIRST-AIDERS	FOR PERSONAL PROTECTION SEE SECTION 8.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA
USE EXTINGUISHING MEASURES THAT ARE
APPROPRIATE TO LOCAL CIRCUMSTANCES AND THE
SURROUNDING ENVIRONMENT.

UNSUITABLE EXTINGUISHING MEDIA
FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF
EXTINGUISHING AGENTS ARE GIVEN.

SPECIFIC HAZARDS DURING FIRE FIGHTING

CALCIUM OXIDE
NOT COMBUSTIBLE.
AMBIENT FIRE MAY LIBERATE HAZARDOUS VAPOURS.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

STAY IN DANGER AREA ONLY WITH SELF-CONTAINED
BREATHING APPARATUS. PREVENT SKIN CONTACT BY
KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE
PROTECTIVE CLOTHING.

ADVICE FOR FIREFIGHTERS

WEAR SELF CONTAINED BREATHING APPARATUS FOR
FIRE FIGHTING IF NECESSARY.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

STAY IN DANGER AREA ONLY WITH SELF-CONTAINED
BREATHING APPARATUS. PREVENT SKIN CONTACT BY
KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE
PROTECTIVE CLOTHING.

FURTHER INFORMATION

PREVENT FIRE EXTINGUISHING WATER FROM
CONTAMINATING SURFACE WATER OR THE GROUND
WATER SYSTEM.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

ADVICE FOR NON-EMERGENCY PERSONNEL:
DO NOT BREATHE VAPOURS, AEROSOLS.
AVOID SUBSTANCE CONTACT.
ENSURE ADEQUATE VENTILATION.
EVACUATE THE DANGER AREA, OBSERVE EMERGENCY
PROCEDURES, CONSULT AN EXPERT.
ADVICE FOR EMERGENCY RESPONDERS: FOR
PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

DO NOT LET PRODUCT ENTER DRAINS.

METHODS AND MATERIALS FOR

COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS.
OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE

CONTAINMENT AND CLEANING UP	SECTIONS 7 AND 10). TAKE UP WITH LIQUID-ABSORBENT AND NEUTRALISING MATERIAL. DISPOSE OF PROPERLY. CLEAN UP AFFECTED AREA.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID INHALATION OF VAPOUR OR MIST. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE. HYGROSCOPIC LIGHT SENSITIVE. STORE UNDER INERT GAS. STENCH. STORE AT RT
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

INGREDIENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
CALCIUM HYDROXIDE	1305-62-0	TWA	5 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
		TWA	5 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS
		TWA	15 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS
		TWA	5 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS
		PEL	5 MG/M3	5 MG/M3

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS	IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE AFTER WORKING WITH SUBSTANCE.
---	--

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION	USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU). TIGHTLY FITTING SAFETY GOGGLES
SKIN PROTECTION	THIS RECOMMENDATION APPLIES ONLY TO THE PRODUCT STATED IN THE SAFETY DATA SHEET, SUPPLIED BY US AND FOR THE DESIGNATED USE. WHEN DISSOLVING IN OR MIXING WITH OTHER SUBSTANCES AND UNDER CONDITIONS DEVIATING FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:KCL 741 DERMATRIL® L THIS RECOMMENDATION APPLIES ONLY TO THE PRODUCT STATED IN THE SAFETY DATA SHEET, SUPPLIED BY US AND FOR THE DESIGNATED USE. WHEN DISSOLVING IN OR MIXING WITH OTHER SUBSTANCES AND UNDER CONDITIONS DEVIATING FROM THOSE STATED IN EN 16523-1 PLEASE CONTACT THE SUPPLIER OF CE-APPROVED GLOVES (E.G. KCL GMBH,). SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:KCL 741 DERMATRIL® L
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT PROTECTIVE CLOTHING, AND THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE AXBEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	DO NOT LET PRODUCT ENTER DRAINS.

HYGIENE MEASURES IMMEDIATELY CHANGE CONTAMINATED CLOTHING.
APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND
FACE AFTER WORKING WITH SUBSTANCE.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	WHITE POWDER
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	12.4 - 12.6 AT 20 °C (68 °F)
MELTING	MELTING POINT/ RANGE: >= 450 °C (>= 842 °F) -
POINT/FREEZING POINT	REGULATION (EC) NO. 440/2008, ANNEX, A.1
INITIAL BOILING POINT	2,850 °C 5,162 °F - (DECOMPOSITION)
AND BOILING RANGE	
FLASH POINT	NO DATA AVAILABLE
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	THE PRODUCT IS NOT FLAMMABLE.
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	2.2220 °C - OECD TEST GUIDELINE 109
WATER SOLUBILITY	1.85 G/L AT 20 °C (68 °F) - REGULATION (EC) NO. 440/2008, ANNEX, A.6
PARTITION	NOT APPLICABLE FOR INORGANIC SUBSTANCES
COEFFICIENT: N- OCTANOL/WATER	
AUTO-IGNITION	> 400 °C (> 752 °F) - RELATIVE SELF-IGNITION
TEMPERATURE	TEMPERATURE FOR SOLIDS
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE	NO DATA AVAILABLE
PROPERTIES	
OXIDIZING PROPERTIES	NONE

OTHER SAFETY INFORMATION

SURFACE TENSION	72 MN/M AT 1G/L AT 20 °C (68 °F) - OECD TEST GUIDELINE 115
-----------------	---

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
-------------------	-------------------

CHEMICAL STABILITY	THE PRODUCT IS CHEMICALLY STABLE UNDER STANDARD AMBIENT CONDITIONS (ROOM TEMPERATURE).
POSSIBILITY OF HAZARDOUS REACTIONS	POSSIBILITY OF HAZARDOUS REACTIONS EXOTHERMIC REACTION WITH: HYDROGEN SULPHIDE LIGHT METALS PHOSPHORUS ORGANIC NITRO COMPOUNDS ACIDS RISK OF EXPLOSION WITH: ANHYDRIDES
CONDITIONS TO AVOID	NO DATA AVAILABLE
INCOMPATIBLE MATERIALS	NO DATA AVAILABLE
HAZARDOUS DECOMPOSITION PRODUCTS	IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL - RAT - FEMALE - > 2,000 MG/KG (OECD TEST GUIDELINE 425) LC50 INHALATION - RAT - MALE AND FEMALE - 4 H - > 6.04 MG/L - DUST/MIST (OECD TEST GUIDELINE 436) LD50 DERMAL - RABBIT - MALE AND FEMALE - > 2,500 MG/KG (OECD TEST GUIDELINE 402) NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	SKIN - RABBIT RESULT: IRRITATING TO SKIN. (OECD TEST GUIDELINE 404)
SERIOUS EYE DAMAGE/EYE IRRITATION	EYES – RABBIT RESULT: IRREVERSIBLE EFFECTS ON THE EYE (OECD TEST GUIDELINE 405) REMARKS: RISK OF CORNEAL CLOUDING. RISK OF BLINDNESS!
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE

**GERM CELL
MUTAGENICITY**

TEST TYPE: IN VITRO MAMMALIAN CELL GENE
MUTATION TEST
TEST SYSTEM: MOUSE LYMPHOMA CELLS
METABOLIC ACTIVATION: WITH AND WITHOUT
METABOLIC ACTIVATION
METHOD: OECD TEST GUIDELINE 476
RESULT: NEGATIVE

TEST TYPE: AMES TEST
TEST SYSTEM: ESCHERICHIA COLI/SALMONELLA
TYPHIMURIUM
METABOLIC ACTIVATION: WITH AND WITHOUT
METABOLIC ACTIVATION
METHOD: OECD TEST GUIDELINE 471
RESULT: NEGATIVE

TEST TYPE: CHROMOSOME ABERRATION TEST IN
VITRO
TEST SYSTEM: HUMAN LYMPHOCYTES
METABOLIC ACTIVATION: WITH AND WITHOUT
METABOLIC ACTIVATION
METHOD: OECD TEST GUIDELINE 473
RESULT: NEGATIVE

CARCINOGENICITY

IARC:

NO INGREDIENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS
IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED
HUMAN CARCINOGEN BY IARC.

NTP:

NO INGREDIENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS
IDENTIFIED AS A KNOWN OR ANTICIPATED
CARCINOGEN BY NTP.

OSHA:

NO COMPONENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON
OSHA'S LIST OF REGULATED CARCINOGENS.

**REPRODUCTIVE
TOXICITY**

NO DATA AVAILABLE

**SPECIFIC TARGET
ORGAN TOXICITY -
SINGLE EXPOSURE**

INHALATION - MAY CAUSE RESPIRATORY IRRITATION.
- RESPIRATORY TRACT

**SPECIFIC TARGET
ORGAN TOXICITY -
REPEATED EXPOSURE**

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

**ADDITIONAL
INFORMATION**

RTECS: EW2800000

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL,
PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE
NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH	STATIC TEST LC50 - ONCORHYNCHUS MYKISS (RAINBOW TROUT) - 50.6 MG/L - 96 H (OECD TEST GUIDELINE 203)
TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES	STATIC TEST EC50 - DAPHNIA MAGNA (WATER FLEA) - 49.1 MG/L - 48 H (OECD TEST GUIDELINE 202)
TOXICITY TO ALGAE	STATIC TEST ERC50 - PSEUDOKIRCHNERIELLA SUBCAPITATA (GREEN ALGAE) - 184.6 MG/L - 72 H (OECD TEST GUIDELINE 201)
TOXICITY TO BACTERIA	STATIC TEST EC50 - ACTIVATED SLUDGE - 300.4 MG/L - 3 H (OECD TEST GUIDELINE 209)

PERSISTENCE AND DEGRADABILITY

THE METHODS FOR DETERMINING BIODEGRADABILITY ARE NOT APPLICABLE TO INORGANIC SUBSTANCES.

BIOACCUMULATIVE POTENTIAL

DOES NOT BIOACCUMULATE.

MOBILITY IN SOIL

NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

WASTE FROM RESIDUES	WASTE MATERIAL MUST BE DISPOSED OF IN ACCORDANCE WITH THE NATIONAL AND LOCAL REGULATIONS. LEAVE CHEMICALS IN ORIGINAL CONTAINERS. NO MIXING WITH OTHER WASTE. HANDLE UNCLEANNED CONTAINERS LIKE THE PRODUCT ITSELF.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US) NOT DANGEROUS GOODS

IMDG NOT DANGEROUS GOODS

IATA NOT DANGEROUS GOODS

FURTHER INFORMATION

NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

SECTION 15. REGULATORY INFORMATION

CERCLA REPORTABLE QUANTITY

THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A CERCLA RQ.

SARA 304 EXTREMELY HAZARDOUS SUBSTANCES REPORTABLE QUANTITY

THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A SECTION 304 EHS RQ.

SARA 302 EXTREMELY HAZARDOUS SUBSTANCES THRESHOLD PLANNING QUANTITY

THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A SECTION 302 EHS TPQ.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

SARA 313 THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

US STATE REGULATIONS

MASSACHUSETTS RIGHT TO KNOW

CALCIUM HYDROXIDE 1305-62-0

PENNSYLVANIA RIGHT TO KNOW

CALCIUM HYDROXIDE 1305-62-0

MAINE CHEMICALS OF HIGH CONCERN PRODUCT DOES NOT CONTAIN ANY LISTED CHEMICALS

VERMONT CHEMICALS OF HIGH CONCERN PRODUCT DOES NOT CONTAIN ANY LISTED CHEMICALS

WASHINGTON CHEMICALS OF HIGH CONCERN PRODUCT DOES NOT CONTAIN ANY LISTED CHEMICALS

THE COMPONENTS OF THIS PRODUCT ARE REPORTED IN THE FOLLOWING INVENTORIES:

TSCA

ALL SUBSTANCES LISTED AS ACTIVE ON THE TSCA
INVENTORY

TSCA LIST

NO SUBSTANCES ARE SUBJECT TO A SIGNIFICANT NEW USE RULE.

NO SUBSTANCES ARE SUBJECT TO TSCA 12(B) EXPORT NOTIFICATION
REQUIREMENTS.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H315	CAUSES SKIN IRRITATION
H318	CAUSES SERIOUS EYE DAMAGE.
H335	MAY CAUSE RESPIRATORY IRRITATION.
H402	HARMFUL TO AQUATIC LIFE.

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS
CAS:	CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2

REVISION DATE: 03/10/2026