

Glassware & Accessories



High-quality glassware made from heavy-duty borosilicate glass and meets ASTM standards

Beakers

Separatory Funnels

Graduated Cylinders

Volumetric Flasks

Lab Mats & Drying Racks

Glassware Accessories

Glass Beakers

These low-form Griffin beakers feature easy-pour spouts and permanent white graduations

- Uniform wall thickness - ideal for heating applications
- Made from high-quality borosilicate tubing with a low coefficient of expansion
- Graduation accuracy $\pm 5\%$ of full capacity

SIBATA Beakers

Item No.	Capacity (mL)	Graduation Range (mL)	Graduation Interval (mL)	Approx. O.D. x H in	Approx. O.D. x H mm	Pack Qty.
10020-50A	50	20 to 50	10	1.8 x 2.4	46 x 60	10
10020-100A	100	20 to 100	10	2.2 x 2.8	55 x 70	10
10020-200A	200	50 to 200	25	2.6 x 3.5	67 x 89	10
10020-300A	300	50 to 300	50	3 x 4	78 x 103	10
10020-500A	500	100 to 500	50	3.5 x 4.3	90 x 120	10
10020-1000A	1000	200 to 1000	100	4.3 x 5.9	110 x 150	6
10020-2000	2000	250 to 2000	250	5.3 x 7.9	135 x 200	1
10020-3000	3000	500 to 3000	250	6 x 8.9	153 x 225	1

VEE GEE Beakers

- Beakers are double-graduated metric
- Meet ASTM E-960 Type I Specifications for Classification, Design, Capacity & Dimensions and Markings

Item No.	Capacity (mL)	Graduation Range (mL)	Graduation Interval (mL)	Approx. O.D. x H in	Approx. O.D. x H mm	Pack Qty.	Case Qty.
20229-20	20	5 to 15	5	1.7 x 1.8	32 x 45	12	48
20229-3000	3000	250 to 2500	125	5.9 x 8.3	149 x 212	1	6



Glass Burets

Used to accurately dispense a liquid, for example in a manual titration

- Designed "To Deliver"
- Made from high-quality borosilicate tubing with a low coefficient of expansion
- Feature durable, permanent markings; fine, sharp lines; and large easy-to-read numbers
- Supplied with PTFE stopcocks to eliminate freezing and lubricant contamination
- Meet ASTM E-287 Class A Specifications

SIBATA Burets

Item No.	Capacity (mL)	Graduation Interval (mL)	Tolerance ($\pm$ mL)	Stopcock Bore (in/mL)	Approx. O.D. x H in	Approx. O.D. x H mm	Pack Qty.	Case Qty.
21310-10	10	0.05	0.02	0.2 / 4	0.4 x 20	9.1 x 570	1	20
21310-25	25	0.10	0.03	0.2 / 4	0.4 x 25.2	11 x 640	1	20
21310-50	50	0.10	0.05	0.2 / 4	0.5 x 33	12.6 x 840	1	25

VEE GEE Buret

Item No.	Capacity (mL)	Graduation Interval (mL)	Tolerance ($\pm$ mL)	Stopcock Bore (in/mL)	Approx. O.D. x H in	Approx. O.D. x H mm	Pack Qty.	Case Qty.
20114-100	100	0.20	0.10	0.08 / 2	0.7 x 30.5	17 x 775	1	24



Durable, permanent markings



PTFE stopcock



Separatory Funnels

Feature smooth tooled tips, large white block letters, and large marking squares

- Supplied with PTFE stopcocks to eliminate freezing and lubricant contamination
- Made from high-quality borosilicate tubing with a low coefficient of expansion

SIBATA Separatory Funnels with Stopper - Squibb Style

Item No.	Capacity (mL)	Stopper No.	Stopcock Plug Size	Approx. O.D. x L in	Approx. O.D. x L mm	Approx. Total Length (in/mm)	Pack Qty.	Case Qty.
1426T-300	300	24 / 40	4	0.4 x 2.8	10 x 70	15.41 x 390	1	6
1426T-500	500	24 / 40	4	0.4 x 2.8	10 x 70	17 x 430	1	6
1426T-1000	1000	29 / 42	6	0.5 x 3.1	12 x 80	19.3 x 490	1	4
1426T-2000	2000	29 / 42	6	0.5 x 3.1	12 x 80	20 x 510	1	2



VEE GEE Separatory Funnels with Stopper - Squibb Style

- All sizes supplied with a polyethylene standard taper stopper
- Meet ASTM E-1096 Type 4 Specifications for Classification, Design, and Markings

VEE GEE Separatory Funnels with Stopper - Squibb Style

Item No.	Capacity (mL)	Stopper No.	Stopcock Plug Size	Approx. O.D. x L in	Approx. O.D. x L mm	Approx. Total Length (in/mm)	Pack Qty.	Case Qty.
20149-250	250	22	2	0.4 x 2.6	10 x 65	13.6 x 345	1	24



FILTRATION

Filter Holders

Glass Microanalysis, 47 mm

SIBATA 6168-Series Filter Holders are offered with a wide variety of components for different applications. Available with fritted glass support base for general and biological applications, or with removable stainless steel screen support base and PTFE gasket for ultraclean filtrate or proteinaceous solutions. The borosilicate glass funnels are available in 100 and 300 mL.

Specifications

- Effective Filtration Area: 9.6 cm² (filter dia. 47 mm, not included)
- Maximum Capacity: 100 mL Funnel: 150 mL; 300 mL Funnel: 350 mL
- Graduated Volume: 100 mL Funnel: 100 mL; 300 mL Funnel: 300 mL
- Connection: Silicone Stopper (No. 8)
- Sterilization: **Autoclavable**, except PTFE Gasket (at 121°C / 250 °F for 20 minutes)

Filtration Kits

Cat No.	Kit Includes	
6168-0001	6168-4711	Funnel, 300 mL
	6168-4722	Fritted Glass Support Base
	6168-4751	Silicone Stopper No. 8
	6168-4762	Aluminum Anodized Clamp
6168-0002	6168-4711	Funnel, 300 mL
	6168-4721	Glass Support Base
	6168-4731	Stainless Steel Screen
	6168-4741	PTFE Gaskets (10 pk)
6168-0003	6168-4751	Silicone Stopper No. 8
	6168-4762	Aluminum Anodized Clamp
	6168-47100	Funnel, 100 mL
	6168-4722	Fritted Glass Support Base
6168-0004	6168-4751	Silicone Stopper No. 8
	6168-4762	Aluminum Anodized Clamp
	6168-47100	Funnel, 100 mL
	6168-4721	Glass Support Base
6168-0004	6168-4731	Stainless Steel Screen
	6168-4741	PTFE Gaskets (10 pk)
	6168-4751	Silicone Stopper No. 8
	6168-4762	Aluminum Anodized Clamp



6168-0001 Kit



6168-47100
Funnel
100 mL



6168-4711
Funnel
300 mL



6168-4762
Aluminum
Anodized Clamp



6168-4731
Stainless Steel
Screen



6168-4741
PTFE Gaskets
(10 pk)



6168-4721
Glass Support
Base



6168-4751
Silicone
Stopper No. 8



6168-4722
Fritted Glass
Support Base

SIBATA Erlenmeyer Flasks

- Made from high-quality borosilicate tubing with a low coefficient of expansion
- Uniform wall thickness - ideal for heating applications
- Graduation accuracy is $\pm 5\%$ of full capacity

SIBATA Erlenmeyer Flasks

Item No.	Capacity (mL)	Graduation Range (mL)	Graduation Interval (mL)	Approx. O.D. x H in	Approx. O.D. x H mm	Approx. O.D. of Neck (in /mm)	Rubber Stopper No.	Pack Qty.
10530-100A	50	20 to 50	10	2.5 x 4.1	64 x 105	0.9 / 22	2	10
10530-300A	300	20 to 100	25	3.4 x 6.1	87 x 156	1.3 / 34	6	10
10530-500A	500	50 to 200	50	4.1 x 7.1	105 x 180	1.3 / 34	6	10
10530-1000A	1000	50 to 300	50	5.2 x 8.7	131 x 220	1.7 / 42	8	10
10530-2000	2000	100 to 500	200	6.5 x 11	166 x 280	2.0 / 50	10	1



SIBATA Filtering Flasks

Constructed of heavy wall borosilicate glass to withstand high vacuum

- Used in conjunction with vacuum filter systems, these filtering flasks feature heavy-duty rims to reduce chipping
- Feature white permanent graduations and large marking square
- Port for tubulation has an outside diameter of 10 mm

SIBATA Filtering Flasks

Item No.	Capacity (mL)	Approx. O.D. x H in	Approx. O.D. x H mm	Rubber Stopper No.	Pack Qty.	Pack Qty.
1780T-300	300	3.4 x 5.5	86 x 140	8	1	12
1780T-500	500	4.1 x 6.7	105 x 170	8	1	12
1780T-1000	1000	5.2 x 8.7	131 x 220	8	1	8
1780T-2000	2000	6.5 x 10.6	166 x 270	8	1	4



SIBATA Class A Graduated Cylinders

Class A, Double-Metric Scale, Graduated, To Contain, Calibration Temperature 20°C/68°F

- Graduated Cylinders feature hexagonal bases for added stability
- All sizes, except the 2000 mL size, come with a protective, polyethylene hexagonal bumper guard
- Constructed of borosilicate glass with durable white enamel markings
- Exceeds ASTM E-1272 Class A, Style I Specifications for Classifications and Tolerances

SIBATA Class A Graduated Cylinders

Item No.	Capacity (mL)	Graduation Range (mL)	Graduation Interval (mL)	Tolerance (±mL)	Approx. O.D. x H in	Approx. O.D. x H mm	Pack Qty.	Case Qty.
2351A-5	5	0.5 to 5.0	0.1	0.05	0.5 x 5	12 x 126	4	48
2351A-10	10	0.7 to 10.0	0.1	0.05	0.5 x 7.2	13 x 182	4	48
2351A-20	20	1.0 to 20.0	0.2	0.05	0.6 x 7.9	16 x 200	4	48
2351A-25	25	1.4 to 25.0	0.2	0.15	0.7 x 8.3	17 x 210	4	48
2351A-50	50	3.5 to 50.0	0.5	0.25	0.9 x 8.6	24 x 218	4	48
2351A-100	100	5.0 to 100.0	1	0.40	1.2 x 9.3	30 x 236	4	48
2351A-250	250	10.0 to 250.0	2	1.00	1.6 x 11.9	41 x 301	4	24
2351A-500	500	25.0 to 500.0	5	2.00	2.1 x 14.3	53 x 362	2	12
2351A-1000	1000	50.0 to 1000.0	10	3.00	2.8 x 16.6	70 x 422	2	8
2351A-2000	2000	100.0 to 2000.0	20	6.00	3.5 x 18.9	90 x 478	1	6

SIBATA Class B Graduated Cylinders

Class B, Double-Metric Scale, Graduated, To Contain, Calibration Temperature 20°C/68°F

- Graduated Cylinders feature hexagonal bases for added stability
- All sizes, except the 2000 mL size, come with a protective, polyethylene hexagonal bumper guard
- Constructed of borosilicate glass with durable white enamel markings
- Exceeds ASTM E-1272 Class B, Style I Specifications for Classifications and Tolerances

SIBATA Class B Graduated Cylinders

Item No.	Capacity (mL)	Graduation Range (mL)	Graduation Interval (mL)	Tolerance (±mL)	Approx. O.D. x H in	Approx. O.D. x H mm	Pack Qty.	Case Qty.
2351-10	10	0.7 to 10.0	0.1	0.10	0.5 x 7.2	13 x 182	4	48
2351-25	25	1.4 to 25.0	0.2	0.30	0.7 x 8.3	17 x 210	4	48
2351-50	50	3.5 to 50.0	0.5	0.40	0.9 x 8.6	24 x 218	4	48
2351-100	100	5.0 to 100.0	1	0.60	1.2 x 9.3	30 x 236	4	48
2351-250	250	10.0 to 250.0	2	1.40	1.6 x 11.9	41 x 301	4	24
2351-500	500	25.0 to 500.0	5	2.60	2.1 x 14.3	53 x 362	2	12
2351-1000	1000	50.0 to 1000.0	10	5.00	2.8 x 16.6	70 x 422	2	8
2351-2000	2000	100.0 to 2000.0	20	10.00	3.5 x 18.8	90 x 478	1	6

SIBATA Student Graduated Cylinders

Plastic Base, Double-Metric Scale, Graduated, To Contain, Calibration Temperature 20°C/68°F

- These economical graduated cylinders are made of two parts: a strong, borosilicate glass graduate and a detachable, sturdy plastic base which absorbs impacts and reduces breakage
- All cylinders come with a protective, polyethylene, hexagonal bumper guard
- All markings are in durable white enamel
- Exceeds ASTM E-1272 Class B, Style I Specifications for Classifications and Tolerances

SIBATA Student Graduated Cylinders

Item No.	Capacity (mL)	Graduation Range (mL)	Graduation Interval (mL)	Tolerance (±mL)	Approx. O.D. x H in	Approx. O.D. x H mm	Pack Qty.	Case Qty.
2355-10	10	0.4 to 10.0	0.1	0.10	0.5 x 7	13 x 177	6	24
2355-25	25	1.4 to 25.0	0.2	0.30	0.6 x 8.3	16 x 210	6	24
2355-50	50	2.0 to 50.0	1.0	0.40	0.9 x 8.3	24 x 212	6	24
2355-100	100	5.0 to 100.0	1.0	0.60	1.2 x 9.1	30 x 232	6	24



SIBATA Class A Volumetric Flasks with Snap-Cap

Feature machine-blown bodies and heavy-beaded, heavy-tubing necks that are tooled for snap-cap fit


- Designed "To Contain" with a temperature of calibration at 20°C/68°F
- Constructed of borosilicate glass with a low coefficient of expansion
- Graduation line is sharply defined and of uniform width
- Each flask has a large marking square and includes a polypropylene snap-cap
- Meet ASTM E-288 Class A Specifications & USP Standards for Volumetric Flasks

SIBATA Class A Volumetric Flasks with Snap-Cap

Item No.	Capacity (mL)	Tolerance (±mL)	Snap-Cap No.	Approx. O.D. x H in	Approx. O.D. x H mm	Pack Qty.	Pack Qty.
2303A-5	5	0.02	1	0.8 x 2.3	21 x 59	6	72
2303A-10	10	0.02	1	1 x 3.3	26 x 85	6	72
2303A-25	25	0.03	2	1.5 x 4.3	37 x 110	6	72
2303A-50	50	0.05	3	1.9 x 5.4	49 x 136	4	48
2303A-100	100	0.08	3	2.3 x 6.5	58 x 164	4	48
2303A-200	200	0.10	4	2.9 x 8.1	74 x 205	4	24
2303A-250	250	0.12	4	3.1 x 8.9	78 x 225	4	24
2303A-500	500	0.20	5	3.8 x 10.2	96 x 260	2	12
2303A-1000	1000	0.30	6	4.8 x 11.8	122 x 300	2	8

Snap-Cap for SIBATA Class A Volumetric Flask

Item No.	Description	Fits Class A Volumetric Flask	Color	Each Qty.
SC#1	Snap Cap Size #1	2303A-5, 2303A-10	Yellow	1
SC#2	Snap Cap Size #2	2303A-25	Orange	1
SC#3	Snap Cap Size #3	2303A-50, 2303A-100	Red	1
SC#4	Snap Cap Size #4	2303A-200, 2303A-250	Green	1
SC#5	Snap Cap Size #5	2303A-500	Blue	1
SC#6	Snap Cap Size #6	2303A-1000	Yellow	1



SIBATA Class A Volumetric Flasks with Ground Glass Stopper

Feature machine-blown bodies and heavy-beaded, heavy-tubing necks that are tooled for standard taper glass stoppers

- Designed "To Contain" with a temperature of calibration at 20°C/68°F
- Constructed of borosilicate glass with a low coefficient of expansion
- Graduation line is sharply defined and of uniform width
- Each flask has a large marking square and includes a glass stopper
- Meet ASTM E-288 Class A Specifications & USP Standards for Volumetric Flasks

SIBATA Class A Volumetric Flasks with Ground Glass Stopper

Item No.	Capacity (mL)	Tolerance (±mL)	Snap-Cap No.	Approx. O.D. x H in	Approx. O.D. x H mm	Pack Qty.	Pack Qty.
2306A-1	1	0.01	9	0.4 x 3.1	10 x 79	6	96
2306A-2	2	1.015	9	0.5 x 3.5	12 x 90	6	96
2306A-5	5	0.02	9	0.8 x 2.8	21 x 72	6	72
2306A-10	10	0.02	9	1 x 3.8	26 x 96	6	72
2306A-25	25	0.03	9	1.5 x 4.8	37 x 123	6	72
2306A-50	50	0.05	13	1.9 x 6	49 x 152	4	48
2306A-100	100	0.08	13	2.3 x 7.1	58 x 181	4	48
2306A-200	200	0.10	16	2.9 x 8.7	74 x 220	4	24
2306A-250	250	0.12	16	3.1 x 9.4	78 x 239	4	24
2306A-500	500	0.20	19	3.8 x 11	96 x 279	2	12
2306A-1000	1000	0.30	22	4.8 x 12.9	122 x 327	2	8
2306A-2000	2000	0.50	27	6.2 x 15.6	157 x 396	2	8



SIBATA Amber Class A Volumetric Flasks

Constructed of low-actinic amber glass, providing protection for materials that are sensitive to light

- Feature machine-blown bodies and heavy-beaded, heavy-tubing necks that are tooled for standard taper glass stoppers
- Constructed of borosilicate glass with a low coefficient of expansion
- Designed "To Contain" with a temperature of calibration at 20°C/68°F
- Each flask has a large marking square and includes a glass stopper
- Meet ASTM E-288 Class A Specifications & USP Standards for Volumetric Flasks

SIBATA Amber Class A Volumetric Flasks

Item No.	Capacity (mL)	Tolerance (±mL)	Snap-Cap No.	Approx. O.D. x H in	Approx. O.D. x H mm	Pack Qty.	Pack Qty.
2307A-10	10	0.02	9	1.1 x 3.7	28 x 95	6	72
2307A-20	20	0.03	9	1.4 x 4.5	36 x 115	6	72
2307A-25	25	0.03	9	1.5 x 4.8	39 x 122	6	72
2307A-50	50	0.05	13	1.9 x 5.9	49 x 150	4	48
2307A-100	100	0.08	13	2.4 x 7.1	60 x 180	4	48
2307A-200	200	0.10	16	3.0 x 8.7	75 x 220	4	24
2307A-250	250	0.12	16	3.1 x 9.4	78 x 239	4	24
2307A-500	500	0.15	19	3.9 x 11	100 x 280	2	12
2307A-1000	1000	0.30	22	5 x 12.8	127 x 325	2	8



SIBATA Glass Stoppers

Stoppers are lightweight yet very strong to reduce chipping and breakage

- Flat top design allows the stopper to stand on its head, freeing the user's hands
- Fully interchangeable with other common flask stoppers and fit all standard labware of comparable standard taper size
- Meet ASTM E-675 Specifications

SIBATA Glass Stoppers

Item No.	Standard Taper Stopper No.	Tinting	Approx. Length of Ground Zone (in/mm)	Height Above of Ground Joint (in/mm)	Fit Volumetric Flasks	Pack Qty.
03081	9	Clear	0.6 / 14	0.4 / 10	2306A-1, -2, -5, -10, -25	6
03082	13	Clear	0.6 / 14	0.5 / 13	2306A-50, -100	6
03083	16	Clear	0.6 / 16.5	0.7 / 18	2306A-200, -250	6
03084	19	Clear	0.7 / 19	0.7 / 18	2306A-500	6
03085	22	Clear	0.8 / 20.5	0.8 / 20	2306A-1000	6
03087	27	Clear	0.7 / 21	0.8 / 21	2306A-2000	6



Workstation Lab Mat

Safely facilitate workflow processes

- Protect counter tops from hot items up to 200°C (392°F)
- Lip around the edge can hold approx. 250 mL of liquid
- Small footprint, 12 x 14.9 x 0.1 in (30.5 x 37.9 x 0.2 cm)



Gridded Surface

for tube staging, preventing movement of objects

Reversible

Side One: combination gridded and smooth surface

Side Two: smooth surface only



Item No.	Color	L x W x H in	L x W x H cm
120747	Blue	12 x 14.9 x 0.1	30.5 x 37.9 x 0.2
120748	Purple		

Silicone Lab Mat

Large working space

The lab mat can be used with items such as centrifuges, vortex mixers, hot plates, stirrers, pipettes and so much more

- Mat features designated magnetic area to keep stir bars in place
- Protect countertops from hot items up to 200°C (392°F)



Raised Edges

enable liquid retention of approximately 300 mL of fluid

Large Working Surface

accommodates benchtop equipment, weigh boats, stir bars, scales, etc.



Item No.	Side #1 Color	Side #2 Color	L x W x H in	L x W x H cm
120506	Yellow	Grey/Blue	14 x 23.5 x 0.1	35 x 60 x 0.2
120507	Purple	Purple/Grey		
120599	Blue	White/Blue		

Lab Drying Rack

Bringing color to a mundane task

Most Versatile Rack in the market


- Channels designed for more useful configurations
- Large and Small pegs for all glassware varieties
- One of a kind Drying Basket to collect smaller items

Designed to protect against breakage

- Peg angle allows for better hold - especially large, heavy pieces
- Patent Pending SureGrip Hook securely grips glassware into place

Included:

- 72 Pegs ~ 36 Small (Green) ~ 36 Large (Blue)
- 2 Drying Baskets
- Drainage Tubing
- Mounting Hardware



Drying Basket

to keep small items and slotted
to hold pipets safe while drying



SureGrip Hook

Patent-pending design
securely grips glassware
into place




Use on counter or wall

Stands alone on integrated
hinged stand. Mounts easily on
wall with included guide and
hardware

Can hold up to 77 lbs

(34.9 kg)

Rack made of durable
polystyrene



Lab Drying Rack

U.S. Patent No. D923275, D936925, D951573, D951574

Item No.	L x W x H in	L x W x H cm
120791	17.4 x 26 x 5.5	44.1 x 66 x 13.9

Replacement Parts

Item No.	Description
120793	Peg 10 Piece Kit, (5) Small, (5) Large
120792	Drying Basket Kit, 2 ea
120813	Replacement Draining Set, Tube and Elbow

Wire Drying Rack


Saves glassware from chips and cracks

Drain and dry test tubes, beakers, flasks, and other labware

- Place self-standing rack on a table or near a sink, or use hooks to hang rack on the wall
- Holds up to 90 pieces of labware on 18 x 127 mm pins and 72 x 76 mm pins
- Constructed of spot-welded, HDPE-coated steel wire for durability with polystyrene tray and back
- Easily accessible and removable bottom drainage pan



Removable Drip Pan
helps retain and dispose of
excess water



Workstation Lab Mat, Page 7

Workstation Lab Mat

Keep glassware in place while drying

Peg Racks


Perfect for drying small items

Fiberglass-reinforced polypropylene racks are ideal for bench work or tube storage

- Use in sink or on countertop
- Sturdy pegs hold items in place



Pack of 2



Open tear drop wells
allow for water to drain

Item No.	Color		Tubes mL	Wells	Well Dia. mm	L x W x H in	L x W x H cm
HS24311A	White	☐	10	50	14–17	7.4 x 4.1 x 2.7	18.8 x 10.4 x 6.9
HS24311B	Blue	☒					
HS24312A	White	☐	7	96	10–13	3.2 x 5 x 2.7	8.2 x 12.6 x 6.9
HS24312B	Blue	☒					

LevGo® Eco smartFunnel™ Paper Funnel



A clean transfer every time

- Use with virtually any liquid or powder (not recommended for hot liquids)
- Often used to collect sputum samples
- Environmentally friendly paper product that will naturally biodegrade in the standard municipal waste stream
- Made of FSC® Certified, FDA food grade, clay coated heavy grade paper
- Innovative “backrest” allows hands-free use when pouring viscous liquids
- Maximum flexibility - cut stem to any desired opening size or shape
- Apply a minimum of pressure and the funnel will stay in position

Pack of 25

Item No.	Size	Capacity mL	H x Inlet x Stem in/mm
120219	Mini	155	5 x 21/4 x 2 x 1/4 in ² / 127 x 57 mm ² x 64 mm ²
120863	Micro	25	2 1/8 x 1 1/16 in ² x 1/4 in ² / 67 x 27 mm ² x 64 mm ²



Lead Rings

Stabilize vessels and labware on the bench or in water baths

- Vinyl-coated lead rings will not mark or scratch benchtops and labware
- C-shape format allows some manual size variation for a customized fit

Item No.	Shape	Color	Flask Sizes mL	ID in	ID cm	OD in	OD cm	Weight g
HS8881A	C	Blue	125–500	1.9	4.2	3	7.5	215
HS8882A	O	Blue	125–500	1.9	4.8	3	7.7	210
HS8881B	C	Blue	250–1000	2	5.1	3.5	9	465
HS8882B	O	Blue	250–1000	2	5.1	3.5	9	490
HS8881C	C	Blue	500–2000	2.1	5.4	3.9	9.8	595
HS8882C	O	Blue	500–2000	2.2	5.7	3.9	9.8	610
HS8881D	C	Blue	1000–4000	2.6	6.6	4.4	11.3	890
HS8882D	O	Blue	1000–4000	2.8	7	4.5	11.5	935

*Weights may vary by +/- 3%



Parafilm® M Sealing Film

Protect the integrity of your laboratory and research applications



Parafilm® M is a semi-transparent, flexible, thermoplastic film with two-way stretch

- Protect the integrity of research applications with a tight moisture-barrier that holds a strong seal and doesn't release from glassware, despite off-gassing
- Reduce the risk of tampered data with a covering that is odorless, colorless and semi-transparent
- Prevents moisture and volume loss due to material composition and tight seal
- Flexible and self-sealing material allows it to cling around irregular shapes and surfaces
- Stretches more than 200% of original length
- Resistant up to 48 hours against many polar substances such as saline solutions, inorganic acids and alkaline solutions
- Two color options available in 2" rolls (natural and purple) for color coding purposes



Item No.	Color		Film Width		Roll Length	
			in	cm	ft	m
HS234526A	Natural	☐	2	5	250	76.2
120762	Purple	☒	2	5	250	76.2
HS234526B	Natural	☐	4	10	125	38.1
HS234526C	Natural	☐	4	10	250	76.2
120265	Natural	☐	20	50.8	50	15.2

Parafilm® M is a registered trademark of Amcor Limited

Foil Rolls

Designed for easy use and minimal waste

- Two sizes available for covering small surface such as beakers, flasks, tubes and Petri dishes
- Withstands autoclaving, incubating and freezing temperatures

Item No.	Thickness	Roll Width		Roll Length	
	mm	in	cm	ft	m
HS23534A	0.015	4	10.2	500	152.4
HS23536A	0.015	6	15.3	500	152.4



Box Top Dispenser for Parafilm® M Sealing Film

Easy application

Simply place the dispenser on top of the Parafilm® M box and pull the sealing film through, there is no need to remove rolls from the packaging

- Accommodates two 50 mm or one 100 mm Parafilm® M rolls
- Built in safety blade slides and cuts with no danger to fingertips and eliminates the need for scissors
- Supplied with two safety blades, additional replacement blades are available for purchase
- Made with ABS plastic making the unit easy to clean

Item No.		L x W x H in	L x W x H cm
120667	Blue ■		
120668	Purple ■	4.9 x 6.8 x 3.9	12.3 x 17.2 x 9.9
120758	Natural □		

Item No.	
120722	Replacement Blades for Box Top Dispenser, Pack of 3 <i>Parafilm® M is a registered trademark of Amcor Limited</i>



ABS Dispenser for Parafilm® M Sealing Film

Store, dispense, and cut Parafilm® M, tape, labels, and Tough-Tags®

- ABS plastic dispenser designed with integrated safety razor that slides smoothly creating a clean cut
- Supplied with two safety blades, additional replacement blades are available for purchase
- Dispenser holds one or two 50 mm (2-inch) rolls or one 100 mm (4-inch) roll

Item No.		L x W x H in	L x W x H cm
HS234525B	Blue ■	4.7 x 6.1 x 6.7	12 x 15.6 x 17.1
HS234525C	Green ■		

Item No.	
HS234525R	Replacement Blades for ABS Dispenser, Pack of 5 <i>Parafilm® M is a registered trademark of Amcor Limited</i> <i>Tough-Tags® is a registered trademark of Diversified Biotech</i>



Acrylic Dispenser for Parafilm® M Sealing Film

Store, dispense, and cut Parafilm® M, tape, labels, and Tough-Tags®

- Strong, crystal-clear acrylic dispenser makes your film supply visible and features a serrated cutting blade
- Rubber feet secures in place while cutting
- Dispenser holds one or two 50 mm (2-inch) rolls or one 100 mm (4-inch) roll

Item No.	L x W x H in	L x W x H cm
HS234524	4.7 x 6.6 x 6.9	11.9 x 16.8 x 17.5

Parafilm® M is a registered trademark of Amcor Limited
Tough-Tags® is a registered trademark of Diversified Biotech

