



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation Ammonium Sulfide TS

Product Number R0694600

Other Identifying Product Numbers R0694600-100C, R0694600-120C, R0694600-1C, R0694600-500C

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company Ricca Chemical Company

Address 412 West Fork Drive

Arlington, TX 76012 USA

Telephone 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300

CHEMTREC (International) 1+ 703-527-3887

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

Hazard Class	Category	Hazard Statements	Precautionary Statements
Acute Toxicity - Inhalation (Gases)	Category 4	H332	P261,P271,P304+P340,P312
Corrosive to the Respiratory Tract	Corrosive		
Flammable Liquids	Category 3	H226	P210,P233,P240,P241,P242,P243, P280,P303+P361+P353,P370+P378, P403+P235,P501
Skin Corrosion / Irritation	Category 1	H314	P260,P264,P280,P301+P330+P331, P303+P361+P353,P363,P304+P340, P310,P321,P305+P351+P338,P405, P501
Serious Eye Damage / Eye Irritation	Category 1	H318	P280,P305+P351+P338,P310
Hazardous to the Aquatic Environment, Short-term (Acute)	Acute 2	H401	P273,P501

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

NOTE: Hazard statements may be combined on labels to improve clarity and readability.

Hazard Number	Hazard Statement
H226	Flammable liquid and vapor
H314	Causes severe skin burns and eye damage
H332	Harmful if inhaled
H401	Toxic to aquatic life
	Corrosive to the respiratory tract

Precautionary Statements:

NOTE: Precautionary statements may be combined or consolidated on labels to improve clarity and readability.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Prevention

Precautionary Number	Precautionary Statement
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharge.
P260	Do not breathe fumes or mist.
P264	Wash hands, arms, and face thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.

Response

Precautionary Number	Precautionary Statement
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center or doctor.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use dry chemical, foam, or carbon dioxide to extinguish.

Storage

Precautionary Number	Precautionary Statement
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Disposal

Precautionary Number	Precautionary Statement
P501	Dispose of contents/container to suitable waste stream in accordance with local, state, federal, and international regulations.

2.3. Hazards not Otherwise Classified

No other hazards identified.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

2.4. Ingredients of Unknown Acute Toxicity

20.8 percent of this mixture consists of ingredient(s) of unknown acute oral and dermal toxicity.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Mixture

Chemical Name (IUPAC)	Common Name and Synonyms	CAS Number	Weight%
water	Water	7732-18-5	79.20
sulfane	Hydrogen Sulfide	7783-06-4	11.34
ammonium hydroxide	Ammonium Hydroxide; Aqueous ammonia	1336-21-6	9.47

SECTION 4: First-Aid Measures

4.1. Description of Necessary Measures

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.

Ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Vomiting may occur spontaneously but do not induce. Call a physician immediately.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. May cause irritation, redness, and pain.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Harmful if inhaled WARNING! Corrosive, toxic and flammable. Use with adequate ventilation. Avoid breathing vapor. Avoid contact with skin, eyes or clothing. If ingested, give large quantity of water and call a physician. Do not induce vomiting. Wash areas of contact with plenty of water. For eyes, get medical attention. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness, and pain.

4.3. Immediate Medical Attention or Special Treatment Needed

Immediately call a poison center or doctor. Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Wash areas of contact with soap and water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Vomiting may occur spontaneously but do not induce. Call a physician immediately.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

In case of fire: Use dry chemical, foam, or carbon dioxide to extinguish. Water spray, dry chemical, alcohol foam, carbon dioxide

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

5.2. Specific Hazards Arising from the Substance or Mixture in a Fire

Flammable liquid and vapor Flammable gas. Forms explosive mixtures with air over wide range. Combustion produces irritants and toxic gases, including sulfur dioxide.

5.3. Special Protective Equipment and Precautions for Firefighters

Wear special protective clothing and positive pressure self-contained breathing apparatus.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground and bond container and receiving equipment. Use explosion-proof equipment. Use non-sparking tools. Take action to prevent static discharge. Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Eliminate all ignition sources. Approach the release from upwind. Stop or control the leak, if this can be done without undue risk. Use water spray to cool and disperse vapors, protect personnel, and dilute spills to form nonflammable mixtures. Control runoff and isolate discharged material for proper disposal.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in a well-ventilated place. Keep cool. Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Do not mix with acids. Keep well closed and protected from light.

SECTION 8: Exposure Controls / Personal Protection

8.1. Exposure Limits

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

U.S. OSHA - Permissible Exposure Limits (PEL) - Time Weighted Averages (TWA)

Chemical Name	CAS Number	Exposure Limit
Ammonium Hydroxide	1336-21-6	"50 ppm TWA; 35 mg/m3 TWA" As Ammonia [7664-41-7]

U.S. OSHA - Permissible Exposure Limits (PEL) - Ceiling Limits

Chemical Name	CAS Number	Exposure Limit
Hydrogen Sulfide	7783-06-4	20 ppm Ceiling

U.S. OSHA - Permissible Exposure Limits (PEL) - Short Term Exposure Limits (STEL)

No limits found.

U.S. OSHA - Specifically Regulated Chemicals

No limits found.

ACGIH - Threshold Limit Values - Ceilings (TLV-C)

No limits found.

ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

Chemical Name	CAS Number	Exposure Limit
Ammonium Hydroxide	1336-21-6	"35 ppm STEL" As Ammonia [7664-41-7]
Hydrogen Sulfide	7783-06-4	5 ppm STEL

ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Chemical Name	CAS Number	Exposure Limit
Ammonium Hydroxide	1336-21-6	"25 ppm TWA" As Ammonia [7664-41-7]
Hydrogen Sulfide	7783-06-4	1 ppm TWA

8.2. Engineering Controls

Use only outdoors or in a well-ventilated area. A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.

8.3. Individual Protective Measures and Personal Protective Equipment

Respiratory Protection: If the TLV is exceeded, a full-face chemical cartridge respirator may be worn up to 50 times the TLV or the maximum use concentration specified by the respirator supplier, whichever is less.

Skin Protection: Chemical resistant gloves.

Eye Protection: Safety glasses or goggles.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Physical State:	liquid
Color:	Yellow
Odor:	Data not available.
Odor Threshold:	Data not available.
Melting/Freezing Point:	Data not available.
Boiling Point/Range:	Data not available.
Flammability:	Data not available.
Flammability/Explosive Limits:	Data not available.
Flash Point:	Data not available.
Auto-Ignition Temperature:	Data not available.
Decomposition Temperature:	Data not available.
pH:	9.5 (45% solution of Ammonium Sulfide)
Kinematic Viscosity:	Data not available.
Solubility:	miscible
Vapor Pressure:	Data not available.
Evaporation Rate:	Data not available.
Relative Density:	Data not available.
Relative Vapor Density:	Data not available.
Particle Characteristics:	Data not available.
Partition Coefficient n-octanol/water, log	Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Contact with acids may evolve hydrogen sulfide. Oxidizers, zinc. Corrodes copper, zinc and their alloys.

10.4. Hazardous Decomposition Products

Will not occur.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

No information found.

Acute Toxicity - Dermal Exposure:

No information found.

Acute Toxicity - Inhalation Exposure:

Inhalation acute toxicity estimate (ATE, gas): 3915.3439 ppmV, 4 h(calculated); Inhalation acute toxicity estimate (ATE, vapor): 31.6790 mg/L, 4 h(c

Chemical Name	CAS Number	Toxicity
Ammonium Hydroxide	1336-21-6	Inhalation LC50 Acute Toxicity Estimate 3 mg/L 4 h (Source: ECHA)
Hydrogen Sulfide	7783-06-4	Inhalation LC50 444 ppm 4 h (Source: Canada_WHMIS)

11.2 Carcinogenicity:

International Agency for Research on Cancer (IARC)

Chemical Name	CAS Number	Classification
No data found.		

National Toxicology Program (NTP)

Chemical Name	CAS Number	Classification
No data found.		

U.S. OSHA specifically regulated carcinogens

Chemical Name	CAS Number	Classification
No data found.		

11.3 Additional Toxicology Information:

Causes severe skin burns and eye damage. Harmful if inhaled. Corrosive to the respiratory tract.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Chemical Name	CAS Number	Species	Exposure	Toxicity
Ammonium Hydroxide	1336-21-6	Freshwater Fish	Acute	LC50 96 h Pimephales promelas 8.2 mg/L
Hydrogen Sulfide	7783-06-4	Freshwater Fish	Acute	LC50 96 h Lepomis macrochirus 0.0448 mg/L [flow-through]; LC50 96 h Pimephales promelas 0.016 mg/L [flow-through]
Ammonium Hydroxide	1336-21-6	Water Flea	Acute	EC50 48 h water flea 0.66 mg/L; EC50 48 h Daphnia pulex 0.66 mg/L

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1 Transportation by Land - Department of Transportation (DOT, United States of America)

Sizes: 1 L, 100 mL, 120 mL, 500 mL

UN Number: UN2683

Proper Shipping Name: Ammonium Sulpide solution

Hazard Class: 8 (6.1,3)

Packing Group: II

Hazard Label(s):



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

14.2 Transportation by Air - International Air Transport Association (IATA)

Sizes: 1 L, 100 mL, 120 mL, 500 mL

UN Number: UN2683

Proper Shipping Name: Ammonium Sulfide solution

Hazard Class: 8 (3, 6.1)

Packing Group: II

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1 L, 100 mL, 120 mL, 500 mL

UN Number: UN2683

Proper Shipping Name: AMMONIUM SULFIDE SOLUTION

Hazard Class: 8 (6.1,3)

Packing Group: II

Hazard Label(s):



SECTION 15: Regulatory Information

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.01. Occupational Safety and Health Administration (OSHA) Hazards

Chemical Name	CAS Number	Regulatory Information
No data found.		

15.02. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Chemical Name	CAS Number	RQ	TPQ
Ammonium Hydroxide	1336-21-6	"500 lb TPQ" As Ammonia [7664-41-7]	"100 lb EPCRA RQ" As Ammonia [7664-41-7]
Hydrogen Sulfide	7783-06-4	500 lb TPQ	100 lb EPCRA RQ

15.03. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Chemical Name	CAS Number	Regulatory Information
Ammonium Hydroxide	1336-21-6	1000 lb final RQ; 454 kg final RQ
Hydrogen Sulfide	7783-06-4	100 lb final RQ; 45.4 kg final RQ

15.04. Superfund Amendments and Reauthorization Act (SARA) 313 Toxics Release Inventory (TRI)

Chemical Name	CAS Number	List	Regulatory Information
Ammonium Hydroxide	1336-21-6	Emission Reporting	"1.0 % de minimis concentration (includes anhydrous Ammonia and aqueous Ammonia from water dissociable Ammonium salts and other sources, 10% of total aqueous Ammonia is reportable under this listing)" As Ammonia [7664-41-7]; "1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)" As Aqueous ammonia from water dissociable ammonium salts and other sources [RR-47925-4]
Hydrogen Sulfide	7783-06-4	Emission Reporting	1.0 % de minimis concentration

15.05. Massachusetts Right-to-Know Substance List

Chemical Name	CAS Number	Regulatory Information
Ammonium Hydroxide	1336-21-6	Present
Hydrogen Sulfide	7783-06-4	Extraordinarily hazardous

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.06. Pennsylvania Right-to-Know Hazardous Substances

Chemical Name	CAS Number	Regulatory Information
Ammonium Hydroxide	1336-21-6	Environmental hazard
Hydrogen Sulfide	7783-06-4	Environmental hazard

15.07. New Jersey Worker and Community Right-to-Know Components

Chemical Name	CAS Number	Regulatory Information
Ammonium Hydroxide	1336-21-6	sn 0103
Hydrogen Sulfide	7783-06-4	sn 1017

15.08. California Proposition 65

Chemical Name	CAS Number	Regulatory Information
No data found.		

15.09. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Chemical Name	CAS Number	List	Status
Ammonium Hydroxide	1336-21-6	DSL	Present
Water	7732-18-5	DSL	Present
Hydrogen Sulfide	7783-06-4	DSL	Present

15.10. United States of America Toxic Substances Control Act (TSCA) List

Chemical Name	CAS Number	Status
Ammonium Hydroxide	1336-21-6	Present (ACTIVE)
Water	7732-18-5	Present [XU] (ACTIVE)
Hydrogen Sulfide	7783-06-4	Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Chemical Name	CAS Number	List	Number
Ammonium Hydroxide	1336-21-6	EINECS	215-647-6
Water	7732-18-5	EINECS	231-791-2
Hydrogen Sulfide	7783-06-4	EINECS	231-977-3

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.12. China - Inventory of Existing chemical Substances (IECSC)

Chemical Name	CAS Number	Status
Ammonium Hydroxide	1336-21-6	Present [27662]
Water	7732-18-5	Present [32224]
Hydrogen Sulfide	7783-06-4	Present [22934]

15.13. Korea - Existing Chemicals Inventory (KECI/KECL)

Chemical Name	CAS Number	List	Status
Ammonium Hydroxide	1336-21-6	Annex 1	Present [KE-01688]
Water	7732-18-5	Annex 1	Present [KE-35400]
Hydrogen Sulfide	7783-06-4	Annex 1	Present [KE-20209]


15.14. Japan - Existing and New Chemical Substances Inventory (ENCS)

Chemical Name	CAS Number	MITI No.
Ammonium Hydroxide	1336-21-6	(1)-314
Water	7732-18-5	- (listed on Japanese Pharmacopoeia 8th Edition)
Hydrogen Sulfide	7783-06-4	(1)-434

SECTION 16: Other Information

16.1 National Fire Protection Associate (NFPA) Rating

Health: 3
Flammability: 2
Reactivity: 0
Special Hazard:



16.2 Document Revision

Last Revision Date:
 2026-05-22

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.