



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation Lead Acetate TS, 2% (w/v) Alcoholic Solution

Product Number 4293.8

Other Identifying Product Numbers 4293.8-16, 4293.8-32

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company Ricca Chemical Company

Address 412 West Fork Drive

Arlington, TX 76012 USA

Telephone 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300

CHEMTREC (International) 1+ 703-527-3887

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

Hazard Class	Category	Hazard Statements	Precautionary Statements
Acute Toxicity - Oral	Category 4	H302	P264,P270,P301+P312,P330,P501
Acute Toxicity - Dermal	Category 3	H311	P280,P302+P352,P312,P321, P361+P364,P405,P501
Flammable Liquids	Category 2	H225	P210,P233,P240,P241,P242,P243, P280,P303+P361+P353,P370+P378, P403+P235,P501
Serious Eye Damage / Eye Irritation	Category 2	H319	P264,P280,P305+P351+P338, P337+P313
Carcinogenicity	Category 1B	H350	P201,P202,P280,P308+P313,P405, P501
Reproductive Toxicity	Category 1A	H360	P201,P202,P280,P308+P313,P405, P501
Specific Target Organ Toxicity - Single Exposure	Category 2	H371	P260,P264,P270,P308+P311, P405,P501
Specific Target Organ Toxicity - Repeated Exposure	Category 1	H372	P260,P264,P270,P314,P501
Hazardous to the Aquatic Environment, Short-term (Acute)	Acute 3	H402	P273,P501
Hazardous to the Aquatic Environment, Long-term (Chronic)	Chronic 3	H412	P273,P501

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

NOTE: Hazard statements may be combined on labels to improve clarity and readability.



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Hazard Number	Hazard Statement
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H311	Toxic in contact with skin
H319	Causes serious eye irritation
H350	May cause cancer
H360	May damage fertility or the unborn child
H371	May cause damage to organs
H372	Causes damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects

Precautionary Statements:

NOTE: Precautionary statements may be combined or consolidated on labels to improve clarity and readability.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Prevention

Precautionary Number	Precautionary Statement
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharge.
P260	Do not breathe fumes or mist.
P264	Wash hands, arms, and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.

Response

Precautionary Number	Precautionary Statement
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311	If exposed or concerned: Call a poison center or doctor.
P314	Get medical advice or attention if you feel unwell.
P330	Rinse mouth.
P337+P313	If eye irritation persists: Get medical advice or attention.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use dry chemical, foam, or carbon dioxide to extinguish.

Storage

Precautionary Number	Precautionary Statement
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Disposal

Precautionary Number	Precautionary Statement
P501	Dispose of contents/container to suitable waste stream in accordance with local, state, federal, and international regulations.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

2.3. Hazards not Otherwise Classified

No other hazards identified.

2.4. Ingredients of Unknown Acute Toxicity

95.4 percent of this mixture consists of ingredient(s) of unknown acute dermal toxicity.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Mixture

Chemical Name (IUPAC)	Common Name and Synonyms	CAS Number	Weight%
ethanol	Ethyl Alcohol	64-17-5	93.00
methanol	Methyl Alcohol	67-56-1	4.65
lead(2+) diacetate trihydrate	Lead Acetate Trihydrate; Acetic acid, lead(2+) salt, trihydrate	6080-56-4	2.35

SECTION 4: First-Aid Measures

4.1. Description of Necessary Measures

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva.

Ingestion: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Dilute immediately with water or milk. Induce vomiting. Call a physician.

Inhalation: Not expected to require first aid. If necessary, remove to fresh air.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. May cause irritation and burns. May be absorbed through the skin, with possible lead poisoning developing from repeated exposures.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Toxic in contact with skin Flammable liquid. Primarily toxic by ingestion. If ingested, give large quantity of water and induce vomiting. Call a physician. Contact may cause dryness and cracking of the skin. May cause irritation to the eyes. Wash areas of contact with plenty of water. May cause irritation of the respiratory system. Repeated (chronic) ingestion can cause serious problems subsequent to lead poisoning. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: May cause irritation and burns. May be absorbed through the skin, with possible lead poisoning developing from repeated exposures. CHRONIC EFFECTS / CARCINOGENICITY: Lead accumulates in bone and teeth on prolonged or repeated exposure.

4.3. Immediate Medical Attention or Special Treatment Needed

Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Wash areas of contact with soap and water for at least 15 minutes. Call a physician if irritation develops. Dilute immediately with water or milk. Induce vomiting. Call a physician.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

In case of fire: Use dry chemical, foam, or carbon dioxide to extinguish. Use dry chemical, alcohol foam, or carbon dioxide for extinguishing the surrounding fire. Use water as fog in flooding quantities. Water can be used to dilute spills to non-flammable mixtures.

5.2. Specific Hazards Arising from the Substance or Mixture in a Fire

Highly flammable liquid and vapor Vapors can flow along surfaces to distant ignition source and flashback. Use water spray to blanket fire, cool fire exposed containers, and to flush non-ignited spills or vapors away from fire. Explosion hazard when exposed to heat, flame or oxidizers.

5.3. Special Protective Equipment and Precautions for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground and bond container and receiving equipment. Use explosion-proof equipment. Use non-sparking tools. Take action to prevent static discharge. Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Remove all sources of ignition. Contain spill. Do not flush to sewer. Absorb with suitable inert material (vermiculite, dry sand, etc) and place in a chemical waste container for proper disposal in an approved waste disposal facility. Ventilate area of spill. Have extinguishing agent available in case of fire. Use non-sparking tools and equipment. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in a well-ventilated place. Keep cool. Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers may be hazardous since they retain product residues.

SECTION 8: Exposure Controls / Personal Protection

8.1. Exposure Limits

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

U.S. OSHA - Permissible Exposure Limits (PEL) - Time Weighted Averages (TWA)

Chemical Name	CAS Number	Exposure Limit
Ethyl Alcohol	64-17-5	1000 ppm TWA; 1900 mg/m3 TWA
Methyl Alcohol	67-56-1	200 ppm TWA; 260 mg/m3 TWA

U.S. OSHA - Permissible Exposure Limits (PEL) - Ceiling Limits

No limits found.

U.S. OSHA - Permissible Exposure Limits (PEL) - Short Term Exposure Limits (STEL)

No limits found.

U.S. OSHA - Specifically Regulated Chemicals

No limits found.

ACGIH - Threshold Limit Values - Ceilings (TLV-C)

No limits found.

ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

Chemical Name	CAS Number	Exposure Limit
Ethyl Alcohol	64-17-5	1000 ppm STEL
Methyl Alcohol	67-56-1	250 ppm STEL

ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Chemical Name	CAS Number	Exposure Limit
Methyl Alcohol	67-56-1	200 ppm TWA

8.2. Engineering Controls

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.

8.3. Individual Protective Measures and Personal Protective Equipment

Respiratory Protection: Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn.

Skin Protection: Chemical resistant gloves.

Eye Protection: Safety glasses or goggles.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Physical State:	liquid
Color:	Colorless
Odor:	Data not available.
Odor Threshold:	Data not available.
Melting/Freezing Point:	Data not available.
Boiling Point/Range:	Approximately 77°C
Flammability:	Data not available.
Flammability/Explosive Limits:	Data not available. - 19%
Flash Point:	12.7°C (Dortmund Data Bank)
Auto-Ignition Temperature:	Data not available.
Decomposition Temperature:	Data not available.
pH:	Data not available.
Kinematic Viscosity:	Data not available.
Solubility:	Data not available.
Vapor Pressure:	Data not available.
Evaporation Rate:	Data not available.
Relative Density:	0.85
Relative Vapor Density:	Data not available.
Particle Characteristics:	Data not available.
Partition Coefficient n-octanol/water, log	Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Platinum, Sodium, Potassium Dioxide, Bromine Pentafluoride, Acetyl Bromide, Acetyl Chloride, heat, sparks, open flame, strong oxidizers, Acids, Hydrogen Peroxide, Sulfites, Ammonium Thiocyanate.

10.4. Hazardous Decomposition Products

Will not occur.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Oral acute toxicity estimate (ATE): 1953 mg/kg(calculated)

Chemical Name	CAS Number	Toxicity
Lead Acetate Trihydrate	6080-56-4	Oral LD50 Acute Toxicity Estimate 500 mg/kg (ECHA)
Ethyl Alcohol	64-17-5	Oral LD50 Rat 7060 mg/kg (Source: NLM_CIP)
Methyl Alcohol	67-56-1	Oral LD50 Acute Toxicity Estimate 100 mg/kg (Source: ECHA)

Acute Toxicity - Dermal Exposure:

Dermal acute toxicity estimate (ATE): 300 mg/kg(calculated)

Chemical Name	CAS Number	Toxicity
Methyl Alcohol	67-56-1	Dermal LD50 Acute Toxicity Estimate 300 mg/kg (Source: ECHA)

Acute Toxicity - Inhalation Exposure:

Not acutely toxic.

Chemical Name	CAS Number	Toxicity
Lead Acetate Trihydrate	6080-56-4	Inhalation LC50 Acute Toxicity Estimate 1.5 mg/L 4 h (Source: ECHA)
Ethyl Alcohol	64-17-5	Inhalation LC50 Rat 116.9 mg/L 4 h (males, vapor, Source: ECHA_API); Inhalation LC50 Rat 133.8 mg/L 4 h (females, vapor, Source: ECHA_API)
Methyl Alcohol	67-56-1	Inhalation LC50 Acute Toxicity Estimate 3 mg/L 4 h (Source: ECHA)

11.2 Carcinogenicity:

International Agency for Research on Cancer (IARC)

Chemical Name	CAS Number	Classification
Lead Acetate Trihydrate	6080-56-4	Group 3 (Not Classified) - Monograph 87 [2006]; Supplement 7 [1987] (listed under Organolead compounds)

National Toxicology Program (NTP)

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Chemical Name	CAS Number	Classification
Lead Acetate Trihydrate	6080-56-4	Reasonably Anticipated To Be A Human Carcinogen (listed under Lead and lead compounds)
Ethyl Alcohol	64-17-5	Male Rat - Not Tested; Female Rat - Not Tested; Male Mice - Inadequate Experiment; Female Mice - Inadequate Experiment (TR-510)

U.S. OSHA specifically regulated carcinogens

Chemical Name	CAS Number	Classification
No data found.		

11.3 Additional Toxicology Information:

Harmful if swallowed. Toxic in contact with skin. Causes serious eye irritation. May cause cancer. May damage fertility or the unborn child. May cause damage to organs. Causes damage to organs through prolonged or repeated exposure.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Chemical Name	CAS Number	Species	Exposure	Toxicity
Ethyl Alcohol	64-17-5	Earthworm	Acute	LC50 48 h Eisenia foetida 0.1 - 1 mg/cm2 [filter paper] (IUCLID)
Methyl Alcohol	67-56-1	Earthworm	Acute	LC50 48 h Eisenia foetida > 1 mg/cm2 [filter paper] (IUCLID)
Ethyl Alcohol	64-17-5	Freshwater Fish	Acute	LC50 96 h Oncorhynchus mykiss 12.0 - 16.0 mL/L [static] (EPA); LC50 96 h Pimephales promelas > 100 mg/L [static] (EPA); LC50 96 h Pimephales promelas 13400 - 15100 mg/L [flow-through] (EPA)
Methyl Alcohol	67-56-1	Freshwater Fish	Acute	LC50 96 h Pimephales promelas 28200 mg/L [flow-through] (EPA); LC50 96 h Pimephales promelas > 100 mg/L [static] (EPA); LC50 96 h Oncorhynchus mykiss 19500 - 20700 mg/L [flow-through] (EPA); LC50 96 h Oncorhynchus mykiss 18 - 20 mL/L [static] (EPA); LC50 96 h Lepomis macrochirus 13500 - 17600 mg/L [flow-through] (EPA)
Ethyl Alcohol	64-17-5	Water Flea	Acute	LC50 48 h Daphnia magna 9268 - 14221 mg/L (IUCLID); EC50 48 h Daphnia magna 2 mg/L [Static] (EPA)

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1 Transportation by Land - Department of Transportation (DOT, United States of America)

Sizes: 1 L, 500 mL

UN Number: UN1987

Proper Shipping Name: Alcohols, n.o.s. (Ethanol, Methanol)

Hazard Class: 3

Packing Group: II

Hazard Label(s):





Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

14.2 Transportation by Air - International Air Transport Association (IATA)

Sizes: 1 L, 500 mL

UN Number: UN1987

Proper Shipping Name: Alcohols, n.o.s. (Ethanol, Methanol)

Hazard Class: 3

Packing Group: II

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1 L, 500 mL

UN Number: UN1987

Proper Shipping Name: ALCOHOLS, N.O.S. (ethanol, methanol)

Hazard Class: 3

Packing Group: II

Hazard Label(s):



SECTION 15: Regulatory Information

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.01. Occupational Safety and Health Administration (OSHA) Hazards

Chemical Name	CAS Number	Regulatory Information
No data found.		

15.02. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Chemical Name	CAS Number	RQ
No data found.		

15.03. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Chemical Name	CAS Number	Regulatory Information
Lead Acetate Trihydrate	6080-56-4	"10 lb final RQ; 4.54 kg final RQ" As Acetic acid, lead(2+) salt [301-04-2]
Methyl Alcohol	67-56-1	5000 lb final RQ; 2270 kg final RQ

15.04. Superfund Amendments and Reauthorization Act (SARA) 313 Toxics Release Inventory (TRI)

Chemical Name	CAS Number	List	Regulatory Information
Lead Acetate Trihydrate	6080-56-4	Emission Reporting	"not eligible for the de minimis exemption" As Lead compounds [RR-00630-4]; "not eligible for the de minimis exemption, listed under Chemical Category N420" As Organic lead compounds [RR-02632-4]
Lead Acetate Trihydrate	6080-56-4	Chemicals of Special Concern	"100 lb RT" As Lead compounds [RR-00630-4]
Methyl Alcohol	67-56-1	Emission Reporting	1.0 % de minimis concentration

15.05. Massachusetts Right-to-Know Substance List

Chemical Name	CAS Number	Regulatory Information
Lead Acetate Trihydrate	6080-56-4	"Carcinogen; Extraordinarily hazardous" As Acetic acid, lead salt [301-04-2]
Ethyl Alcohol	64-17-5	Teratogen
Methyl Alcohol	67-56-1	Present

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.06. Pennsylvania Right-to-Know Hazardous Substances

Chemical Name	CAS Number	Regulatory Information
Lead Acetate Trihydrate	6080-56-4	"Environmental hazard; Special hazardous substance" As Acetic acid, lead(2+) salt [301-04-2]; "Environmental hazard" As Lead compounds [RR-00630-4]
Ethyl Alcohol	64-17-5	Present
Methyl Alcohol	67-56-1	Environmental hazard

15.07. New Jersey Worker and Community Right-to-Know Components

Chemical Name	CAS Number	Regulatory Information
Lead Acetate Trihydrate	6080-56-4	"sn 1097" As Lead acetate [301-04-2]; "sn 2266" As Lead compounds [RR-00630-4]
Ethyl Alcohol	64-17-5	sn 0844
Methyl Alcohol	67-56-1	sn 1222

15.08. California Proposition 65

Chemical Name	CAS Number	Regulatory Information
Lead Acetate Trihydrate	6080-56-4	"carcinogen, 1/1/1988" As Lead acetate [301-04-2]; "carcinogen, 10/1/1992" As Lead compounds [RR-00630-4]
Lead Acetate Trihydrate	6080-56-4	"23 µg/day NSRL (oral)" As Lead acetate [301-04-2]
Ethyl Alcohol	64-17-5	"carcinogen, 7/1/1988 (when associated with alcohol abuse); carcinogen, 4/29/2011" As Alcoholic beverages [RR-01961-4]
Ethyl Alcohol	64-17-5	"developmental toxicity, 10/1/1987 (listed under Ethyl alcohol in alcoholic beverages)" As Alcoholic beverages [RR-01961-4]
Methyl Alcohol	67-56-1	developmental toxicity, 3/16/2012

15.09. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Chemical Name	CAS Number	List	Status
Lead Acetate Trihydrate	6080-56-4	DSL	"Present" As Lead acetate [301-04-2]
Ethyl Alcohol	64-17-5	DSL	Present
Ethyl Alcohol	64-17-5	NDSL	"Present" As Alcohols, C1-3 [68475-56-9]
Methyl Alcohol	67-56-1	DSL	Present
Methyl Alcohol	67-56-1	NDSL	"Present" As Alcohols, C1-3 [68475-56-9]

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.10. United States of America Toxic Substances Control Act (TSCA) List

Chemical Name	CAS Number	Status
Lead Acetate Trihydrate	6080-56-4	"Present (ACTIVE)" As Acetic acid, lead(2+) salt (2:1) [301-04-2]
Ethyl Alcohol	64-17-5	Present (ACTIVE)
Methyl Alcohol	67-56-1	Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Chemical Name	CAS Number	List	Number
Lead Acetate Trihydrate	6080-56-4	EINECS	"206-104-4" As Lead di(acetate) [301-04-2]
Ethyl Alcohol	64-17-5	EINECS	200-578-6
Methyl Alcohol	67-56-1	EINECS	200-659-6

15.12. China - Inventory of Existing chemical Substances (IECSC)

Chemical Name	CAS Number	Status
Lead Acetate Trihydrate	6080-56-4	Present [29624]
Ethyl Alcohol	64-17-5	Present [38125]
Methyl Alcohol	67-56-1	Present [16735]

15.13. Korea - Existing Chemicals Inventory (KECI/KECL)

Chemical Name	CAS Number	List	Status
Lead Acetate Trihydrate	6080-56-4	Annex 1	"Present [KE-21888]" As Lead acetate [301-04-2]
Lead Acetate Trihydrate	6080-56-4	Annex 3	"Present (97-1-9)" As Lead compounds [RR-00630-4]
Ethyl Alcohol	64-17-5	Annex 1	Present [KE-13217]
Methyl Alcohol	67-56-1	Annex 1	Present [KE-23193]

15.14. Japan - Existing and New Chemical Substances Inventory (ENCS)

Chemical Name	CAS Number	MITI No.
Lead Acetate Trihydrate	6080-56-4	(2)-693 (not considered as a new chemical substance)
Ethyl Alcohol	64-17-5	(2)-202
Methyl Alcohol	67-56-1	(2)-201


SECTION 16: Other Information

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

16.1 National Fire Protection Associate (NFPA) Rating

Health: 1
Flammability: 3
Reactivity 0
Special Hazard:



16.2 Document Revision

Last Revision Date:
2026-05-25

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.