



## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### SECTION 1: Identification

#### 1.1. Product Identifier

**Trade Name or Designation** Lithium chloride, 1M in EtOH

**Product Number** R4379000

**Other Identifying Product Numbers** R4379000-120A

#### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

#### 1.3. Details of the Supplier of the Safety Data Sheet

**Company** Ricca Chemical Company

**Address** 412 West Fork Drive

Arlington, TX 76012 USA

**Telephone** 888-467-4222

#### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300

CHEMTREC (International) 1+ 703-527-3887

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### SECTION 2: Hazard(s) Identification

#### 2.1. Classification of the Substance or Mixture

| Hazard Class                                     | Category    | Hazard Statements | Precautionary Statements                                                   |
|--------------------------------------------------|-------------|-------------------|----------------------------------------------------------------------------|
| Acute Toxicity - Oral                            | Category 4  | H302              | P264,P270,P301+P312,P330,P501                                              |
| Acute Toxicity - Dermal                          | Category 4  | H312              | P280,P302+P352,P312,P321,P362+P364,P501                                    |
| Flammable Liquids                                | Category 2  | H225              | P210,P233,P240,P241,P242,P243,P280,P303+P361+P353,P370+P378,P403+P235,P501 |
| Serious Eye Damage / Eye Irritation              | Category 2  | H319              | P264,P280,P305+P351+P338, P337+P313                                        |
| Reproductive Toxicity                            | Category 1B | H360              | P201,P202,P280,P308+P313,P405, P501                                        |
| Specific Target Organ Toxicity - Single Exposure | Category 2  | H371              | P260,P264,P270,P308+P311, P405,P501                                        |

#### 2.2. GHS Label Elements

##### Pictograms:



**Signal Word: Danger**

##### Hazard Statements:

NOTE: Hazard statements may be combined on labels to improve clarity and readability.

| Hazard Number | Hazard Statement                             |
|---------------|----------------------------------------------|
| H225          | Highly flammable liquid and vapor            |
| H302+H312     | Harmful if swallowed or in contact with skin |
| H319          | Causes serious eye irritation                |
| H360          | May damage fertility or the unborn child     |
| H371          | May cause damage to organs                   |

##### Precautionary Statements:

NOTE: Precautionary statements may be combined or consolidated on labels to improve clarity and readability.

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## Prevention

| Precautionary Number | Precautionary Statement                                                                        |
|----------------------|------------------------------------------------------------------------------------------------|
| P201                 | Obtain special instructions before use.                                                        |
| P202                 | Do not handle until all safety precautions have been read and understood.                      |
| P210                 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P233                 | Keep container tightly closed.                                                                 |
| P240                 | Ground and bond container and receiving equipment.                                             |
| P241                 | Use explosion-proof equipment.                                                                 |
| P242                 | Use non-sparking tools.                                                                        |
| P243                 | Take action to prevent static discharge.                                                       |
| P260                 | Do not breathe fumes or mist.                                                                  |
| P264                 | Wash hands, arms, and face thoroughly after handling.                                          |
| P270                 | Do not eat, drink or smoke when using this product.                                            |
| P280                 | Wear protective gloves and eye protection.                                                     |

## Response

| Precautionary Number | Precautionary Statement                                                                                                          |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------|
| P301+P312            | IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.                                                                 |
| P303+P361+P353       | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.                           |
| P305+P351+P338       | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308+P311            | If exposed or concerned: Call a poison center or doctor.                                                                         |
| P330                 | Rinse mouth.                                                                                                                     |
| P337+P313            | If eye irritation persists: Get medical advice or attention.                                                                     |
| P362+P364            | Take off contaminated clothing and wash it before reuse.                                                                         |
| P370+P378            | In case of fire: Use dry chemical, foam, or carbon dioxide to extinguish.                                                        |

## Storage

| Precautionary Number | Precautionary Statement                      |
|----------------------|----------------------------------------------|
| P403+P235            | Store in a well-ventilated place. Keep cool. |
| P405                 | Store locked up.                             |

## Disposal

| Precautionary Number | Precautionary Statement                                                                                                         |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| P501                 | Dispose of contents/container to suitable waste stream in accordance with local, state, federal, and international regulations. |

## 2.3. Hazards not Otherwise Classified

No other hazards identified.

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### 2.4. Ingredients of Unknown Acute Toxicity

85.7 percent of this mixture consists of ingredient(s) of unknown acute dermal toxicity.

## SECTION 3: Composition / Information on Ingredients

### 3.1. Components of Mixture

| Chemical Name (IUPAC) | Common Name and Synonyms      | CAS Number | Weight% |
|-----------------------|-------------------------------|------------|---------|
| ethanol               | Ethyl Alcohol                 | 64-17-5    | 85.69   |
| Lithium chloride      | Lithium Chloride              | 7447-41-8  | 5.30    |
| propan-2-ol           | Isopropyl Alcohol; 2-Propanol | 67-63-0    | 4.74    |
| methanol              | Methyl Alcohol                | 67-56-1    | 4.28    |

## SECTION 4: First-Aid Measures

### 4.1. Description of Necessary Measures

**Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva.

**Ingestion:** IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Dilute immediately with water or milk. Induce vomiting. Call a physician.

**Inhalation:** Not expected to require first aid. If necessary, remove to fresh air.

**Skin Contact:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Results in drying and cracking which can lead to secondary infections and dermatitis.

### 4.2. Most Important Symptoms and Effects, Acute and Delayed

May damage fertility or the unborn child Flammable liquid. Poison. Cannot be made nonpoisonous. May be fatal or cause blindness if swallowed. If ingested, give large quantity of water and induce vomiting. Call a physician. Contact may cause dryness and cracking of the skin. May cause irritation to the eyes. Wash areas of contact with plenty of water. May cause irritation of the respiratory system. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: Results in drying and cracking which can lead to secondary infections and dermatitis.

### 4.3. Immediate Medical Attention or Special Treatment Needed

Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Wash areas of contact with soap and water for at least 15 minutes. Call a physician if irritation develops. Dilute immediately with water or milk. Induce vomiting. Call a physician.

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing Media

In case of fire: Use dry chemical, foam, or carbon dioxide to extinguish. Use water spray, dry chemical, alcohol foam, or carbon dioxide for extinguishing the surrounding fire. Water spray can be used to dilute spills to non-flammable mixtures.

### 5.2. Specific Hazards Arising from the Substance or Mixture in a Fire

Highly flammable liquid and vapor Vapors can flow along surfaces to distant ignition source and flashback. Use water spray to blanket fire, cool fire exposed containers, and to flush non-ignited spills or vapors away from fire. Explosion hazard when exposed to heat, flame or oxidizers.

### 5.3. Special Protective Equipment and Precautions for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

## SECTION 6: Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground and bond container and receiving equipment. Use explosion-proof equipment. Use non-sparking tools. Take action to prevent static discharge. Wear protective gloves and eye protection.

### 6.2. Cleanup and Containment Methods and Materials

Remove all sources of ignition. Contain spill. Do not flush to sewer. Absorb with suitable inert material (vermiculite, dry sand, etc) and place in a chemical waste container for proper disposal in an approved waste disposal facility. Ventilate area of spill. Have extinguishing agent available in case of fire. Use non-sparking tools and equipment. Dispose of in accordance with local regulations.

## SECTION 7: Handling and Storage

### 7.1. Precautions for Safe Handling and Storage Conditions

Store in a well-ventilated place. Keep cool. Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers may be hazardous since they retain product residues.

## SECTION 8: Exposure Controls / Personal Protection

### 8.1. Exposure Limits

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### U.S. OSHA - Permissible Exposure Limits (PEL) - Time Weighted Averages (TWA)

| Chemical Name     | CAS Number | Exposure Limit                           |
|-------------------|------------|------------------------------------------|
| Ethyl Alcohol     | 64-17-5    | 1000 ppm TWA; 1900 mg/m <sup>3</sup> TWA |
| Methyl Alcohol    | 67-56-1    | 200 ppm TWA; 260 mg/m <sup>3</sup> TWA   |
| Isopropyl Alcohol | 67-63-0    | 400 ppm TWA; 980 mg/m <sup>3</sup> TWA   |

### U.S. OSHA - Permissible Exposure Limits (PEL) - Ceiling Limits

No limits found.

### U.S. OSHA - Permissible Exposure Limits (PEL) - Short Term Exposure Limits (STEL)

No limits found.

### U.S. OSHA - Specifically Regulated Chemicals

No limits found.

### ACGIH - Threshold Limit Values - Ceilings (TLV-C)

No limits found.

### ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

| Chemical Name     | CAS Number | Exposure Limit |
|-------------------|------------|----------------|
| Ethyl Alcohol     | 64-17-5    | 1000 ppm STEL  |
| Methyl Alcohol    | 67-56-1    | 250 ppm STEL   |
| Isopropyl Alcohol | 67-63-0    | 400 ppm STEL   |

### ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

| Chemical Name     | CAS Number | Exposure Limit |
|-------------------|------------|----------------|
| Methyl Alcohol    | 67-56-1    | 200 ppm TWA    |
| Isopropyl Alcohol | 67-63-0    | 200 ppm TWA    |

## 8.2. Engineering Controls

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.

## 8.3. Individual Protective Measures and Personal Protective Equipment

**Respiratory Protection:** Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn.

**Skin Protection:** Chemical resistant gloves.

**Eye Protection:** Safety glasses or goggles.

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## SECTION 9: Physical and Chemical Properties

### 9.1. Basic Physical and Chemical Properties

|                                                   |                             |
|---------------------------------------------------|-----------------------------|
| <b>Physical State:</b>                            | Liquid                      |
| <b>Color:</b>                                     | clear, colorless            |
| <b>Odor:</b>                                      | alcohol                     |
| <b>Odor Threshold:</b>                            | Data not available.         |
| <b>Melting/Freezing Point:</b>                    | Approximately -114°C        |
| <b>Boiling Point/Range:</b>                       | Approximately 78°C          |
| <b>Flammability:</b>                              | Data not available.         |
| <b>Flammability/Explosive Limits:</b>             | Data not available.         |
| <b>Flash Point:</b>                               | 12.6°C (Dortmund Data Bank) |
| <b>Auto-Ignition Temperature:</b>                 | Data not available.         |
| <b>Decomposition Temperature:</b>                 | Data not available.         |
| <b>pH:</b>                                        | n/a                         |
| <b>Kinematic Viscosity:</b>                       | Data not available.         |
| <b>Solubility:</b>                                | miscible                    |
| <b>Vapor Pressure:</b>                            | Data not available.         |
| <b>Evaporation Rate:</b>                          | Data not available.         |
| <b>Relative Density:</b>                          | 0.80                        |
| <b>Relative Vapor Density:</b>                    | Data not available.         |
| <b>Particle Characteristics:</b>                  | Data not available.         |
| <b>Partition Coefficient n-octanol/water, log</b> | Data not available.         |

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

### 10.2. Possibility of Hazardous Reactions

Data not available.

### 10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Oxidizers, platinum, Sodium, Potassium Dioxide, Bromine Pentafluoride, Bromine Trifluoride, Acetyl Bromide, Acetyl Chloride, concentrated Nitric Acid, Sulfuric Acid, heat, sparks, open flame.

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### 10.4. Hazardous Decomposition Products

Will not occur.

## SECTION 11: Toxicological Information

### 11.1. Information on Toxicological Effects

#### Acute Toxicity - Oral Exposure:

Oral acute toxicity estimate (ATE): 1855 mg/kg(calculated)

| Chemical Name     | CAS Number | Toxicity                                                   |
|-------------------|------------|------------------------------------------------------------|
| Ethyl Alcohol     | 64-17-5    | Oral LD50 Rat 7060 mg/kg (Source: NLM_CIP)                 |
| Methyl Alcohol    | 67-56-1    | Oral LD50 Acute Toxicity Estimate 100 mg/kg (Source: ECHA) |
| Isopropyl Alcohol | 67-63-0    | Oral LD50 Rat 4710 - 5840 mg/kg (Source: OECD_SIDS)        |
| Lithium Chloride  | 7447-41-8  | Oral LD50 Rat 526 mg/kg (Source: NLM_CIP)                  |

#### Acute Toxicity - Dermal Exposure:

Dermal acute toxicity estimate (ATE): 1003 mg/kg(calculated)

| Chemical Name     | CAS Number | Toxicity                                                     |
|-------------------|------------|--------------------------------------------------------------|
| Methyl Alcohol    | 67-56-1    | Dermal LD50 Acute Toxicity Estimate 300 mg/kg (Source: ECHA) |
| Isopropyl Alcohol | 67-63-0    | Dermal LD50 Rat 12800 mg/kg (Source: Canada_WHMIS)           |
| Lithium Chloride  | 7447-41-8  | Dermal LD50 Rat >2000 mg/kg (Source: ECHA_API)               |

#### Acute Toxicity - Inhalation Exposure:

Inhalation acute toxicity estimate (ATE, vapor): 70.0935 mg/L, 4 h(calculated)

| Chemical Name     | CAS Number | Toxicity                                                                                                                                   |
|-------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Ethyl Alcohol     | 64-17-5    | Inhalation LC50 Rat 116.9 mg/L 4 h (males, vapor, Source: ECHA_API); Inhalation LC50 Rat 133.8 mg/L 4 h (females, vapor, Source: ECHA_API) |
| Methyl Alcohol    | 67-56-1    | Inhalation LC50 Acute Toxicity Estimate 3 mg/L 4 h (Source: ECHA)                                                                          |
| Isopropyl Alcohol | 67-63-0    | Inhalation LC50 Rat >10000 ppm 6 h (no deaths occurred, vapor, Source: ECHA_API)                                                           |
| Lithium Chloride  | 7447-41-8  | Inhalation LC50 Rat >5.53 mg/L 4 h (no deaths occurred, aerosol, Source: ECHA)                                                             |

### 11.2 Carcinogenicity:

#### International Agency for Research on Cancer (IARC)

| Chemical Name     | CAS Number | Classification                                                                           |
|-------------------|------------|------------------------------------------------------------------------------------------|
| Isopropyl Alcohol | 67-63-0    | Group 3 (Not Classified) - Monograph 71 [1999]; Supplement 7 [1987]; Monograph 15 [1977] |

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## National Toxicology Program (NTP)

| Chemical Name | CAS Number | Classification                                                                                                                  |
|---------------|------------|---------------------------------------------------------------------------------------------------------------------------------|
| Ethyl Alcohol | 64-17-5    | Male Rat - Not Tested; Female Rat - Not Tested; Male Mice - Inadequate Experiment; Female Mice - Inadequate Experiment (TR-510) |

## U.S. OSHA specifically regulated carcinogens

| Chemical Name  | CAS Number | Classification |
|----------------|------------|----------------|
| No data found. |            |                |

## 11.3 Additional Toxicology Information:

Harmful if swallowed or in contact with skin. Causes serious eye irritation. May damage fertility or the unborn child. May cause damage to organs.

## SECTION 12: Ecological Information

### 12.1. Ecotoxicity

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

| Chemical Name     | CAS Number | Species          | Exposure | Toxicity                                                                                                                                                                                                                                                                                                                       |
|-------------------|------------|------------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ethyl Alcohol     | 64-17-5    | Earthworm        | Acute    | LC50 48 h Eisenia foetida 0.1 - 1 mg/cm2 [filter paper] (IUCLID)                                                                                                                                                                                                                                                               |
| Methyl Alcohol    | 67-56-1    | Earthworm        | Acute    | LC50 48 h Eisenia foetida >1 mg/cm2 [filter paper] (IUCLID)                                                                                                                                                                                                                                                                    |
| Isopropyl Alcohol | 67-63-0    | Freshwater Algae | Acute    | EC50 96 h Desmodesmus subspicatus >1000 mg/L (IUCLID); EC50 72 h Desmodesmus subspicatus >1000 mg/L (IUCLID)                                                                                                                                                                                                                   |
| Ethyl Alcohol     | 64-17-5    | Freshwater Fish  | Acute    | LC50 96 h Oncorhynchus mykiss 12.0 - 16.0 mL/L [static] (EPA); LC50 96 h Pimephales promelas >100 mg/L [static] (EPA); LC50 96 h Pimephales promelas 13400 - 15100 mg/L [flow-through] (EPA)                                                                                                                                   |
| Methyl Alcohol    | 67-56-1    | Freshwater Fish  | Acute    | LC50 96 h Pimephales promelas 28200 mg/L [flow-through] (EPA); LC50 96 h Pimephales promelas >100 mg/L [static] (EPA); LC50 96 h Oncorhynchus mykiss 19500 - 20700 mg/L [flow-through] (EPA); LC50 96 h Oncorhynchus mykiss 18 - 20 mL/L [static] (EPA); LC50 96 h Lepomis macrochirus 13500 - 17600 mg/L [flow-through] (EPA) |
| Isopropyl Alcohol | 67-63-0    | Freshwater Fish  | Acute    | LC50 96 h Pimephales promelas 9640 mg/L [flow-through] (IUCLID); LC50 96 h Pimephales promelas 11130 mg/L [static] (IUCLID); LC50 96 h Lepomis macrochirus >1400000 µg/L (EPA)                                                                                                                                                 |
| Lithium Chloride  | 7447-41-8  | Freshwater Fish  | Acute    | LC50 96 h Oncorhynchus mykiss 158 mg/L [static] (ECHA)                                                                                                                                                                                                                                                                         |
| Ethyl Alcohol     | 64-17-5    | Water Flea       | Acute    | LC50 48 h Daphnia magna 9268 - 14221 mg/L (IUCLID); EC50 48 h Daphnia magna 2 mg/L [Static] (EPA)                                                                                                                                                                                                                              |
| Isopropyl Alcohol | 67-63-0    | Water Flea       | Acute    | EC50 48 h Daphnia magna 13299 mg/L (IUCLID)                                                                                                                                                                                                                                                                                    |

## 12.2. Persistence and Degradability

Data not available.

## 12.3. Bioaccumulative Potential

Data not available.

## 12.4. Mobility in soil

Data not available.

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## 12.5. Other Adverse Ecological Effects

Data not available.

## SECTION 13: Disposal Considerations

### 13.1. Waste Treatment Methods

Data not available.

## SECTION 14: Transportation Information

### 14.1 Transportation by Land - Department of Transportation (DOT, United States of America)

**Sizes:** 120 mL

**UN Number:** UN1987

**Proper Shipping Name:** Alcohols, n.o.s. (Ethanol, Methanol)

**Hazard Class:** 3

**Packing Group:** II

**Hazard Label(s):**



### 14.2 Transportation by Air - International Air Transport Association (IATA)

**Sizes:** 120 mL

**UN Number:** UN1987

**Proper Shipping Name:** Alcohols, n.o.s. (Ethanol, Methanol)

**Hazard Class:** 3

**Packing Group:** II

**Hazard Label(s):**





## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### 14.3 Transportation of Dangerous Goods (TDG, Canada)

**Sizes:** 120 mL

**UN Number:** UN1987

**Proper Shipping Name:** ALCOHOLS, N.O.S. (ethanol, methanol)

**Hazard Class:** 3

**Packing Group:** II

**Hazard Label(s):**



## SECTION 15: Regulatory Information

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### 15.01. Occupational Safety and Health Administration (OSHA) Hazards

| Chemical Name  | CAS Number | Regulatory Information |
|----------------|------------|------------------------|
| No data found. |            |                        |

### 15.02. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

| Chemical Name  | CAS Number | RQ |
|----------------|------------|----|
| No data found. |            |    |

### 15.03. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

| Chemical Name  | CAS Number | Regulatory Information             |
|----------------|------------|------------------------------------|
| Methyl Alcohol | 67-56-1    | 5000 lb final RQ; 2270 kg final RQ |

### 15.04. Superfund Amendments and Reauthorization Act (SARA) 313 Toxics Release Inventory (TRI)

| Chemical Name     | CAS Number | List               | Regulatory Information                                                                                     |
|-------------------|------------|--------------------|------------------------------------------------------------------------------------------------------------|
| Methyl Alcohol    | 67-56-1    | Emission Reporting | 1.0 % de minimis concentration                                                                             |
| Isopropyl Alcohol | 67-63-0    | Emission Reporting | 1.0 % de minimis concentration (only if manufactured by the strong acid process, no supplier notification) |

### 15.05. Massachusetts Right-to-Know Substance List

| Chemical Name     | CAS Number | Regulatory Information |
|-------------------|------------|------------------------|
| Ethyl Alcohol     | 64-17-5    | Teratogen              |
| Methyl Alcohol    | 67-56-1    | Present                |
| Isopropyl Alcohol | 67-63-0    | Present                |

### 15.06. Pennsylvania Right-to-Know Hazardous Substances

| Chemical Name     | CAS Number | Regulatory Information |
|-------------------|------------|------------------------|
| Ethyl Alcohol     | 64-17-5    | Present                |
| Methyl Alcohol    | 67-56-1    | Environmental hazard   |
| Isopropyl Alcohol | 67-63-0    | Environmental hazard   |

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## 15.07. New Jersey Worker and Community Right-to-Know Components

| Chemical Name     | CAS Number | Regulatory Information |
|-------------------|------------|------------------------|
| Ethyl Alcohol     | 64-17-5    | sn 0844                |
| Methyl Alcohol    | 67-56-1    | sn 1222                |
| Isopropyl Alcohol | 67-63-0    | sn 1076                |

## 15.08. California Proposition 65

| Chemical Name  | CAS Number | Regulatory Information                                                                                                         |
|----------------|------------|--------------------------------------------------------------------------------------------------------------------------------|
| Ethyl Alcohol  | 64-17-5    | "carcinogen, 7/1/1988 (when associated with alcohol abuse); carcinogen, 4/29/2011"<br>As Alcoholic beverages [RR-01961-4]      |
| Ethyl Alcohol  | 64-17-5    | "developmental toxicity, 10/1/1987 (listed under Ethyl alcohol in alcoholic beverages)"<br>As Alcoholic beverages [RR-01961-4] |
| Methyl Alcohol | 67-56-1    | developmental toxicity, 3/16/2012                                                                                              |

## 15.09. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

| Chemical Name     | CAS Number | List | Status                                   |
|-------------------|------------|------|------------------------------------------|
| Ethyl Alcohol     | 64-17-5    | DSL  | Present                                  |
| Ethyl Alcohol     | 64-17-5    | NDSL | "Present" As Alcohols, C1-3 [68475-56-9] |
| Methyl Alcohol    | 67-56-1    | DSL  | Present                                  |
| Methyl Alcohol    | 67-56-1    | NDSL | "Present" As Alcohols, C1-3 [68475-56-9] |
| Isopropyl Alcohol | 67-63-0    | DSL  | Present                                  |
| Isopropyl Alcohol | 67-63-0    | NDSL | "Present" As Alcohols, C1-3 [68475-56-9] |
| Lithium Chloride  | 7447-41-8  | DSL  | Present                                  |

## 15.10. United States of America Toxic Substances Control Act (TSCA) List

| Chemical Name     | CAS Number | Status           |
|-------------------|------------|------------------|
| Ethyl Alcohol     | 64-17-5    | Present (ACTIVE) |
| Methyl Alcohol    | 67-56-1    | Present (ACTIVE) |
| Isopropyl Alcohol | 67-63-0    | Present (ACTIVE) |
| Lithium Chloride  | 7447-41-8  | Present (ACTIVE) |

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

| Chemical Name     | CAS Number | List   | Number    |
|-------------------|------------|--------|-----------|
| Ethyl Alcohol     | 64-17-5    | EINECS | 200-578-6 |
| Methyl Alcohol    | 67-56-1    | EINECS | 200-659-6 |
| Isopropyl Alcohol | 67-63-0    | EINECS | 200-661-7 |
| Lithium Chloride  | 7447-41-8  | EINECS | 231-212-3 |

### 15.12. China - Inventory of Existing chemical Substances (IECSC)

| Chemical Name     | CAS Number | Status          |
|-------------------|------------|-----------------|
| Ethyl Alcohol     | 64-17-5    | Present [38125] |
| Methyl Alcohol    | 67-56-1    | Present [16735] |
| Isopropyl Alcohol | 67-63-0    | Present [40403] |
| Lithium Chloride  | 7447-41-8  | Present [24090] |

### 15.13. Korea - Existing Chemicals Inventory (KECI/KECL)

| Chemical Name     | CAS Number | List    | Status             |
|-------------------|------------|---------|--------------------|
| Ethyl Alcohol     | 64-17-5    | Annex 1 | Present [KE-13217] |
| Methyl Alcohol    | 67-56-1    | Annex 1 | Present [KE-23193] |
| Isopropyl Alcohol | 67-63-0    | Annex 1 | Present [KE-29363] |
| Lithium Chloride  | 7447-41-8  | Annex 1 | Present [KE-22552] |

### 15.14. Japan - Existing and New Chemical Substances Inventory (ENCS)

| Chemical Name     | CAS Number | MITI No. |
|-------------------|------------|----------|
| Ethyl Alcohol     | 64-17-5    | (2)-202  |
| Methyl Alcohol    | 67-56-1    | (2)-201  |
| Isopropyl Alcohol | 67-63-0    | (2)-207  |
| Lithium Chloride  | 7447-41-8  | (1)-231  |


## SECTION 16: Other Information

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## 16.1 National Fire Protection Associate (NFPA) Rating

**Health:** 1  
**Flammability:** 3  
**Reactivity** 0  
**Special Hazard:**



## 16.2 Document Revision

**Last Revision Date:**  
2026-05-05

## DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.