



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation Mercuric Sulfate Solution, APHA
80 g/L Red Mercuric Oxide in 6 Normal Sulfuric Acid
Product Number 4780
Other Identifying Product Numbers 4780-16, 4780-32

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company Ricca Chemical Company
Address 412 West Fork Drive

Arlington, TX 76012 USA

Telephone 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300
CHEMTREC (International) 1+ 703-527-3887

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

Hazard Class	Category	Hazard Statements	Precautionary Statements
Acute Toxicity - Oral	Category 3	H301	P264,P270,P301+P310,P321,P330,P405,P501
Acute Toxicity - Dermal	Category 2	H310	P262,P264,P270,P280,P302+P352,P310,P321,P361+P364,P405,P501
Acute Toxicity - Inhalation (Dusts and Mists)	Category 3	H331	P261,P271,P304+P340,P311,P321,P403+P233,P405,P501
Skin Corrosion / Irritation	Category 1A	H314	P260,P264,P280,P301+P330+P331,P303+P361+P353,P363,P304+P340,P310,P321,P305+P351+P338,P405,P501
Serious Eye Damage / Eye Irritation	Category 1	H318	P280,P305+P351+P338,P310
Corrosive to Metals	Category 1	H290	P234,P390,P406
Specific Target Organ Toxicity - Repeated Exposure	Category 1	H372	P260,P264,P270,P314,P501
Hazardous to the Aquatic Environment, Short-term (Acute)	Acute 2	H401	P273,P501
Hazardous to the Aquatic Environment, Long-term (Chronic)	Chronic 2	H411	P273,P391,P501

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

NOTE: Hazard statements may be combined on labels to improve clarity and readability.

Hazard Number	Hazard Statement
H290	May be corrosive to metals
H301+H331	Toxic if swallowed or if inhaled
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage
H372	Causes damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Precautionary Statements:

NOTE: Precautionary statements may be combined or consolidated on labels to improve clarity and readability.

Prevention

Precautionary Number	Precautionary Statement
P234	Keep only in original packaging.
P260	Do not breathe fumes or mist.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash hands, arms, and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.

Response

Precautionary Number	Precautionary Statement
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center or doctor.
P314	Get medical advice or attention if you feel unwell.
P321	Specific treatment: Wash areas of contact with water. If possible, wipe off areas of contact with dry cloth before flushing with water.
P330	Rinse mouth.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.

Storage

Precautionary Number	Precautionary Statement
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Disposal

Precautionary Number	Precautionary Statement
P501	Dispose of contents/container to suitable waste stream in accordance with local, state, federal, and international regulations.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

2.3. Hazards not Otherwise Classified

No other hazards identified.

2.4. Ingredients of Unknown Acute Toxicity

23.8 percent of this mixture consists of ingredient(s) of unknown acute dermal toxicity.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Mixture

Chemical Name (IUPAC)	Common Name and Synonyms	CAS Number	Weight%
water	Water	7732-18-5	69.58
sulfuric acid	Sulfuric Acid	7664-93-9	23.75
oxomercury	Mercuric Oxide; C.I. 77760; Mercury monoxide	21908-53-2	6.67

SECTION 4: First-Aid Measures

4.1. Description of Necessary Measures

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Eye contact causes tissue damage and blindness.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do not induce vomiting. Give large quantity of water. Call a physician immediately.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Skin contact causes burns, blistering, local necrosis, and membrane ulceration. Burns may be 2nd or 3rd degree.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Fatal in contact with skin Danger! Corrosive and toxic liquid. Causes severe burns. Harmful if absorbed through skin. Eye contact causes tissue damage and blindness. May be fatal if swallowed. Ingestion causes corrosion of the mucosa of the mouth, throat and esophagus with stomach discomfort and pain. If ingested, dilute with large quantity of water. Do not induce vomiting. Call a physician. Wash areas of contact with plenty of water for at least 15 minutes. EYE CONTACT: Eye contact causes tissue damage and blindness. SKIN CONTACT: Skin contact causes burns, blistering, local necrosis, and membrane ulceration. Burns may be 2nd or 3rd degree. CHRONIC EFFECTS / CARCINOGENICITY: Chronic exposure through any route can produce central nervous system damage. Can cause skin allergies and accumulate in the body. Repeated skin contact can cause skin to turn gray in color due to the mercuric compound.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

4.3. Immediate Medical Attention or Special Treatment Needed

Immediately call a poison center or doctor. Specific treatment: Wash areas of contact with water. If possible, wipe off areas of contact with dry cloth before flushing with water. Irrigate immediately with large quantity of water for at least 15 minutes. Remove contacts if possible. Call a physician. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Wash areas of contact immediately with water for at least 15 minutes. Flushing immediately with water will generate a large amount of heat upon contact with sulfuric acid. Call a physician. Do not induce vomiting. Give large quantity of water. Call a physician immediately.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Dry chemical, foam, or carbon dioxide. Reacts with water producing heat and toxic fumes.

5.2. Specific Hazards Arising from the Substance or Mixture in a Fire

Not combustible. Strong dehydrating agent, which may cause ignition of finely divided materials on contact. Reaction with metals may produce hydrogen gas. Oxides of sulfur may be produced in fire.

5.3. Special Protective Equipment and Precautions for Firefighters

Wear special protective clothing and positive pressure self-contained breathing apparatus. Butyl rubber, natural rubber, Neoprene, polyethylene, polyvinyl chloride, Teflon, Viton, or Saranex barrier recommended.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Keep water away from release. Stop or control the leak, if this can be done without undue risk. Control runoff and isolate discharged material for proper disposal.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in a well-ventilated place. Keep container tightly closed. Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Do not mix with bases. Contact with water will generate heat.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 8: Exposure Controls / Personal Protection

8.1. Exposure Limits

U.S. OSHA - Permissible Exposure Limits (PEL) - Time Weighted Averages (TWA)

Chemical Name	CAS Number	Exposure Limit
Sulfuric Acid	7664-93-9	1 mg/m3 TWA

U.S. OSHA - Permissible Exposure Limits (PEL) - Ceiling Limits

No limits found.

U.S. OSHA - Permissible Exposure Limits (PEL) - Short Term Exposure Limits (STEL)

No limits found.

U.S. OSHA - Specifically Regulated Chemicals

No limits found.

ACGIH - Threshold Limit Values - Ceilings (TLV-C)

No limits found.

ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

No limits found.

ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Chemical Name	CAS Number	Exposure Limit
Mercuric Oxide	21908-53-2	"0.025 mg/m3 TWA (as Hg)" As Mercury inorganic forms [RR-00569-6]
Sulfuric Acid	7664-93-9	0.2 mg/m3 TWA (thoracic particulate matter)

8.2. Engineering Controls

Use only outdoors or in a well-ventilated area. Work in fume hood.

8.3. Individual Protective Measures and Personal Protective Equipment

Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn.

Skin Protection: Chemical resistant gloves.

Eye Protection: Safety glasses or goggles.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Physical State:	liquid
Color:	Colorless
Odor:	Data not available.
Odor Threshold:	Data not available.
Melting/Freezing Point:	Data not available.
Boiling Point/Range:	Data not available.
Flammability:	Data not available.
Flammability/Explosive Limits:	Data not available.
Flash Point:	Not flammable
Auto-Ignition Temperature:	Data not available.
Decomposition Temperature:	Data not available.
pH:	Data not available.
Kinematic Viscosity:	Data not available.
Solubility:	miscible
Vapor Pressure:	Data not available.
Evaporation Rate:	Data not available.
Relative Density:	1.2
Relative Vapor Density:	Data not available.
Particle Characteristics:	Data not available.
Partition Coefficient n-octanol/water, log	Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original packaging. Organics, chlorates, carbides, fulminates, picrates, alkalines, reducing agents, nitrates, Acetic Acid, oxidizing agents, metals.

10.4. Hazardous Decomposition Products

Will not occur.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Oral acute toxicity estimate (ATE): 262 mg/kg(calculated)

Chemical Name	CAS Number	Toxicity
Mercuric Oxide	21908-53-2	Oral LD50 Rat 18 mg/kg (Source: NLM_CIP)
Sulfuric Acid	7664-93-9	Oral LD50 Rat 2140 mg/kg (Source: JAPAN_GHS)

Acute Toxicity - Dermal Exposure:

Dermal acute toxicity estimate (ATE): 57 mg/kg(calculated)

Chemical Name	CAS Number	Toxicity
Mercuric Oxide	21908-53-2	Dermal LD50 Acute Toxicity Estimate 5 mg/kg (Source: ECHA)

Acute Toxicity - Inhalation Exposure:

Inhalation acute toxicity estimate (ATE, dust or mist): 0.5083 mg/L, 4 h(calculated)

Chemical Name	CAS Number	Toxicity
Mercuric Oxide	21908-53-2	Inhalation LC50 Acute Toxicity Estimate 0.05 mg/L 4 h (Source: ECHA)
Sulfuric Acid	7664-93-9	Inhalation LC50 Rat 0.375 mg/L 4 h (aerosol, Source: OECD_SIDS)

11.2 Carcinogenicity:

International Agency for Research on Cancer (IARC)

Chemical Name	CAS Number	Classification
Mercuric Oxide	21908-53-2	Group 3 (Not Classified) - Monograph 58 [1993] (listed under Mercury and Mercury compounds)
Sulfuric Acid	7664-93-9	Group 1 (Carcinogenic to Humans) - Monograph 54 [1992] (occupational exposure to mists and vapours from sulfuric acid and other strong inorganic acids)

National Toxicology Program (NTP)

Chemical Name	CAS Number	Classification
Sulfuric Acid	7664-93-9	Known Human Carcinogen (listed under Strong inorganic acid mists containing sulfuric acid)

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

U.S. OSHA specifically regulated carcinogens

Chemical Name	CAS Number	Classification
No data found.		

11.3 Additional Toxicology Information:

Toxic if swallowed or if inhaled. Fatal in contact with skin. Causes severe skin burns and eye damage. Causes damage to organs through prolonged or repeated exposure.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Chemical Name	CAS Number	Species	Exposure	Toxicity
Sulfuric Acid	7664-93-9	Freshwater Fish	Acute	LC50 96 h Brachydanio rerio >500 mg/L [static] (IUCLID)

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 14: Transportation Information

14.1 Transportation by Land - Department of Transportation (DOT, United States of America)

Sizes: 1 L, 500 mL

UN Number: UN2922

Proper Shipping Name: Corrosive Liquid, Toxic, n.o.s. (Sulfuric Acid, Mercuric Oxide)

Hazard Class: 8 (6.1)

Packing Group: II

Hazard Label(s):



14.2 Transportation by Air - International Air Transport Association (IATA)

Sizes: 1 L, 500 mL

UN Number: UN2922

Proper Shipping Name: Corrosive Liquid, Toxic, n.o.s. (Sulfuric Acid, Mercuric Oxide)

Hazard Class: 8 (6.1)

Packing Group: II

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1 L, 500 mL

UN Number: UN2922

Proper Shipping Name: CORROSIVE LIQUID, TOXIC, N.O.S. (sulfuric acid, mercuric oxide)

Hazard Class: 8 (6.1)

Packing Group: II

Hazard Label(s):



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 15: Regulatory Information

15.01. Occupational Safety and Health Administration (OSHA) Hazards

Chemical Name	CAS Number	Regulatory Information
No data found.		

15.02. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Chemical Name	CAS Number	RQ	TPQ
Mercuric Oxide	21908-53-2	500 lb lower TPQ; 10000 lb upper TPQ	500 lb EPCRA RQ
Sulfuric Acid	7664-93-9	1000 lb TPQ	1000 lb EPCRA RQ

15.03. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Chemical Name	CAS Number	Regulatory Information
Sulfuric Acid	7664-93-9	1000 lb final RQ; 454 kg final RQ

15.04. Superfund Amendments and Reauthorization Act (SARA) 313 Toxics Release Inventory (TRI)

Chemical Name	CAS Number	List	Regulatory Information
Mercuric Oxide	21908-53-2	Emission Reporting	"not eligible for the de minimis exemption, listed under Chemical Category N458" As Mercury compounds [RR-00138-7]
Mercuric Oxide	21908-53-2	Chemicals of Special Concern	"10 lb RT" As Mercury compounds [RR-00138-7]
Sulfuric Acid	7664-93-9	Emission Reporting	1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

15.05. Massachusetts Right-to-Know Substance List

Chemical Name	CAS Number	Regulatory Information
Mercuric Oxide	21908-53-2	Extraordinarily hazardous
Sulfuric Acid	7664-93-9	Extraordinarily hazardous

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.06. Pennsylvania Right-to-Know Hazardous Substances

Chemical Name	CAS Number	Regulatory Information
Mercuric Oxide	21908-53-2	Environmental hazard
Sulfuric Acid	7664-93-9	Environmental hazard

15.07. New Jersey Worker and Community Right-to-Know Components

Chemical Name	CAS Number	Regulatory Information
Mercuric Oxide	21908-53-2	sn 2537
Sulfuric Acid	7664-93-9	sn 1761

15.08. California Proposition 65

Chemical Name	CAS Number	Regulatory Information
Mercuric Oxide	21908-53-2	"developmental toxicity, 7/1/1990" As Mercury compounds [RR-00138-7]
Sulfuric Acid	7664-93-9	"carcinogen, 3/14/2003" As Strong inorganic acid mists containing sulfuric acid [RR-03978-1]

15.09. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Chemical Name	CAS Number	List	Status
Mercuric Oxide	21908-53-2	DSL	Present
Sulfuric Acid	7664-93-9	DSL	Present
Water	7732-18-5	DSL	Present

15.10. United States of America Toxic Substances Control Act (TSCA) List

Chemical Name	CAS Number	Status
Mercuric Oxide	21908-53-2	Present [12C] (ACTIVE)
Sulfuric Acid	7664-93-9	Present (ACTIVE)
Water	7732-18-5	Present [XU] (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Chemical Name	CAS Number	List	Number
Mercuric Oxide	21908-53-2	EINECS	244-654-7
Sulfuric Acid	7664-93-9	EINECS	231-639-5
Water	7732-18-5	EINECS	231-791-2

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.12. China - Inventory of Existing chemical Substances (IECSC)

Chemical Name	CAS Number	Status
Mercuric Oxide	21908-53-2	Present [37503]
Sulfuric Acid	7664-93-9	Present [23017]
Water	7732-18-5	Present [32224]

15.13. Korea - Existing Chemicals Inventory (KECI/KECL)

Chemical Name	CAS Number	List	Status
Mercuric Oxide	21908-53-2	Annex 1	Present [KE-23130]
Mercuric Oxide	21908-53-2	Annex 3	"Present (97-1-140)" As Mercury compounds [RR-00138-7]
Sulfuric Acid	7664-93-9	Annex 1	Present [KE-32570]
Water	7732-18-5	Annex 1	Present [KE-35400]


15.14. Japan - Existing and New Chemical Substances Inventory (ENCS)

Chemical Name	CAS Number	MITI No.
Mercuric Oxide	21908-53-2	(1)-436
Sulfuric Acid	7664-93-9	(1)-430
Water	7732-18-5	- (listed on Japanese Pharmacopoeia 8th Edition)

SECTION 16: Other Information

16.1 National Fire Protection Associate (NFPA) Rating

Health: 3
 Flammability: 0
 Reactivity: 1
 Special Hazard:



16.2 Document Revision

Last Revision Date:
 2026-05-24

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.