



## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### SECTION 1: Identification

#### 1.1. Product Identifier

**Trade Name or Designation** Titanium AA Standard, 1000 ppm Ti in 15% HCl

**Product Number** AT11KH

**Other Identifying Product Numbers** AT11KH-100, AT11KH-500

#### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

#### 1.3. Details of the Supplier of the Safety Data Sheet

**Company** Ricca Chemical Company

**Address** 412 West Fork Drive

Arlington, TX 76012 USA

**Telephone** 888-467-4222

#### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)

800-424-9300

CHEMTREC (International)

1+ 703-527-3887

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### SECTION 2: Hazard(s) Identification

#### 2.1. Classification of the Substance or Mixture

| Hazard Class                                  | Category   | Hazard Statements | Precautionary Statements                                                                                |
|-----------------------------------------------|------------|-------------------|---------------------------------------------------------------------------------------------------------|
| Acute Toxicity - Inhalation (Dusts and Mists) | Category 4 | H332              | P261,P271,P304+P340,P312                                                                                |
| Corrosive to the Respiratory Tract            | Corrosive  |                   |                                                                                                         |
| Skin Corrosion / Irritation                   | Category 1 | H314              | P260,P264,P280,P301+P330+P331,<br>P303+P361+P353,P363,P304+P340,<br>P310,P321,P305+P351+P338,P405, P501 |
| Serious Eye Damage / Eye Irritation           | Category 1 | H318              | P280,P305+P351+P338,P310                                                                                |
| Corrosive to Metals                           | Category 1 | H290              | P234,P390,P406                                                                                          |

#### 2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

NOTE: Hazard statements may be combined on labels to improve clarity and readability.

| Hazard Number | Hazard Statement                        |
|---------------|-----------------------------------------|
| H290          | May be corrosive to metals              |
| H314          | Causes severe skin burns and eye damage |
| H332          | Harmful if inhaled                      |
|               | Corrosive to the respiratory tract      |

Precautionary Statements:

NOTE: Precautionary statements may be combined or consolidated on labels to improve clarity and readability.

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## Prevention

| Precautionary Number | Precautionary Statement                               |
|----------------------|-------------------------------------------------------|
| P234                 | Keep only in original packaging.                      |
| P260                 | Do not breathe fumes or mist.                         |
| P264                 | Wash hands, arms, and face thoroughly after handling. |
| P271                 | Use only outdoors or in a well-ventilated area.       |
| P280                 | Wear protective gloves and eye protection.            |

## Response

| Precautionary Number | Precautionary Statement                                                                                                          |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------|
| P301+P330+P331       | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.                                                                               |
| P303+P361+P353       | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.                           |
| P304+P340            | IF INHALED: Remove person to fresh air and keep comfortable for breathing.                                                       |
| P305+P351+P338       | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310                 | Immediately call a poison center or doctor.                                                                                      |
| P363                 | Wash contaminated clothing before reuse.                                                                                         |
| P390                 | Absorb spillage to prevent material damage.                                                                                      |

## Storage

| Precautionary Number | Precautionary Statement |
|----------------------|-------------------------|
| P405                 | Store locked up.        |

## Disposal

| Precautionary Number | Precautionary Statement                                                                                                         |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| P501                 | Dispose of contents/container to suitable waste stream in accordance with local, state, federal, and international regulations. |

## 2.3. Hazards not Otherwise Classified

No other hazards identified.

## 2.4. Ingredients of Unknown Acute Toxicity

This product does not contain any ingredients of unknown acute toxicity.

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### SECTION 3: Composition / Information on Ingredients

#### 3.1. Components of Mixture

| Chemical Name (IUPAC) | Common Name and Synonyms         | CAS Number | Weight% |
|-----------------------|----------------------------------|------------|---------|
| water                 | Water                            | 7732-18-5  | 85.21   |
| chlorane              | Hydrochloric Acid; Muriatic acid | 7647-01-0  | 14.69   |
| titanium              | Titanium                         | 7440-32-6  | 0.10    |

### SECTION 4: First-Aid Measures

#### 4.1. Description of Necessary Measures

**Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause severe burns and permanent damage.

**Ingestion:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Do not induce vomiting. Give large quantity of water. Call a physician immediately.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Skin Contact:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Can cause redness, pain and severe skin burns.

#### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Harmful if inhaled DANGER! Corrosive liquid! Causes severe burns to all areas of contact. May be fatal if swallowed. Wash areas of contact with water immediately for at least 15 minutes. Inhalation can cause coughing, choking, inflammation of the nose, throat and upper respiratory tract. If ingested, give large quantity of water. Do not induce vomiting. Call a physician immediately. EYE CONTACT: May cause severe burns and permanent damage. SKIN CONTACT: Can cause redness, pain and severe skin burns.

#### 4.3. Immediate Medical Attention or Special Treatment Needed

Immediately call a poison center or doctor. Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Do not induce vomiting. Give large quantity of water. Call a physician immediately.

### SECTION 5: Fire-Fighting Measures

#### 5.1. Extinguishing Media

Does not burn. Use extinguishing agents compatible with acid and appropriate for the burning material.

#### 5.2. Specific Hazards Arising from the Substance or Mixture in a Fire

Not combustible. Aqueous hydrochloric acid solutions react with most metals, forming flammable hydrogen gas.

#### 5.3. Special Protective Equipment and Precautions for Firefighters

Wear special protective clothing and positive pressure self-contained breathing apparatus. Butyl rubber or Teflon barrier recommended.

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## SECTION 6: Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

### 6.2. Cleanup and Containment Methods and Materials

Approach release from upwind. Stop or control the leak, if this can be done without undue risk. Use water fog or spray to knock down and absorb vapors. Releases may require isolation or evacuation. Control runoff and isolate discharged material for proper disposal.

## SECTION 7: Handling and Storage

### 7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Do not mix with bases.

## SECTION 8: Exposure Controls / Personal Protection

### 8.1. Exposure Limits

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### U.S. OSHA - Permissible Exposure Limits (PEL) - Time Weighted Averages (TWA)

No limits found.

### U.S. OSHA - Permissible Exposure Limits (PEL) - Ceiling Limits

| Chemical Name     | CAS Number | Exposure Limit                             |
|-------------------|------------|--------------------------------------------|
| Hydrochloric Acid | 7647-01-0  | 5 ppm Ceiling; 7 mg/m <sup>3</sup> Ceiling |

### U.S. OSHA - Permissible Exposure Limits (PEL) - Short Term Exposure Limits (STEL)

No limits found.

### U.S. OSHA - Specifically Regulated Chemicals

No limits found.

### ACGIH - Threshold Limit Values - Ceilings (TLV-C)

| Chemical Name     | CAS Number | Exposure Limit |
|-------------------|------------|----------------|
| Hydrochloric Acid | 7647-01-0  | 2 ppm Ceiling  |

### ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

No limits found.

### ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

No limits found.

## 8.2. Engineering Controls

Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is adequate.

## 8.3. Individual Protective Measures and Personal Protective Equipment

**Respiratory Protection:** Normal room ventilation is adequate. If necessary, wear a respirator equipped with an acid gas cartridge.

**Skin Protection:** Chemical resistant gloves.

**Eye Protection:** Safety glasses or goggles.

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## SECTION 9: Physical and Chemical Properties

### 9.1. Basic Physical and Chemical Properties

|                                                   |                     |
|---------------------------------------------------|---------------------|
| <b>Physical State:</b>                            | liquid              |
| <b>Color:</b>                                     | Colorless to purple |
| <b>Odor:</b>                                      | Data not available. |
| <b>Odor Threshold:</b>                            | Data not available. |
| <b>Melting/Freezing Point:</b>                    | Approximately 0°C   |
| <b>Boiling Point/Range:</b>                       | Approximately 100°C |
| <b>Flammability:</b>                              | Data not available. |
| <b>Flammability/Explosive Limits:</b>             | Data not available. |
| <b>Flash Point:</b>                               | Not flammable       |
| <b>Auto-Ignition Temperature:</b>                 | Data not available. |
| <b>Decomposition Temperature:</b>                 | Data not available. |
| <b>pH:</b>                                        | < 1                 |
| <b>Kinematic Viscosity:</b>                       | Data not available. |
| <b>Solubility:</b>                                | miscible            |
| <b>Vapor Pressure:</b>                            | Data not available. |
| <b>Evaporation Rate:</b>                          | Data not available. |
| <b>Relative Density:</b>                          | 1.04                |
| <b>Relative Vapor Density:</b>                    | Data not available. |
| <b>Particle Characteristics:</b>                  | Data not available. |
| <b>Partition Coefficient n-octanol/water, log</b> | Data not available. |

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

### 10.2. Possibility of Hazardous Reactions

Data not available.

### 10.3. Conditions to Avoid and Incompatible Materials

Keep only in original packaging. Most metals, Alkalis, active metals, Cyanides, Sulfides, Sulfites, Metal Oxides, Formaldehyde.

### 10.4. Hazardous Decomposition Products

Will not occur.

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### SECTION 11: Toxicological Information

#### 11.1. Information on Toxicological Effects

##### Acute Toxicity - Oral Exposure:

Oral acute toxicity estimate (ATE): 4765 mg/kg(calculated)

| Chemical Name     | CAS Number | Toxicity                                       |
|-------------------|------------|------------------------------------------------|
| Hydrochloric Acid | 7647-01-0  | Oral LD50 Rat 700 mg/kg (Source: Canada_WHMIS) |

##### Acute Toxicity - Dermal Exposure:

Not acutely toxic.

| Chemical Name     | CAS Number | Toxicity                                           |
|-------------------|------------|----------------------------------------------------|
| Hydrochloric Acid | 7647-01-0  | Dermal LD50 Rabbit >5010 mg/kg (Source: JAPAN_GHS) |

##### Acute Toxicity - Inhalation Exposure:

Inhalation acute toxicity estimate (ATE, dust or mist): 3.4037 mg/L, 4 h(calculated)

| Chemical Name     | CAS Number | Toxicity                                                            |
|-------------------|------------|---------------------------------------------------------------------|
| Hydrochloric Acid | 7647-01-0  | Inhalation LC50 Acute Toxicity Estimate 0.5 mg/L 4 h (Source: ECHA) |

#### 11.2 Carcinogenicity:

##### International Agency for Research on Cancer (IARC)

| Chemical Name     | CAS Number | Classification                                                                                                |
|-------------------|------------|---------------------------------------------------------------------------------------------------------------|
| Hydrochloric Acid | 7647-01-0  | Group 1 (Carcinogenic to Humans) - Monograph 100F [2012]; Monograph 54 [1992] As Acid mists, strong inorganic |

##### National Toxicology Program (NTP)

| Chemical Name  | CAS Number | Classification |
|----------------|------------|----------------|
| No data found. |            |                |

##### U.S. OSHA specifically regulated carcinogens

| Chemical Name  | CAS Number | Classification |
|----------------|------------|----------------|
| No data found. |            |                |

#### 11.3 Additional Toxicology Information:

Causes severe skin burns and eye damage. Harmful if inhaled. Corrosive to the respiratory tract.

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### SECTION 12: Ecological Information

#### 12.1. Ecotoxicity

| Chemical Name | CAS Number     | Species | Exposure | Toxicity |
|---------------|----------------|---------|----------|----------|
|               | No data found. | None    | None     |          |

#### 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

#### 12.4. Mobility in soil

Data not available.

#### 12.5. Other Adverse Ecological Effects

Data not available.

### SECTION 13: Disposal Considerations

#### 13.1. Waste Treatment Methods

Data not available.

### SECTION 14: Transportation Information

#### 14.1 Transportation by Land - Department of Transportation (DOT, United States of America)

**Sizes:** 100 mL, 500 mL

**UN Number:** UN1789

**Proper Shipping Name:** Hydrochloric Acid Solution

**Hazard Class:** 8

**Packing Group:** III

**Hazard Label(s):**





## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### 14.2 Transportation by Air - International Air Transport Association (IATA)

**Sizes:** 100 mL, 500 mL

**UN Number:** UN1789

**Proper Shipping Name:** Hydrochloric Acid Solution

**Hazard Class:** 8

**Packing Group:** III

**Hazard Label(s):**



### 14.3 Transportation of Dangerous Goods (TDG, Canada)

**Sizes:** 100 mL, 500 mL

**UN Number:** UN1789

**Proper Shipping Name:** HYDROCHLORIC ACID SOLUTION

**Hazard Class:** 8

**Packing Group:** III

**Hazard Label(s):**



## SECTION 15: Regulatory Information

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### 15.01. Occupational Safety and Health Administration (OSHA) Hazards

| Chemical Name  | CAS Number | Regulatory Information |
|----------------|------------|------------------------|
| No data found. |            |                        |

### 15.02. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

| Chemical Name     | CAS Number | RQ                    | TPQ                         |
|-------------------|------------|-----------------------|-----------------------------|
| Hydrochloric Acid | 7647-01-0  | 500 lb TPQ (gas only) | 5000 lb EPCRA RQ (gas only) |

### 15.03. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

| Chemical Name     | CAS Number | Regulatory Information             |
|-------------------|------------|------------------------------------|
| Hydrochloric Acid | 7647-01-0  | 5000 lb final RQ; 2270 kg final RQ |

### 15.04. Superfund Amendments and Reauthorization Act (SARA) 313 Toxics Release Inventory (TRI)

| Chemical Name     | CAS Number | List               | Regulatory Information                                                                                                          |
|-------------------|------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Hydrochloric Acid | 7647-01-0  | Emission Reporting | 1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size) |

### 15.05. Massachusetts Right-to-Know Substance List

| Chemical Name     | CAS Number | Regulatory Information    |
|-------------------|------------|---------------------------|
| Hydrochloric Acid | 7647-01-0  | Extraordinarily hazardous |

### 15.06. Pennsylvania Right-to-Know Hazardous Substances

| Chemical Name     | CAS Number | Regulatory Information |
|-------------------|------------|------------------------|
| Hydrochloric Acid | 7647-01-0  | Environmental hazard   |

### 15.07. New Jersey Worker and Community Right-to-Know Components

| Chemical Name     | CAS Number | Regulatory Information |
|-------------------|------------|------------------------|
| Titanium          | 7440-32-6  | sn 1860                |
| Hydrochloric Acid | 7647-01-0  | sn 1012                |

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### 15.08. California Proposition 65

| Chemical Name | CAS Number | Regulatory Information |
|---------------|------------|------------------------|
|               |            | No data found.         |

### 15.09. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

| Chemical Name     | CAS Number | List | Status  |
|-------------------|------------|------|---------|
| Titanium          | 7440-32-6  | DSL  | Present |
| Hydrochloric Acid | 7647-01-0  | DSL  | Present |
| Water             | 7732-18-5  | DSL  | Present |

### 15.10. United States of America Toxic Substances Control Act (TSCA) List

| Chemical Name     | CAS Number | Status                |
|-------------------|------------|-----------------------|
| Titanium          | 7440-32-6  | Present (ACTIVE)      |
| Hydrochloric Acid | 7647-01-0  | Present (ACTIVE)      |
| Water             | 7732-18-5  | Present [XU] (ACTIVE) |

### 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

| Chemical Name     | CAS Number | List   | Number    |
|-------------------|------------|--------|-----------|
| Titanium          | 7440-32-6  | EINECS | 231-142-3 |
| Hydrochloric Acid | 7647-01-0  | EINECS | 231-595-7 |
| Water             | 7732-18-5  | EINECS | 231-791-2 |

### 15.12. China - Inventory of Existing chemical Substances (IECSC)

| Chemical Name     | CAS Number | Status          |
|-------------------|------------|-----------------|
| Titanium          | 7440-32-6  | Present [33910] |
| Hydrochloric Acid | 7647-01-0  | Present [37053] |
| Water             | 7732-18-5  | Present [32224] |

### 15.13. Korea - Existing Chemicals Inventory (KECI/KECL)

| Chemical Name     | CAS Number | List    | Status             |
|-------------------|------------|---------|--------------------|
| Titanium          | 7440-32-6  | Annex 1 | Present [KE-33881] |
| Hydrochloric Acid | 7647-01-0  | Annex 1 | Present [KE-20189] |
| Water             | 7732-18-5  | Annex 1 | Present [KE-35400] |

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)


### 15.14. Japan - Existing and New Chemical Substances Inventory (ENCS)

| Chemical Name     | CAS Number | MITI No.                                         |
|-------------------|------------|--------------------------------------------------|
| Titanium          | 7440-32-6  | - (exempt)                                       |
| Hydrochloric Acid | 7647-01-0  | (1)-215                                          |
| Water             | 7732-18-5  | - (listed on Japanese Pharmacopoeia 8th Edition) |

## SECTION 16: Other Information

### 16.1 National Fire Protection Associate (NFPA) Rating

**Health:** 2  
**Flammability:** 0  
**Reactivity:** 0  
**Special Hazard:**



### 16.2 Document Revision

**Last Revision Date:**  
 2026-05-24

## DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.