



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation Mixed Calibration Standard 4, ICP

Product Number RMXCL4

Other Identifying Product Numbers RMXCL4-100, RMXCL4-500

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company Ricca Chemical Company

Address 412 West Fork Drive

Arlington, TX 76012 USA

Telephone 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300

CHEMTREC (International) 1+ 703-527-3887

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

Hazard Class	Category	Hazard Statements	Precautionary Statements
Skin Corrosion / Irritation	Category 2	H315	P264,P280,P302+P352,P321, P332+P313,P362+P364
Serious Eye Damage / Eye Irritation	Category 2	H319	P264,P280,P305+P351+P338, P337+P313

2.2. GHS Label Elements

Pictograms:



Signal Word: **Warning**

Hazard Statements:

NOTE: Hazard statements may be combined on labels to improve clarity and readability.

Hazard Number	Hazard Statement
H315	Causes skin irritation
H319	Causes serious eye irritation

Precautionary Statements:

NOTE: Precautionary statements may be combined or consolidated on labels to improve clarity and readability.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Prevention

Precautionary Number	Precautionary Statement
P264	Wash hands, arms, and face thoroughly after handling.
P280	Wear protective gloves and eye protection.

Response

Precautionary Number	Precautionary Statement
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice or attention.
P337+P313	If eye irritation persists: Get medical advice or attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

2.3. Hazards not Otherwise Classified

No other hazards identified.

2.4. Ingredients of Unknown Acute Toxicity

2.4 percent of this mixture consists of ingredient(s) of unknown acute oral and dermal toxicity.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Mixture

Chemical Name (IUPAC)	Common Name and Synonyms	CAS Number	Weight%
water	Water	7732-18-5	97.26
nitric acid	Nitric Acid	7697-37-2	2.09
aluminum trinitrate nonahydrate	Aluminum Nitrate Nonahydrate; Nitric acid, aluminium salt, nonahydrate	7784-27-2	0.27
calcium carbonate	Calcium Carbonate; Carbonic acid, calcium salt	471-34-1	0.24
dipotassium carbonate	Potassium Carbonate; Carbonic acid, dipotassium salt	584-08-7	< 0.1
disodium carbonate	Sodium Carbonate; Carbonic acid, disodium salt; Soda ash	497-19-8	< 0.1
chromium(3+) trinitrate nonahydrate	Chromium Nitrate Nonahydrate; Chromium(III) nitrate nonahydrate	7789-02-8	< 0.1
nickel	Nickel	7440-02-0	< 0.1

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 4: First-Aid Measures

4.1. Description of Necessary Measures

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.

Ingestion: Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

Inhalation: Not expected to require first aid. If necessary, remove to fresh air.

Skin Contact: IF ON SKIN: Wash with plenty of water. May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes skin irritation CAUTION! Mildly corrosive liquid. Contains a trace amount of a known carcinogen. Avoid contact with skin, eyes, and clothing. If swallowed, dilute with water and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

4.3. Immediate Medical Attention or Special Treatment Needed

Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use water or water spray.

5.2. Specific Hazards Arising from the Substance or Mixture in a Fire

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas. May react explosively with combustible organic or readily oxidizable materials such as: alcohols, turpentine, charcoal, organic refuse, metal powder, hydrogen sulfide, etc.

5.3. Special Protective Equipment and Precautions for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Keep out of direct sunlight and away from heat, water, and incompatible materials.

SECTION 8: Exposure Controls / Personal Protection

8.1. Exposure Limits

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

U.S. OSHA - Permissible Exposure Limits (PEL) - Time Weighted Averages (TWA)

Chemical Name	CAS Number	Exposure Limit
Calcium Carbonate	471-34-1	"15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)" As Calcium carbonate [1317-65-3]
Nickel	7440-02-0	1 mg/m3 TWA
Nitric Acid	7697-37-2	2 ppm TWA; 5 mg/m3 TWA
Chromium Nitrate Nonahydrate	7789-02-8	"0.5 mg/m3 TWA (as Cr)" As Chromium(III) compounds [RR-03889-1]

U.S. OSHA - Permissible Exposure Limits (PEL) - Ceiling Limits

No limits found.

U.S. OSHA - Permissible Exposure Limits (PEL) - Short Term Exposure Limits (STEL)

No limits found.

U.S. OSHA - Specifically Regulated Chemicals

No limits found.

ACGIH - Threshold Limit Values - Ceilings (TLV-C)

No limits found.

ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

Chemical Name	CAS Number	Exposure Limit
Nitric Acid	7697-37-2	4 ppm STEL

ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Chemical Name	CAS Number	Exposure Limit
Nickel	7440-02-0	1.5 mg/m3 TWA (inhalable particulate matter)
Nitric Acid	7697-37-2	2 ppm TWA

8.2. Engineering Controls

No specific controls are needed. Normal room ventilation is adequate.

8.3. Individual Protective Measures and Personal Protective Equipment

Respiratory Protection: Normal room ventilation is adequate.

Skin Protection: Chemical resistant gloves.

Eye Protection: Safety glasses or goggles.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Physical State:	liquid
Color:	Colorless
Odor:	Data not available.
Odor Threshold:	Data not available.
Melting/Freezing Point:	Approximately 0°C
Boiling Point/Range:	Approximately 100°C
Flammability:	Data not available.
Flammability/Explosive Limits:	Data not available.
Flash Point:	Not flammable
Auto-Ignition Temperature:	Data not available.
Decomposition Temperature:	Data not available.
pH:	Data not available.
Kinematic Viscosity:	Data not available.
Solubility:	miscible
Vapor Pressure:	Data not available.
Evaporation Rate:	Data not available.
Relative Density:	1.02
Relative Vapor Density:	Data not available.
Particle Characteristics:	Data not available.
Partition Coefficient n-octanol/water, log	Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Strong bases, metallic powders, Carbides, Hydrogen Sulfide, Turpentine and combustible organics.

10.4. Hazardous Decomposition Products

Will not occur.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not acutely toxic.

Chemical Name	CAS Number	Toxicity
Calcium Carbonate	471-34-1	Oral LD50 Rat 6450 mg/kg (Source: NLM_CIP)
Sodium Carbonate	497-19-8	Oral LD50 Rat 4090 mg/kg (Source: NLM_HSDB)
Potassium Carbonate	584-08-7	Oral LD50 Rat 1870 mg/kg (Source: NLM_CIP)
Nickel	7440-02-0	Oral LD50 Rat >9000 mg/kg (powder suspended in mineral oil, Source: EU_RAR)
Chromium Nitrate Nonahydrate	7789-02-8	Oral LD50 Rat 3250 mg/kg (Source: NLM_CIP)

Acute Toxicity - Dermal Exposure:

No information found.

Chemical Name	CAS Number	Toxicity
Calcium Carbonate	471-34-1	Dermal LD50 Rat >2000 mg/kg (Source: ECHA_API)
Sodium Carbonate	497-19-8	Dermal LD50 Rabbit >2000 mg/kg (no deaths occurred, Source: ECHA)
Potassium Carbonate	584-08-7	Dermal LD50 Rabbit >2000 mg/kg (Source: ECHA_API)

Acute Toxicity - Inhalation Exposure:

Not acutely toxic.

Chemical Name	CAS Number	Toxicity
Calcium Carbonate	471-34-1	Inhalation LC50 Rat >3 mg/L 4 h (no deaths occurred, aerosol, Source: ECHA_API)
Sodium Carbonate	497-19-8	Inhalation LC50 Rat 2300 mg/m ³ 2 h (aerosol, Source: ECHA_API)
Potassium Carbonate	584-08-7	Inhalation LC50 Rat >4.96 mg/L 4.5 h (no deaths occurred, dust, Source: ECHA_API)
Nickel	7440-02-0	Inhalation LC50 Rat >10.2 mg/L 1 h (no deaths occurred, dust, Source: EU_RAR)
Nitric Acid	7697-37-2	Inhalation LC50 Rat 3.22 mg/L 4 h (Source: WHMIS)

11.2 Carcinogenicity:

International Agency for Research on Cancer (IARC)

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Chemical Name	CAS Number	Classification
Nickel	7440-02-0	Group 2B (Possibly Carcinogenic to Humans) - Monograph 49 [1990]; Supplement 7 [1987]
Nitric Acid	7697-37-2	Group 1 (Carcinogenic to Humans) - Monograph 100F [2012]; Monograph 54 [1992] As Acid mists, strong inorganic
Chromium Nitrate Nonahydrate	7789-02-8	Group 3 (Not Classified) - Monograph 49 [1990]; Supplement 7 [1987]; Monograph 23 [1980]; Monograph 2 [1973] As Chromic nitrate [13548-38-4]

National Toxicology Program (NTP)

Chemical Name	CAS Number	Classification
Nickel	7440-02-0	Reasonably Anticipated To Be A Human Carcinogen (listed under Nickel compounds and metallic nickel)

U.S. OSHA specifically regulated carcinogens

Chemical Name	CAS Number	Classification
No data found.		

11.3 Additional Toxicology Information:

Causes skin irritation. Causes serious eye irritation.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Chemical Name	CAS Number	Species	Exposure	Toxicity
Nickel	7440-02-0	Freshwater Algae	Acute	EC50 72 h Pseudokirchneriella subcapitata 0.18 mg/L (IUCLID); EC50 96 h Pseudokirchneriella subcapitata 0.174 - 0.311 mg/L [static] (EPA)
Sodium Carbonate	497-19-8	Freshwater Fish	Acute	LC50 96 h Lepomis macrochirus 300 mg/L [static] (EPA); LC50 96 h Pimephales promelas 310 - 1220 mg/L [static] (EPA)
Nickel	7440-02-0	Freshwater Fish	Acute	LC50 96 h Brachydanio rerio >100 mg/L (IUCLID); LC50 96 h Cyprinus carpio 1.3 mg/L [semi-static] (EPA); LC50 96 h Cyprinus carpio 10.4 mg/L [static] (EPA)
Sodium Carbonate	497-19-8	Water Flea	Acute	EC50 48 h Daphnia magna 265 mg/L (IUCLID)
Potassium Carbonate	584-08-7	Water Flea	Acute	LC50 48 h Ceriodaphnia dubia 630 mg/L (EPA)
Nickel	7440-02-0	Water Flea	Acute	EC50 48 h Daphnia magna >100 mg/L (IUCLID); EC50 48 h Daphnia magna 1 mg/L [Static] (EPA)

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 14: Transportation Information

14.1 Transportation by Land - Department of Transportation (DOT, United States of America)

Not regulated according to DOT regulations.

14.2 Transportation by Air - International Air Transport Association (IATA)

Not regulated according to IATA Dangerous Goods Regulations.

14.3 Transportation of Dangerous Goods (TDG, Canada)

Not regulated according to TDG regulations.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 15: Regulatory Information

15.01. Occupational Safety and Health Administration (OSHA) Hazards

Chemical Name	CAS Number	Regulatory Information
No data found.		

15.02. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Chemical Name	CAS Number	RQ	TPQ
Nitric Acid	7697-37-2	1000 lb TPQ	1000 lb EPCRA RQ

15.03. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Chemical Name	CAS Number	Regulatory Information
Nickel	7440-02-0	100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm)
Nitric Acid	7697-37-2	1000 lb final RQ; 454 kg final RQ

15.04. Superfund Amendments and Reauthorization Act (SARA) 313 Toxics Release Inventory (TRI)

Chemical Name	CAS Number	List	Regulatory Information
Nickel	7440-02-0	Emission Reporting	0.1 % de minimis concentration
Nitric Acid	7697-37-2	Emission Reporting	1.0 % de minimis concentration
Aluminum Nitrate Nonahydrate	7784-27-2	Emission Reporting	"1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Chromium Nitrate Nonahydrate	7789-02-8	Emission Reporting	"1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]; "1.0 % de minimis concentration (includes any unique chemical substance that contains Chromium as part of that chemical's infrastructure except for Chromite ore mined in the Transvaal Region of South Africa and the unreacted ore component of the Chromite ore processing residue (COPR), no de minimis concentration has been assigned to this chemical category, listed under Chemical Category N090)" As Chromium(III) compounds [RR-03889-1]
---------------------------------	-----------	--------------------	---

15.05. Massachusetts Right-to-Know Substance List

Chemical Name	CAS Number	Regulatory Information
Calcium Carbonate	471-34-1	"Present (including dust)" As Calcium carbonate [1317-65-3]
Nickel	7440-02-0	Carcinogen; Extraordinarily hazardous
Nitric Acid	7697-37-2	Extraordinarily hazardous

15.06. Pennsylvania Right-to-Know Hazardous Substances

Chemical Name	CAS Number	Regulatory Information
Calcium Carbonate	471-34-1	"Present" As Limestone [1317-65-3]
Nickel	7440-02-0	Environmental hazard; Special hazardous substance
Nitric Acid	7697-37-2	Environmental hazard
Aluminum Nitrate Nonahydrate	7784-27-2	"Present" As Aluminum soluble salts [RR-00021-5]
Chromium Nitrate Nonahydrate	7789-02-8	"Environmental hazard" As Chromium compounds [RR-00634-8]

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.07. New Jersey Worker and Community Right-to-Know Components

Chemical Name	CAS Number	Regulatory Information
Calcium Carbonate	471-34-1	"sn 4001" As Calcium carbonate [1317-65-3]
Nickel	7440-02-0	sn 1341
Nitric Acid	7697-37-2	sn 1356
Aluminum Nitrate Nonahydrate	7784-27-2	"sn 0061" As Aluminum nitrate [13473-90-0]; "sn 3722" As Nitrate compounds [RR-01770-9]
Chromium Nitrate Nonahydrate	7789-02-8	"sn 0435" As Chromium nitrate [13548-38-4]; "sn 2245" As Chromium compounds [RR-00634-8]; "sn 3722" As Nitrate compounds [RR-01770-9]; "sn 2870" As Chromium(III) compounds [RR-03889-1]

15.08. California Proposition 65

Chemical Name	CAS Number	Regulatory Information
Nickel	7440-02-0	carcinogen, 10/1/1989 (metallic)

15.09. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Chemical Name	CAS Number	List	Status
Calcium Carbonate	471-34-1	DSL	Present
Calcium Carbonate	471-34-1	NDSL	"Present" As Calcium carbonate [1317-65-3]
Sodium Carbonate	497-19-8	DSL	Present
Potassium Carbonate	584-08-7	DSL	Present
Nickel	7440-02-0	DSL	Present
Nitric Acid	7697-37-2	DSL	Present
Water	7732-18-5	DSL	Present
Aluminum Nitrate Nonahydrate	7784-27-2	DSL	"Present" As Aluminum nitrate [13473-90-0]
Chromium Nitrate Nonahydrate	7789-02-8	DSL	"Present" As Chromium nitrate [13548-38-4]

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.10. United States of America Toxic Substances Control Act (TSCA) List

Chemical Name	CAS Number	Status
Calcium Carbonate	471-34-1	Present (ACTIVE)
Sodium Carbonate	497-19-8	Present (ACTIVE)
Potassium Carbonate	584-08-7	Present (ACTIVE)
Nickel	7440-02-0	Present (ACTIVE)
Nitric Acid	7697-37-2	Present (ACTIVE)
Water	7732-18-5	Present [XU] (ACTIVE)
Aluminum Nitrate Nonahydrate	7784-27-2	"Present (ACTIVE)" As Nitric acid, aluminum salt (3:1) [13473-90-0]
Chromium Nitrate Nonahydrate	7789-02-8	"Present (ACTIVE)" As Nitric acid, chromium(3+) salt (3:1) [13548-38-4]

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Chemical Name	CAS Number	List	Number
Calcium Carbonate	471-34-1	EINECS	207-439-9
Sodium Carbonate	497-19-8	EINECS	207-838-8
Potassium Carbonate	584-08-7	EINECS	209-529-3
Nickel	7440-02-0	EINECS	231-111-4
Nitric Acid	7697-37-2	EINECS	231-714-2
Water	7732-18-5	EINECS	231-791-2
Aluminum Nitrate Nonahydrate	7784-27-2	EINECS	"236-751-8" As Aluminium nitrate [13473-90-0]
Chromium Nitrate Nonahydrate	7789-02-8	EINECS	"236-921-1" As Chromium trinitrate [13548-38-4]

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.12. China - Inventory of Existing chemical Substances (IECSC)

Chemical Name	CAS Number	Status
Calcium Carbonate	471-34-1	Present [34102]
Sodium Carbonate	497-19-8	Present [34127]
Potassium Carbonate	584-08-7	Present [34116]
Nickel	7440-02-0	Present [25343]
Nitric Acid	7697-37-2	Present [35578]
Water	7732-18-5	Present [32224]
Aluminum Nitrate Nonahydrate	7784-27-2	Present [21185]
Chromium Nitrate Nonahydrate	7789-02-8	Present [21184]

15.13. Korea - Existing Chemicals Inventory (KECI/KECL)

Chemical Name	CAS Number	List	Status
Calcium Carbonate	471-34-1	Annex 1	Present [KE-04487]
Sodium Carbonate	497-19-8	Annex 1	Present [KE-31380]
Potassium Carbonate	584-08-7	Annex 1	Present [KE-29083]
Nickel	7440-02-0	Annex 1	Present [KE-25818]
Nitric Acid	7697-37-2	Annex 1	Present [KE-25911]
Water	7732-18-5	Annex 1	Present [KE-35400]
Aluminum Nitrate Nonahydrate	7784-27-2	Annex 1	"Present [KE-01007]" As Aluminum nitrate [13473-90-0]
Chromium Nitrate Nonahydrate	7789-02-8	Annex 1	"Present [KE-06019]" As Chromium nitrate [13548-38-4]

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)


15.14. Japan - Existing and New Chemical Substances Inventory (ENCS)

Chemical Name	CAS Number	MITI No.
Calcium Carbonate	471-34-1	(1)-122
Sodium Carbonate	497-19-8	(1)-164
Potassium Carbonate	584-08-7	(1)-153
Nickel	7440-02-0	- (exempt)
Nitric Acid	7697-37-2	(1)-394
Water	7732-18-5	- (listed on Japanese Pharmacopoeia 8th Edition)
Aluminum Nitrate Nonahydrate	7784-27-2	(1)-20 (not considered as a new chemical substance)
Chromium Nitrate Nonahydrate	7789-02-8	(1)-281

SECTION 16: Other Information

16.1 National Fire Protection Associate (NFPA) Rating

Health: 1
Flammability: 0
Reactivity: 0
Special Hazard:



16.2 Document Revision

Last Revision Date:
 2026-05-05

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.