



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation Multielement ICP Standard, 7 elements @ 1,000 ppm in 5% HNO₃

Product Number RPMX013N

Other Identifying Product Numbers RPMX013N-500N

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company Ricca Chemical Company

Address 412 West Fork Drive

Arlington, TX 76012 USA

Telephone 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300

CHEMTREC (International) 1+ 703-527-3887

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

Hazard Class	Category	Hazard Statements	Precautionary Statements
Skin Corrosion / Irritation	Category 1	H314	P260,P264,P280,P301+P330+P331, P303+P361+P353,P363,P304+P340, P310,P321,P305+P351+P338,P405, P501
Serious Eye Damage / Eye Irritation	Category 1	H318	P280,P305+P351+P338,P310
Corrosive to Metals	Category 1	H290	P234,P390,P406

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

NOTE: Hazard statements may be combined on labels to improve clarity and readability.

Hazard Number	Hazard Statement
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage

Precautionary Statements:

NOTE: Precautionary statements may be combined or consolidated on labels to improve clarity and readability.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Prevention

Precautionary Number	Precautionary Statement
P234	Keep only in original packaging.
P260	Do not breathe fumes or mist.
P264	Wash hands, arms, and face thoroughly after handling.
P280	Wear protective gloves and eye protection.

Response

Precautionary Number	Precautionary Statement
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center or doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.

Storage

Precautionary Number	Precautionary Statement
P405	Store locked up.

Disposal

Precautionary Number	Precautionary Statement
P501	Dispose of contents/container to suitable waste stream in accordance with local, state, federal, and international regulations.

2.3. Hazards not Otherwise Classified

No other hazards identified.

2.4. Ingredients of Unknown Acute Toxicity

5.3 percent of this mixture consists of ingredient(s) of unknown acute oral toxicity. 5.9 percent of this mixture consists of ingredient(s) of unknown acute dermal toxicity.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 3: Composition / Information on Ingredients

3.1. Components of Mixture

Chemical Name (IUPAC)	Common Name and Synonyms	CAS Number	Weight%
water	Water	7732-18-5	93.41
nitric acid	Nitric Acid	7697-37-2	5.18
azanium dihydrogen phosphate	Ammonium Dihydrogen Phosphate; Ammonium Phosphate Monobasic	7722-76-1	0.35
strontium nitrate	Strontium Nitrate; strontium(II) nitrate; strontium dinitrate	10042-76-9	0.23
disodium carbonate	Sodium Carbonate; Carbonic acid, disodium salt; Soda ash	497-19-8	0.22
barium nitrate	Barium Nitrate	10022-31-8	0.18
dipotassium carbonate	Potassium Carbonate; Carbonic acid, dipotassium salt	584-08-7	0.17
magnesium oxide	Magnesium Oxide; magnesia	1309-48-4	0.16
manganese	Manganese	7439-96-5	0.10

SECTION 4: First-Aid Measures

4.1. Description of Necessary Measures

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.

Ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage Corrosive Liquid. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor. If swallowed, do not induce vomiting. Dilute with water and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

4.3. Immediate Medical Attention or Special Treatment Needed

Immediately call a poison center or doctor. Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire.

5.2. Specific Hazards Arising from the Substance or Mixture in a Fire

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas. May react explosively with combustible organic or readily oxidizable materials such as: alcohols, turpentine, charcoal, organic refuse, metal powder, hydrogen sulfide, etc.

5.3. Special Protective Equipment and Precautions for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

SECTION 8: Exposure Controls / Personal Protection

8.1. Exposure Limits

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

U.S. OSHA - Permissible Exposure Limits (PEL) - Time Weighted Averages (TWA)

Chemical Name	CAS Number	Exposure Limit
Barium Nitrate	10022-31-8	"0.5 mg/m3 TWA (regulated under CAS 7440-39-3, as Ba)" As Barium, soluble compounds [RR-00049-7]
Magnesium Oxide	1309-48-4	15 mg/m3 TWA (fume, total particulate)
Nitric Acid	7697-37-2	2 ppm TWA; 5 mg/m3 TWA

U.S. OSHA - Permissible Exposure Limits (PEL) - Ceiling Limits

Chemical Name	CAS Number	Exposure Limit
Manganese	7439-96-5	5 mg/m3 Ceiling (fume)

U.S. OSHA - Permissible Exposure Limits (PEL) - Short Term Exposure Limits (STEL)

No limits found.

U.S. OSHA - Specifically Regulated Chemicals

No limits found.

ACGIH - Threshold Limit Values - Ceilings (TLV-C)

No limits found.

ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

Chemical Name	CAS Number	Exposure Limit
Nitric Acid	7697-37-2	4 ppm STEL

ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Chemical Name	CAS Number	Exposure Limit
Barium Nitrate	10022-31-8	"0.5 mg/m3 TWA (as Ba)" As Barium soluble compounds [RR-00049-7]
Magnesium Oxide	1309-48-4	10 mg/m3 TWA (inhalable particulate matter)
Manganese	7439-96-5	0.02 mg/m3 TWA (respirable particulate matter); 0.1 mg/m3 TWA (inhalable particulate matter)
Nitric Acid	7697-37-2	2 ppm TWA

8.2. Engineering Controls

No specific controls are needed. Normal room ventilation is adequate.

8.3. Individual Protective Measures and Personal Protective Equipment

Respiratory Protection: Normal room ventilation is adequate.

Skin Protection: Chemical resistant gloves.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Eye Protection: Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Physical State:	liquid
Color:	Colorless
Odor:	Data not available.
Odor Threshold:	Data not available.
Melting/Freezing Point:	Approximately 0°C
Boiling Point/Range:	Approximately 100°C
Flammability:	Data not available.
Flammability/Explosive Limits:	Data not available.
Flash Point:	Not flammable
Auto-Ignition Temperature:	Data not available.
Decomposition Temperature:	Data not available.
pH:	< 2
Kinematic Viscosity:	Data not available.
Solubility:	miscible
Vapor Pressure:	Data not available.
Evaporation Rate:	Data not available.
Relative Density:	1.05
Relative Vapor Density:	Data not available.
Particle Characteristics:	Data not available.
Partition Coefficient n-octanol/water, log	Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original packaging. Strong bases, strong reducing agents, metallic powders.

10.4. Hazardous Decomposition Products

Will not occur.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not acutely toxic.

Chemical Name	CAS Number	Toxicity
Barium Nitrate	10022-31-8	Oral LD50 Rat 300 mg/kg (Source: ECHA)
Strontium Nitrate	10042-76-9	Oral LD50 Rat 2750 mg/kg (Source: NLM_CIP)
Sodium Carbonate	497-19-8	Oral LD50 Rat 4090 mg/kg (Source: NLM_HSDB)
Potassium Carbonate	584-08-7	Oral LD50 Rat 1870 mg/kg (Source: NLM_CIP)
Manganese	7439-96-5	Oral LD50 Rat 9 g/kg (Source: NLM_CIP)
Ammonium Dihydrogen Phosphate	7722-76-1	Oral LD50 Rat >2000 mg/kg (no deaths occurred, Source: ECHA)

Acute Toxicity - Dermal Exposure:

No information found.

Chemical Name	CAS Number	Toxicity
Sodium Carbonate	497-19-8	Dermal LD50 Rabbit >2000 mg/kg (no deaths occurred, Source: ECHA)
Potassium Carbonate	584-08-7	Dermal LD50 Rabbit >2000 mg/kg (Source: ECHA_API)
Ammonium Dihydrogen Phosphate	7722-76-1	Dermal LD50 Rabbit >7940 mg/kg (Source: NLM_CIP)

Acute Toxicity - Inhalation Exposure:

Not acutely toxic.

Chemical Name	CAS Number	Toxicity
Barium Nitrate	10022-31-8	Inhalation LC50 Acute Toxicity Estimate 1.5 mg/L 4 h (Source: ECHA)
Strontium Nitrate	10042-76-9	Inhalation LC50 Rat >4.5 mg/L 4 h (death occurred (1 out of 10 tested animals), aerosol, Source: ECHA)
Sodium Carbonate	497-19-8	Inhalation LC50 Rat 2300 mg/m3 2 h (aerosol, Source: ECHA_API)
Potassium Carbonate	584-08-7	Inhalation LC50 Rat >4.96 mg/L 4.5 h (no deaths occurred, dust, Source: ECHA_API)
Manganese	7439-96-5	Inhalation LC50 Rat >5.14 mg/L 4 h (no deaths occurred, dust, Source: ECHA_API)
Nitric Acid	7697-37-2	Inhalation LC50 Rat 3.22 mg/L 4 h (Source: WHMIS)

11.2 Carcinogenicity:

International Agency for Research on Cancer (IARC)

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Chemical Name	CAS Number	Classification
Nitric Acid	7697-37-2	Group 1 (Carcinogenic to Humans) - Monograph 100F [2012]; Monograph 54 [1992] As Acid mists, strong inorganic

National Toxicology Program (NTP)

Chemical Name	CAS Number	Classification
No data found.		

U.S. OSHA specifically regulated carcinogens

Chemical Name	CAS Number	Classification
No data found.		

11.3 Additional Toxicology Information:

Causes severe skin burns and eye damage.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Chemical Name	CAS Number	Species	Exposure	Toxicity
Strontium Nitrate	10042-76-9	Freshwater Fish	Acute	LC50 96 h Cyprinus carpio >97.45 mg/L [static] (ECHA)
Sodium Carbonate	497-19-8	Freshwater Fish	Acute	LC50 96 h Lepomis macrochirus 300 mg/L [static] (EPA); LC50 96 h Pimephales promelas 310 - 1220 mg/L [static] (EPA)
Manganese	7439-96-5	Freshwater Fish	Acute	LC50 96 h Oncorhynchus mykiss >3.6 mg/L [semi-static] (ECHA)
Ammonium Dihydrogen Phosphate	7722-76-1	Freshwater Fish	Acute	LC50 96 h Oncorhynchus mykiss >85.9 mg/L [static] (ECHA)
Sodium Carbonate	497-19-8	Water Flea	Acute	EC50 48 h Daphnia magna 265 mg/L (IUCLID)
Potassium Carbonate	584-08-7	Water Flea	Acute	LC50 48 h Ceriodaphnia dubia 630 mg/L (EPA)

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

12.4. Mobility in soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1 Transportation by Land - Department of Transportation (DOT, United States of America)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



14.2 Transportation by Air - International Air Transport Association (IATA)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):





Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



SECTION 15: Regulatory Information

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.01. Occupational Safety and Health Administration (OSHA) Hazards

Chemical Name	CAS Number	Regulatory Information
No data found.		

15.02. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Chemical Name	CAS Number	RQ	TPQ
Nitric Acid	7697-37-2	1000 lb TPQ	1000 lb EPCRA RQ

15.03. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Chemical Name	CAS Number	Regulatory Information
Nitric Acid	7697-37-2	1000 lb final RQ; 454 kg final RQ

15.04. Superfund Amendments and Reauthorization Act (SARA) 313 Toxics Release Inventory (TRI)

Chemical Name	CAS Number	List	Regulatory Information
Barium Nitrate	10022-31-8	Emission Reporting	"1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0]; "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]
Strontium Nitrate	10042-76-9	Emission Reporting	"1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]
Manganese	7439-96-5	Emission Reporting	1.0 % de minimis concentration
Nitric Acid	7697-37-2	Emission Reporting	1.0 % de minimis concentration
Ammonium Dihydrogen Phosphate	7722-76-1	Emission Reporting	"1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)" As Aqueous ammonia from water dissociable ammonium salts and other sources [RR-47925-4]

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.05. Massachusetts Right-to-Know Substance List

Chemical Name	CAS Number	Regulatory Information
Barium Nitrate	10022-31-8	Present
Strontium Nitrate	10042-76-9	Present
Magnesium Oxide	1309-48-4	Present (fume)
Manganese	7439-96-5	Present
Nitric Acid	7697-37-2	Extraordinarily hazardous

15.06. Pennsylvania Right-to-Know Hazardous Substances

Chemical Name	CAS Number	Regulatory Information
Barium Nitrate	10022-31-8	Environmental hazard
Strontium Nitrate	10042-76-9	Present
Magnesium Oxide	1309-48-4	Present
Manganese	7439-96-5	Environmental hazard
Nitric Acid	7697-37-2	Environmental hazard

15.07. New Jersey Worker and Community Right-to-Know Components

Chemical Name	CAS Number	Regulatory Information
Barium Nitrate	10022-31-8	sn 0186
Strontium Nitrate	10042-76-9	sn 1743
Magnesium Oxide	1309-48-4	sn 1144
Manganese	7439-96-5	sn 1155
Nitric Acid	7697-37-2	sn 1356

15.08. California Proposition 65

Chemical Name	CAS Number	Regulatory Information
No data found.		

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.09. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Chemical Name	CAS Number	List	Status
Barium Nitrate	10022-31-8	DSL	Present
Strontium Nitrate	10042-76-9	DSL	Present
Magnesium Oxide	1309-48-4	DSL	Present
Sodium Carbonate	497-19-8	DSL	Present
Potassium Carbonate	584-08-7	DSL	Present
Manganese	7439-96-5	DSL	Present
Nitric Acid	7697-37-2	DSL	Present
Ammonium Dihydrogen Phosphate	7722-76-1	DSL	Present
Water	7732-18-5	DSL	Present

15.10. United States of America Toxic Substances Control Act (TSCA) List

Chemical Name	CAS Number	Status
Barium Nitrate	10022-31-8	Present (ACTIVE)
Strontium Nitrate	10042-76-9	Present (ACTIVE)
Magnesium Oxide	1309-48-4	Present (ACTIVE)
Sodium Carbonate	497-19-8	Present (ACTIVE)
Potassium Carbonate	584-08-7	Present (ACTIVE)
Manganese	7439-96-5	Present (ACTIVE)
Nitric Acid	7697-37-2	Present (ACTIVE)
Ammonium Dihydrogen Phosphate	7722-76-1	Present (ACTIVE)
Water	7732-18-5	Present [XU] (ACTIVE)

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Chemical Name	CAS Number	List	Number
Barium Nitrate	10022-31-8	EINECS	233-020-5
Strontium Nitrate	10042-76-9	EINECS	233-131-9
Magnesium Oxide	1309-48-4	EINECS	215-171-9
Sodium Carbonate	497-19-8	EINECS	207-838-8
Potassium Carbonate	584-08-7	EINECS	209-529-3
Manganese	7439-96-5	EINECS	231-105-1
Nitric Acid	7697-37-2	EINECS	231-714-2
Ammonium Dihydrogen Phosphate	7722-76-1	EINECS	231-764-5
Water	7732-18-5	EINECS	231-791-2

15.12. China - Inventory of Existing chemical Substances (IECSC)

Chemical Name	CAS Number	Status
Barium Nitrate	10022-31-8	Present [35583]
Strontium Nitrate	10042-76-9	Present [35630]
Magnesium Oxide	1309-48-4	Present [37553]
Sodium Carbonate	497-19-8	Present [34127]
Potassium Carbonate	584-08-7	Present [34116]
Manganese	7439-96-5	Present [24928]
Nitric Acid	7697-37-2	Present [35578]
Ammonium Dihydrogen Phosphate	7722-76-1	Present [22403]
Water	7732-18-5	Present [32224]

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.13. Korea - Existing Chemicals Inventory (KECI/KECL)

Chemical Name	CAS Number	List	Status
Barium Nitrate	10022-31-8	Annex 1	Present [KE-02070]
Barium Nitrate	10022-31-8	Annex 2	"97-3-693 (1997-3-0693)" As Barium compounds [RR-00555-0]
Strontium Nitrate	10042-76-9	Annex 1	Present [KE-32235]
Magnesium Oxide	1309-48-4	Annex 1	Present [KE-22728]
Sodium Carbonate	497-19-8	Annex 1	Present [KE-31380]
Potassium Carbonate	584-08-7	Annex 1	Present [KE-29083]
Manganese	7439-96-5	Annex 1	Present [KE-22999]
Nitric Acid	7697-37-2	Annex 1	Present [KE-25911]
Ammonium Dihydrogen Phosphate	7722-76-1	Annex 1	Present [KE-01656]
Water	7732-18-5	Annex 1	Present [KE-35400]

15.14. Japan - Existing and New Chemical Substances Inventory (ENCS)

Chemical Name	CAS Number	MITI No.
Barium Nitrate	10022-31-8	(1)-86
Strontium Nitrate	10042-76-9	(1)-490
Magnesium Oxide	1309-48-4	(1)-465
Sodium Carbonate	497-19-8	(1)-164
Potassium Carbonate	584-08-7	(1)-153
Manganese	7439-96-5	- (exempt)
Nitric Acid	7697-37-2	(1)-394
Ammonium Dihydrogen Phosphate	7722-76-1	(1)-379
Water	7732-18-5	- (listed on Japanese Pharmacopoeia 8th Edition)


SECTION 16: Other Information

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

16.1 National Fire Protection Associate (NFPA) Rating

Health: 2
Flammability: 0
Reactivity 0
Special Hazard:



16.2 Document Revision

Last Revision Date:
2026-05-04

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.