



## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### SECTION 1: Identification

#### 1.1. Product Identifier

**Trade Name or Designation** VeriSpec<sup>®</sup> Beryllium (Be) Standard for AAS 1000 ppm in 2% HCl  
Manufactured and Tested in an ISO 17025/ISO 17034 Accredited Facility

**Product Number** RV010007

**Other Identifying Product Numbers** RV010007-100N, RV010007-500N

#### 1.2. Recommended Use and Restrictions on Use

Calibration Standard

#### 1.3. Details of the Supplier of the Safety Data Sheet

**Company** Ricca Chemical Company  
**Address** 412 West Fork Drive

Arlington, TX 76012 USA

**Telephone** 888-467-4222

#### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300  
CHEMTREC (International) 1+ 703-527-3887

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### SECTION 2: Hazard(s) Identification

#### 2.1. Classification of the Substance or Mixture

| Hazard Class                                  | Category    | Hazard Statements | Precautionary Statements                                   |
|-----------------------------------------------|-------------|-------------------|------------------------------------------------------------|
| Acute Toxicity - Inhalation (Dusts and Mists) | Category 4  | H332              | P261,P271,P304+P340,P312                                   |
| Corrosive to the Respiratory Tract            | Corrosive   |                   |                                                            |
| Skin Corrosion / Irritation                   | Category 2  | H315              | P264,P280,P302+P352,P321,<br>P332+P313,P362+P364           |
| Serious Eye Damage / Eye Irritation           | Category 2  | H319              | P264,P280,P305+P351+P338, P337+P313                        |
| Skin Sensitization                            | Category 1  | H317              | P261,P272,P280,P302+P352,<br>P333+P313,P321,P362+P364,P501 |
| Carcinogenicity                               | Category 1B | H350              | P201,P202,P280,P308+P313,P405, P501                        |

#### 2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

NOTE: Hazard statements may be combined on labels to improve clarity and readability.

| Hazard Number | Hazard Statement                    |
|---------------|-------------------------------------|
| H315          | Causes skin irritation              |
| H317          | May cause an allergic skin reaction |
| H319          | Causes serious eye irritation       |
| H332          | Harmful if inhaled                  |
| H350          | May cause cancer                    |
|               | Corrosive to the respiratory tract  |

Precautionary Statements:

NOTE: Precautionary statements may be combined or consolidated on labels to improve clarity and readability.

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## Prevention

| Precautionary Number | Precautionary Statement                                                   |
|----------------------|---------------------------------------------------------------------------|
| P201                 | Obtain special instructions before use.                                   |
| P202                 | Do not handle until all safety precautions have been read and understood. |
| P261                 | Avoid breathing fumes or mist.                                            |
| P264                 | Wash hands, arms, and face thoroughly after handling.                     |
| P271                 | Use only outdoors or in a well-ventilated area.                           |
| P272                 | Contaminated work clothing must not be allowed out of the workplace.      |
| P280                 | Wear protective gloves and eye protection.                                |

## Response

| Precautionary Number | Precautionary Statement                                                                                                          |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------|
| P302+P352            | IF ON SKIN: Wash with plenty of water.                                                                                           |
| P304+P340            | IF INHALED: Remove person to fresh air and keep comfortable for breathing.                                                       |
| P305+P351+P338       | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308+P313            | If exposed or concerned: Get medical advice or attention.                                                                        |
| P312                 | Call a poison center or doctor if you feel unwell.                                                                               |
| P337+P313            | If eye irritation persists: Get medical advice or attention.                                                                     |
| P362+P364            | Take off contaminated clothing and wash it before reuse.                                                                         |

## Storage

| Precautionary Number | Precautionary Statement |
|----------------------|-------------------------|
| P405                 | Store locked up.        |

## Disposal

| Precautionary Number | Precautionary Statement                                                                                                         |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| P501                 | Dispose of contents/container to suitable waste stream in accordance with local, state, federal, and international regulations. |

## 2.3. Hazards not Otherwise Classified

No other hazards identified.

## 2.4. Ingredients of Unknown Acute Toxicity

This product does not contain any ingredients of unknown acute toxicity.

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### SECTION 3: Composition / Information on Ingredients

#### 3.1. Components of Mixture

| Chemical Name (IUPAC) | Common Name and Synonyms         | CAS Number | Weight% |
|-----------------------|----------------------------------|------------|---------|
| water                 | Water                            | 7732-18-5  | 97.11   |
| chlorane              | Hydrochloric Acid; Muriatic acid | 7647-01-0  | 2.00    |
| beryllium dichloride  | Beryllium Chloride               | 7787-47-5  | 0.89    |

### SECTION 4: First-Aid Measures

#### 4.1. Description of Necessary Measures

**Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Ingestion:** No action required to be taken. If necessary, dilute with water.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Skin Contact:** IF ON SKIN: Wash with plenty of water.

#### 4.2. Most Important Symptoms and Effects, Acute and Delayed

May cause cancer

#### 4.3. Immediate Medical Attention or Special Treatment Needed

Not expected to require special treatment.

### SECTION 5: Fire-Fighting Measures

#### 5.1. Extinguishing Media

Not considered to be a fire or explosion hazard.

#### 5.2. Specific Hazards Arising from the Substance or Mixture in a Fire

Not considered to be a fire or explosion hazard.

#### 5.3. Special Protective Equipment and Precautions for Firefighters

Wear protective clothing and NIOSH-approved breathing equipment appropriate for the surrounding fire.

### SECTION 6: Accidental Release Measures

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## 6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

## SECTION 7: Handling and Storage

### 7.1. Precautions for Safe Handling and Storage Conditions

Store locked up.

## SECTION 8: Exposure Controls / Personal Protection

### 8.1. Exposure Limits

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### U.S. OSHA - Permissible Exposure Limits (PEL) - Time Weighted Averages (TWA)

| Chemical Name      | CAS Number | Exposure Limit                                              |
|--------------------|------------|-------------------------------------------------------------|
| Beryllium Chloride | 7787-47-5  | "0.2 µg/m3 TWA (as Be)" As Beryllium compounds [RR-00557-2] |

### U.S. OSHA - Permissible Exposure Limits (PEL) - Ceiling Limits

| Chemical Name      | CAS Number | Exposure Limit                                                |
|--------------------|------------|---------------------------------------------------------------|
| Hydrochloric Acid  | 7647-01-0  | 5 ppm Ceiling; 7 mg/m3 Ceiling                                |
| Beryllium Chloride | 7787-47-5  | "2 µg/m3 Ceiling (as Be)" As Beryllium compounds [RR-00557-2] |

### U.S. OSHA - Permissible Exposure Limits (PEL) - Short Term Exposure Limits (STEL)

No limits found.

### U.S. OSHA - Specifically Regulated Chemicals

No limits found.

### ACGIH - Threshold Limit Values - Ceilings (TLV-C)

| Chemical Name     | CAS Number | Exposure Limit |
|-------------------|------------|----------------|
| Hydrochloric Acid | 7647-01-0  | 2 ppm Ceiling  |

### ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

No limits found.

### ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

| Chemical Name      | CAS Number | Exposure Limit                                                                                |
|--------------------|------------|-----------------------------------------------------------------------------------------------|
| Beryllium Chloride | 7787-47-5  | "0.00005 mg/m3 TWA (inhalable particulate matter, as Be)" As Beryllium compounds [RR-00557-2] |

## 8.2. Engineering Controls

Use only outdoors or in a well-ventilated area.

## 8.3. Individual Protective Measures and Personal Protective Equipment

**Respiratory Protection:** Wear protective gloves and eye protection.

**Skin Protection:** Wear protective gloves and eye protection.

**Eye Protection:** Wear protective gloves and eye protection.

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## SECTION 9: Physical and Chemical Properties

### 9.1. Basic Physical and Chemical Properties

|                                                   |                     |
|---------------------------------------------------|---------------------|
| <b>Physical State:</b>                            | Liquid              |
| <b>Color:</b>                                     | Data not available. |
| <b>Odor:</b>                                      | Data not available. |
| <b>Odor Threshold:</b>                            | Data not available. |
| <b>Melting/Freezing Point:</b>                    | Data not available. |
| <b>Boiling Point/Range:</b>                       | Data not available. |
| <b>Flammability:</b>                              | Data not available. |
| <b>Flammability/Explosive Limits:</b>             | Data not available. |
| <b>Flash Point:</b>                               | Not flammable       |
| <b>Auto-Ignition Temperature:</b>                 | Data not available. |
| <b>Decomposition Temperature:</b>                 | Data not available. |
| <b>pH:</b>                                        | Data not available. |
| <b>Kinematic Viscosity:</b>                       | Data not available. |
| <b>Solubility:</b>                                | Data not available. |
| <b>Vapor Pressure:</b>                            | Data not available. |
| <b>Evaporation Rate:</b>                          | Data not available. |
| <b>Relative Density:</b>                          | 1.01                |
| <b>Relative Vapor Density:</b>                    | Data not available. |
| <b>Particle Characteristics:</b>                  | Data not available. |
| <b>Partition Coefficient n-octanol/water, log</b> | Data not available. |

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

### 10.2. Possibility of Hazardous Reactions

Data not available.

### 10.3. Conditions to Avoid and Incompatible Materials

Protect from freezing and physical damage.

### 10.4. Hazardous Decomposition Products

None identified.

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### SECTION 11: Toxicological Information

#### 11.1. Information on Toxicological Effects

##### Acute Toxicity - Oral Exposure:

Not acutely toxic.

| Chemical Name      | CAS Number | Toxicity                                       |
|--------------------|------------|------------------------------------------------|
| Hydrochloric Acid  | 7647-01-0  | Oral LD50 Rat 700 mg/kg (Source: Canada_WHMIS) |
| Beryllium Chloride | 7787-47-5  | Oral LD50 Rat 86 mg/kg (Source: NLM_CIP)       |

##### Acute Toxicity - Dermal Exposure:

Not acutely toxic.

| Chemical Name     | CAS Number | Toxicity                                           |
|-------------------|------------|----------------------------------------------------|
| Hydrochloric Acid | 7647-01-0  | Dermal LD50 Rabbit >5010 mg/kg (Source: JAPAN_GHS) |

##### Acute Toxicity - Inhalation Exposure:

Inhalation acute toxicity estimate (ATE, dust or mist): 4.5872 mg/L, 4 h(calculated)

| Chemical Name      | CAS Number | Toxicity                                                             |
|--------------------|------------|----------------------------------------------------------------------|
| Hydrochloric Acid  | 7647-01-0  | Inhalation LC50 Acute Toxicity Estimate 0.5 mg/L 4 h (Source: ECHA)  |
| Beryllium Chloride | 7787-47-5  | Inhalation LC50 Acute Toxicity Estimate 0.05 mg/L 4 h (Source: ECHA) |

#### 11.2 Carcinogenicity:

##### International Agency for Research on Cancer (IARC)

| Chemical Name      | CAS Number | Classification                                                                                                |
|--------------------|------------|---------------------------------------------------------------------------------------------------------------|
| Hydrochloric Acid  | 7647-01-0  | Group 1 (Carcinogenic to Humans) - Monograph 100F [2012]; Monograph 54 [1992] As Acid mists, strong inorganic |
| Beryllium Chloride | 7787-47-5  | Group 1 (Carcinogenic to Humans) - Monograph 58 [1993] (listed under Beryllium and beryllium compounds)       |

##### National Toxicology Program (NTP)

| Chemical Name      | CAS Number | Classification                                                          |
|--------------------|------------|-------------------------------------------------------------------------|
| Beryllium Chloride | 7787-47-5  | Known Human Carcinogen (listed under Beryllium and beryllium compounds) |

##### U.S. OSHA specifically regulated carcinogens

| Chemical Name  | CAS Number | Classification |
|----------------|------------|----------------|
| No data found. |            |                |

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## 11.3 Additional Toxicology Information:

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause cancer. Corrosive to the respiratory tract.

## SECTION 12: Ecological Information

### 12.1. Ecotoxicity

| Chemical Name | CAS Number     | Species | Exposure | Toxicity |
|---------------|----------------|---------|----------|----------|
|               | No data found. | None    | None     |          |

### 12.2. Persistence and Degradability

Data not available.

### 12.3. Bioaccumulative Potential

Data not available.

### 12.4. Mobility in soil

Data not available.

### 12.5. Other Adverse Ecological Effects

Data not available.

## SECTION 13: Disposal Considerations

### 13.1. Waste Treatment Methods

Data not available.

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

## SECTION 14: Transportation Information

### 14.1 Transportation by Land - Department of Transportation (DOT, United States of America)

Not regulated according to DOT regulations.

### 14.2 Transportation by Air - International Air Transport Association (IATA)

Not regulated according to IATA Dangerous Goods Regulations.

### 14.3 Transportation of Dangerous Goods (TDG, Canada)

Not regulated according to TDG regulations.

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### SECTION 15: Regulatory Information

#### 15.01. Occupational Safety and Health Administration (OSHA) Hazards

| Chemical Name  | CAS Number | Regulatory Information |
|----------------|------------|------------------------|
| No data found. |            |                        |

#### 15.02. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

| Chemical Name     | CAS Number | RQ                    | TPQ                         |
|-------------------|------------|-----------------------|-----------------------------|
| Hydrochloric Acid | 7647-01-0  | 500 lb TPQ (gas only) | 5000 lb EPCRA RQ (gas only) |

#### 15.03. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

| Chemical Name      | CAS Number | Regulatory Information             |
|--------------------|------------|------------------------------------|
| Hydrochloric Acid  | 7647-01-0  | 5000 lb final RQ; 2270 kg final RQ |
| Beryllium Chloride | 7787-47-5  | 1 lb final RQ; 0.454 kg final RQ   |

#### 15.04. Superfund Amendments and Reauthorization Act (SARA) 313 Toxics Release Inventory (TRI)

| Chemical Name      | CAS Number | List               | Regulatory Information                                                                                                                                                                                                  |
|--------------------|------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hydrochloric Acid  | 7647-01-0  | Emission Reporting | 1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)                                                                                         |
| Beryllium Chloride | 7787-47-5  | Emission Reporting | "0.1 % de minimis concentration (includes any unique chemical substance that contains Beryllium as part of that chemical's infrastructure, listed under Chemical Category N050)" As Beryllium compounds<br>[RR-00557-2] |

#### 15.05. Massachusetts Right-to-Know Substance List

| Chemical Name      | CAS Number | Regulatory Information                |
|--------------------|------------|---------------------------------------|
| Hydrochloric Acid  | 7647-01-0  | Extraordinarily hazardous             |
| Beryllium Chloride | 7787-47-5  | Carcinogen; Extraordinarily hazardous |

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### 15.06. Pennsylvania Right-to-Know Hazardous Substances

| Chemical Name      | CAS Number | Regulatory Information                            |
|--------------------|------------|---------------------------------------------------|
| Hydrochloric Acid  | 7647-01-0  | Environmental hazard                              |
| Beryllium Chloride | 7787-47-5  | Environmental hazard; Special hazardous substance |

### 15.07. New Jersey Worker and Community Right-to-Know Components

| Chemical Name      | CAS Number | Regulatory Information |
|--------------------|------------|------------------------|
| Hydrochloric Acid  | 7647-01-0  | sn 1012                |
| Beryllium Chloride | 7787-47-5  | sn 0223                |

### 15.08. California Proposition 65

| Chemical Name      | CAS Number | Regulatory Information                                      |
|--------------------|------------|-------------------------------------------------------------|
| Beryllium Chloride | 7787-47-5  | "carcinogen, 10/1/1987" As Beryllium compounds [RR-00557-2] |

### 15.09. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

| Chemical Name      | CAS Number | List | Status  |
|--------------------|------------|------|---------|
| Hydrochloric Acid  | 7647-01-0  | DSL  | Present |
| Water              | 7732-18-5  | DSL  | Present |
| Beryllium Chloride | 7787-47-5  | DSL  | Present |

### 15.10. United States of America Toxic Substances Control Act (TSCA) List

| Chemical Name      | CAS Number | Status                |
|--------------------|------------|-----------------------|
| Hydrochloric Acid  | 7647-01-0  | Present (ACTIVE)      |
| Water              | 7732-18-5  | Present [XU] (ACTIVE) |
| Beryllium Chloride | 7787-47-5  | Present (ACTIVE)      |

### 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

| Chemical Name      | CAS Number | List   | Number    |
|--------------------|------------|--------|-----------|
| Hydrochloric Acid  | 7647-01-0  | EINECS | 231-595-7 |
| Water              | 7732-18-5  | EINECS | 231-791-2 |
| Beryllium Chloride | 7787-47-5  | EINECS | 232-116-4 |

## Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

### 15.12. China - Inventory of Existing chemical Substances (IECSC)

| Chemical Name     | CAS Number | Status          |
|-------------------|------------|-----------------|
| Hydrochloric Acid | 7647-01-0  | Present [37053] |
| Water             | 7732-18-5  | Present [32224] |

### 15.13. Korea - Existing Chemicals Inventory (KECI/KECL)

| Chemical Name      | CAS Number | List    | Status             |
|--------------------|------------|---------|--------------------|
| Hydrochloric Acid  | 7647-01-0  | Annex 1 | Present [KE-20189] |
| Water              | 7732-18-5  | Annex 1 | Present [KE-35400] |
| Beryllium Chloride | 7787-47-5  | Annex 1 | Present [KE-02833] |


### 15.14. Japan - Existing and New Chemical Substances Inventory (ENCS)

| Chemical Name     | CAS Number | MITI No.                                         |
|-------------------|------------|--------------------------------------------------|
| Hydrochloric Acid | 7647-01-0  | (1)-215                                          |
| Water             | 7732-18-5  | - (listed on Japanese Pharmacopoeia 8th Edition) |

## SECTION 16: Other Information

### 16.1 National Fire Protection Associate (NFPA) Rating

**Health:** 1  
**Flammability:** 0  
**Reactivity:** 0  
**Special Hazard:**



### 16.2 Document Revision

**Last Revision Date:**  
 2026-05-24

## DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.