



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation VeriSpec[®] Beryllium Standard for ICP 10 g/L in 5% HNO₃/HF
Manufactured and Tested in an ISO 17025/ISO 17034 Accredited Facility

Product Number RV010439

Other Identifying Product Numbers RV010439-100N

1.2. Recommended Use and Restrictions on Use

Calibration Standard

1.3. Details of the Supplier of the Safety Data Sheet

Company Ricca Chemical Company
Address 412 West Fork Drive

Arlington, TX 76012 USA

Telephone 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300
CHEMTREC (International) 1+ 703-527-3887

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

Hazard Class	Category	Hazard Statements	Precautionary Statements
Acute Toxicity - Oral	Category 3	H301	P264,P270,P301+P310,P321,P330,P405,P501
Acute Toxicity - Inhalation (Dusts and Mists)	Category 2	H330	P260,P271,P284,P304+P340,P310,P320,P403+P233,P405,P501
Corrosive to the Respiratory Tract	Corrosive		
Skin Corrosion / Irritation	Category 1	H314	P260,P264,P280,P301+P330+P331,P303+P361+P353,P363,P304+P340,P310,P321,P305+P351+P338,P405,P501
Serious Eye Damage / Eye Irritation	Category 1	H318	P280,P305+P351+P338,P310
Skin Sensitization	Category 1	H317	P261,P272,P280,P302+P352,P333+P313,P321,P362+P364,P501
Carcinogenicity	Category 1B	H350	P201,P202,P280,P308+P313,P405,P501
Corrosive to Metals	Category 1	H290	P234,P390,P406
Specific Target Organ Toxicity - Repeated Exposure	Category 1	H372	P260,P264,P270,P314,P501
Hazardous to the Aquatic Environment, Long-term (Chronic)	Chronic 3	H412	P273,P501

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

NOTE: Hazard statements may be combined on labels to improve clarity and readability.



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Hazard Number	Hazard Statement
H290	May be corrosive to metals
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H350	May cause cancer
H372	Causes damage to lungs, skin through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects
	Corrosive to the respiratory tract

Precautionary Statements:

NOTE: Precautionary statements may be combined or consolidated on labels to improve clarity and readability.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Prevention

Precautionary Number	Precautionary Statement
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P234	Keep only in original packaging.
P260	Do not breathe fumes or mist.
P264	Wash hands, arms, and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P284	In case of inadequate ventilation wear respiratory protection.

Response

Precautionary Number	Precautionary Statement
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	If exposed or concerned: Get medical advice or attention.
P310	Immediately call a poison center or doctor.
P320	Specific treatment is urgent: Treat with calcium gluconate gel.
P330	Rinse mouth.
P362+P364	Take off contaminated clothing and wash it before reuse.
P390	Absorb spillage to prevent material damage.

Storage

Precautionary Number	Precautionary Statement
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Disposal

Precautionary Number	Precautionary Statement
P501	Dispose of contents/container to suitable waste stream in accordance with local, state, federal, and international regulations.

2.3. Hazards not Otherwise Classified

No other hazards identified.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

2.4. Ingredients of Unknown Acute Toxicity

5 percent of this mixture consists of ingredient(s) of unknown acute oral toxicity. 20.8 percent of this mixture consists of ingredient(s) of unknown acute dermal toxicity.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Mixture

Chemical Name (IUPAC)	Common Name and Synonyms	CAS Number	Weight%
water	Water	7732-18-5	79.24
beryllium dinitrate	Beryllium Nitrate; Nitric acid, beryllium salt (2:1)	13597-99-4	14.76
nitric acid	Nitric Acid	7697-37-2	5.00
fluorane	Hydrofluoric Acid	7664-39-3	1.00

SECTION 4: First-Aid Measures

4.1. Description of Necessary Measures

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Toxic if swallowed

4.3. Immediate Medical Attention or Special Treatment Needed

Immediately call a poison center or doctor. Specific treatment is urgent: Treat with calcium gluconate gel.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Not considered to be a fire or explosion hazard.

5.2. Specific Hazards Arising from the Substance or Mixture in a Fire

Not considered to be a fire or explosion hazard.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

5.3. Special Protective Equipment and Precautions for Firefighters

Wear protective clothing and NIOSH-approved breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

SECTION 8: Exposure Controls / Personal Protection

8.1. Exposure Limits

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

U.S. OSHA - Permissible Exposure Limits (PEL) - Time Weighted Averages (TWA)

Chemical Name	CAS Number	Exposure Limit
Beryllium Nitrate	13597-99-4	"0.2 µg/m3 TWA (as Be)" As Beryllium compounds [RR-00557-2]
Hydrofluoric Acid	7664-39-3	3 ppm TWA (as F)
Nitric Acid	7697-37-2	2 ppm TWA; 5 mg/m3 TWA

U.S. OSHA - Permissible Exposure Limits (PEL) - Ceiling Limits

Chemical Name	CAS Number	Exposure Limit
Beryllium Nitrate	13597-99-4	"2 µg/m3 Ceiling (as Be)" As Beryllium compounds [RR-00557-2]

U.S. OSHA - Permissible Exposure Limits (PEL) - Short Term Exposure Limits (STEL)

No limits found.

U.S. OSHA - Specifically Regulated Chemicals

No limits found.

ACGIH - Threshold Limit Values - Ceilings (TLV-C)

Chemical Name	CAS Number	Exposure Limit
Hydrofluoric Acid	7664-39-3	2 ppm Ceiling (as F)

ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

Chemical Name	CAS Number	Exposure Limit
Nitric Acid	7697-37-2	4 ppm STEL

ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Chemical Name	CAS Number	Exposure Limit
Beryllium Nitrate	13597-99-4	"0.00005 mg/m3 TWA (inhalable particulate matter, as Be)" As Beryllium compounds [RR-00557-2]
Hydrofluoric Acid	7664-39-3	0.5 ppm TWA (as F)
Nitric Acid	7697-37-2	2 ppm TWA

8.2. Engineering Controls

No specific controls are needed.

8.3. Individual Protective Measures and Personal Protective Equipment

Respiratory Protection: Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

Skin Protection: Wear protective gloves and eye protection.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Eye Protection: Wear protective gloves and eye protection.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Physical State:	Liquid
Color:	Data not available.
Odor:	Data not available.
Odor Threshold:	Data not available.
Melting/Freezing Point:	Data not available.
Boiling Point/Range:	Data not available.
Flammability:	Data not available.
Flammability/Explosive Limits:	Data not available.
Flash Point:	Not flammable
Auto-Ignition Temperature:	Data not available.
Decomposition Temperature:	Data not available.
pH:	<2
Kinematic Viscosity:	Data not available.
Solubility:	Data not available.
Vapor Pressure:	Data not available.
Evaporation Rate:	Data not available.
Relative Density:	1.00
Relative Vapor Density:	Data not available.
Particle Characteristics:	Data not available.
Partition Coefficient n-octanol/water, log	Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original packaging.

10.4. Hazardous Decomposition Products

None identified.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Oral acute toxicity estimate (ATE): 287 mg/kg(calculated)

Chemical Name	CAS Number	Toxicity
Beryllium Nitrate	13597-99-4	Oral LD50 Acute Toxicity Estimate 100 mg/kg (Source: ECHA)
Hydrofluoric Acid	7664-39-3	Oral LD50 Acute Toxicity Estimate 5 mg/kg (Source: Canada_WHMIS)

Acute Toxicity - Dermal Exposure:

No information found.

Acute Toxicity - Inhalation Exposure:

Inhalation acute toxicity estimate (ATE, vapor): 35.4784 mg/L, 4 h(calculated); Inhalation acute toxicity estimate (ATE, dust or mist): 0.3388 mg/L, 4

Chemical Name	CAS Number	Toxicity
Beryllium Nitrate	13597-99-4	Inhalation LC50 Acute Toxicity Estimate 0.05 mg/L 4 h (Source: ECHA)
Hydrofluoric Acid	7664-39-3	Inhalation LC50 Rat 0.79 mg/L 1 h (vapor, Source: JAPAN_GHS)
Nitric Acid	7697-37-2	Inhalation LC50 Rat 3.22 mg/L 4 h (Source: WHMIS)

11.2 Carcinogenicity:

International Agency for Research on Cancer (IARC)

Chemical Name	CAS Number	Classification
Beryllium Nitrate	13597-99-4	Group 1 (Carcinogenic to Humans) - Monograph 58 [1993] (listed under Beryllium and beryllium compounds)
Nitric Acid	7697-37-2	Group 1 (Carcinogenic to Humans) - Monograph 100F [2012]; Monograph 54 [1992] As Acid mists, strong inorganic

National Toxicology Program (NTP)

Chemical Name	CAS Number	Classification
Beryllium Nitrate	13597-99-4	"Known Human Carcinogen" As Beryllium compounds [RR-00557-2]

U.S. OSHA specifically regulated carcinogens

Chemical Name	CAS Number	Classification
No data found.		

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

11.3 Additional Toxicology Information:

Toxic if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Fatal if inhaled. May cause cancer. Causes damage to lungs, skin through prolonged or repeated exposure. Corrosive to the respiratory tract.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Chemical Name	CAS Number	Species	Exposure	Toxicity
Hydrofluoric Acid	7664-39-3	Water Flea	Acute	EC50 48 h Daphnia species 270 mg/L (IUCIID)

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 14: Transportation Information

14.1 Transportation by Land - Department of Transportation (DOT, United States of America)

Sizes: 30 mL, 50 mL, 100 mL, 250 mL, 500 mL

UN Number: UN2922

Proper Shipping Name: Corrosive liquids, toxic, n.o.s. (Nitric Acid, Hydrofluoric Acid, Beryllium Nitrate)

Hazard Class: 8 (6.1)

Packing Group: II

Hazard Label(s):



14.2 Transportation by Air - International Air Transport Association (IATA)

Sizes: 30 mL, 50 mL, 100 mL, 250 mL, 500 mL

UN Number: UN2922

Proper Shipping Name: Corrosive liquids, toxic, n.o.s. (Nitric Acid, Hydrofluoric Acid, Beryllium Nitrate)

Hazard Class: 8 (6.1)

Packing Group: II

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 30 mL, 50 mL, 100 mL, 250 mL, 500 mL

UN Number: UN2922

Proper Shipping Name: CORROSIVE LIQUIDS, TOXIC, N.O.S. (nitric acid, hydrofluoric acid, beryllium nitrate)

Hazard Class: 8 (6.1)

Packing Group: II

Hazard Label(s):



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 15: Regulatory Information

15.01. Occupational Safety and Health Administration (OSHA) Hazards

Chemical Name	CAS Number	Regulatory Information
No data found.		

15.02. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Chemical Name	CAS Number	RQ	TPQ
Hydrofluoric Acid	7664-39-3	100 lb TPQ	100 lb EPCRA RQ
Nitric Acid	7697-37-2	1000 lb TPQ	1000 lb EPCRA RQ

15.03. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Chemical Name	CAS Number	Regulatory Information
Beryllium Nitrate	13597-99-4	1 lb final RQ; 0.454 kg final RQ
Hydrofluoric Acid	7664-39-3	100 lb final RQ; 45.4 kg final RQ
Nitric Acid	7697-37-2	1000 lb final RQ; 454 kg final RQ

15.04. Superfund Amendments and Reauthorization Act (SARA) 313 Toxics Release Inventory (TRI)

Chemical Name	CAS Number	List	Regulatory Information
Beryllium Nitrate	13597-99-4	Emission Reporting	"0.1 % de minimis concentration (includes any unique chemical substance that contains Beryllium as part of that chemical's infrastructure, listed under Chemical Category N050)" As Beryllium compounds [RR-00557-2]
Hydrofluoric Acid	7664-39-3	Emission Reporting	1.0 % de minimis concentration
Nitric Acid	7697-37-2	Emission Reporting	1.0 % de minimis concentration

15.05. Massachusetts Right-to-Know Substance List

Chemical Name	CAS Number	Regulatory Information
Beryllium Nitrate	13597-99-4	Present
Hydrofluoric Acid	7664-39-3	Extraordinarily hazardous
Nitric Acid	7697-37-2	Extraordinarily hazardous

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.06. Pennsylvania Right-to-Know Hazardous Substances

Chemical Name	CAS Number	Regulatory Information
Beryllium Nitrate	13597-99-4	Environmental hazard
Hydrofluoric Acid	7664-39-3	Environmental hazard
Nitric Acid	7697-37-2	Environmental hazard

15.07. New Jersey Worker and Community Right-to-Know Components

Chemical Name	CAS Number	Regulatory Information
Beryllium Nitrate	13597-99-4	sn 0225
Hydrofluoric Acid	7664-39-3	sn 3759
Nitric Acid	7697-37-2	sn 1356

15.08. California Proposition 65

Chemical Name	CAS Number	Regulatory Information
Beryllium Nitrate	13597-99-4	"carcinogen, 10/1/1987" As Beryllium compounds [RR-00557-2]

15.09. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Chemical Name	CAS Number	List	Status
Beryllium Nitrate	13597-99-4	NDSL	Present
Hydrofluoric Acid	7664-39-3	DSL	Present
Nitric Acid	7697-37-2	DSL	Present
Water	7732-18-5	DSL	Present

15.10. United States of America Toxic Substances Control Act (TSCA) List

Chemical Name	CAS Number	Status
Beryllium Nitrate	13597-99-4	Present (ACTIVE)
Hydrofluoric Acid	7664-39-3	Present (ACTIVE)
Nitric Acid	7697-37-2	Present (ACTIVE)
Water	7732-18-5	Present [XU] (ACTIVE)

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Chemical Name	CAS Number	List	Number
Beryllium Nitrate	13597-99-4	EINECS	237-062-5
Hydrofluoric Acid	7664-39-3	EINECS	231-634-8
Nitric Acid	7697-37-2	EINECS	231-714-2
Water	7732-18-5	EINECS	231-791-2

15.12. China - Inventory of Existing chemical Substances (IECSC)

Chemical Name	CAS Number	Status
Beryllium Nitrate	13597-99-4	Present [35616]
Hydrofluoric Acid	7664-39-3	Present [27221]
Nitric Acid	7697-37-2	Present [35578]
Water	7732-18-5	Present [32224]

15.13. Korea - Existing Chemicals Inventory (KECI/KECL)

Chemical Name	CAS Number	List	Status
Beryllium Nitrate	13597-99-4	Annex 1	Present [KE-25914]
Hydrofluoric Acid	7664-39-3	Annex 1	Present [KE-20198]
Nitric Acid	7697-37-2	Annex 1	Present [KE-25911]
Water	7732-18-5	Annex 1	Present [KE-35400]

15.14. Japan - Existing and New Chemical Substances Inventory (ENCS)

Chemical Name	CAS Number	MITI No.
Hydrofluoric Acid	7664-39-3	(1)-306
Nitric Acid	7697-37-2	(1)-394
Water	7732-18-5	- (listed on Japanese Pharmacopoeia 8th Edition)


SECTION 16: Other Information

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

16.1 National Fire Protection Associate (NFPA) Rating

Health: 3
Flammability: 0
Reactivity 0
Special Hazard:



16.2 Document Revision

Last Revision Date:
2026-05-22

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.