RICCA CHEMICAL COMPANY®

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation VeriSpec® Sodium (Na) Standard for AAS 1000 ppm in 2% HCl; 12% Ethanol
Manufactured and Tested in an ISO 17025/ISO 17034 Accredited Facility

Product Number RV010120

Other Identifying Product Numbers RV010120-100N, RV010120-500N

1.2. Recommended Use and Restrictions on Use

Calibration Standard

1.3. Details of the Supplier of the Safety Data Sheet

Company Ricca Chemical Company
Address 412 West Fork Drive

Arlington, TX 76012 USA

Telephone 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)	800-424-9300
CHEMTREC (International)	1+ 703-527-3887

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

Hazard Class	Category	Hazard Statements	Precautionary Statements
Corrosive to the Respiratory Tract	Corrosive		
Flammable Liquids	Category 3	H226	P210,P233,P240,P241,P242,P243, P280,P303+P361+P353,P370+P378, P403+P235,P501
Skin Corrosion / Irritation	Category 2	H315	P264,P280,P302+P352,P321, P332+P313,P362+P364
Serious Eye Damage / Eye Irritation	Category 2	H319	P264,P280,P305+P351+P338, P337+P313

2.2. GHS Label Elements

Pictograms:



Signal Word: **Warning**

Hazard Statements:

NOTE: Hazard statements may be combined on labels to improve clarity and readability.

Hazard Number	Hazard Statement
H226	Flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
	Corrosive to the respiratory tract

Precautionary Statements:

NOTE: Precautionary statements may be combined or consolidated on labels to improve clarity and readability.

Prevention

Precautionary Number	Precautionary Statement
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharge.
P264	Wash hands, arms, and face thoroughly after handling.
P280	Wear protective gloves and eye protection.

Response

Precautionary Number	Precautionary Statement
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice or attention.
P337+P313	If eye irritation persists: Get medical advice or attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use dry chemical, foam, or carbon dioxide to extinguish.

Storage

Precautionary Number	Precautionary Statement
P403+P235	Store in a well-ventilated place. Keep cool.

Disposal

Precautionary Number	Precautionary Statement
P501	Dispose of contents/container to suitable waste stream in accordance with local, state, federal, and international regulations.

2.3. Hazards not Otherwise Classified

No other hazards identified.

2.4. Ingredients of Unknown Acute Toxicity

12 percent of this mixture consists of ingredient(s) of unknown acute dermal toxicity.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 3: Composition / Information on Ingredients

3.1. Components of Mixture

Chemical Name (IUPAC)	Common Name and Synonyms	CAS Number	Weight%
water	Water	7732-18-5	85.75
ethanol	Ethyl Alcohol	64-17-5	12.00
chlorane	Hydrochloric Acid; Muriatic acid	7647-01-0	2.00
sodium chloride	Sodium Chloride; Salt	7647-14-5	0.25

SECTION 4: First-Aid Measures

4.1. Description of Necessary Measures

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion: No action required to be taken. If necessary, dilute with water.

Inhalation: Not expected to require first aid. If necessary, remove to fresh air.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes skin irritation

4.3. Immediate Medical Attention or Special Treatment Needed

Not expected to require special treatment.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

In case of fire: Use dry chemical, foam, or carbon dioxide to extinguish.

5.2. Specific Hazards Arising from the Substance or Mixture in a Fire

Flammable liquid and vapor

5.3. Special Protective Equipment and Precautions for Firefighters

Wear protective clothing and NIOSH-approved breathing equipment appropriate for the surrounding fire.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground and bond container and receiving equipment. Use explosion-proof equipment. Use non-sparking tools. Take action to prevent static discharge. Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure Controls / Personal Protection

8.1. Exposure Limits

U.S. OSHA - Permissible Exposure Limits (PEL) - Time Weighted Averages (TWA)

Chemical Name	CAS Number	Exposure Limit
Ethyl Alcohol	64-17-5	1000 ppm TWA; 1900 mg/m3 TWA

U.S. OSHA - Permissible Exposure Limits (PEL) - Ceiling Limits

Chemical Name	CAS Number	Exposure Limit
Hydrochloric Acid	7647-01-0	5 ppm Ceiling; 7 mg/m3 Ceiling

U.S. OSHA - Permissible Exposure Limits (PEL) - Short Term Exposure Limits (STEL)

No limits found.

U.S. OSHA - Specifically Regulated Chemicals

No limits found.

ACGIH - Threshold Limit Values - Ceilings (TLV-C)

Chemical Name	CAS Number	Exposure Limit
Hydrochloric Acid	7647-01-0	2 ppm Ceiling

ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

Chemical Name	CAS Number	Exposure Limit
Ethyl Alcohol	64-17-5	1000 ppm STEL

ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

No limits found.

8.2. Engineering Controls

No specific controls are needed.

8.3. Individual Protective Measures and Personal Protective Equipment

Respiratory Protection: Wear protective gloves and eye protection.

Skin Protection: Wear protective gloves and eye protection.

Eye Protection: Wear protective gloves and eye protection.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Physical State:	Liquid
Color:	Data not available.
Odor:	Data not available.
Odor Threshold:	Data not available.
Melting/Freezing Point:	Data not available.
Boiling Point/Range:	Data not available.
Flammability:	Data not available.
Flammability/Explosive Limits:	Data not available.
Flash Point:	43 °C (calculated)
Auto-Ignition Temperature:	Data not available.
Decomposition Temperature:	Data not available.
pH:	Data not available.
Kinematic Viscosity:	Data not available.
Solubility:	Data not available.
Vapor Pressure:	Data not available.
Evaporation Rate:	Data not available.
Relative Density:	1.00
Relative Vapor Density:	Data not available.
Particle Characteristics:	Data not available.
Partition Coefficient n-octanol/water, log	Data not available.

NOTE: Flash point was calculated according to the method of Gmehling and Rasmussen (Ind. Eng. Chem. Fundament, 21, 186, (1982)), as allowed by GHS Rev 7, section 2.6.4.2.3.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.

10.4. Hazardous Decomposition Products

None identified.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not acutely toxic.

Chemical Name	CAS Number	Toxicity
Ethyl Alcohol	64-17-5	Oral LD50 Rat 7060 mg/kg (Source: NLM_CIP)
Hydrochloric Acid	7647-01-0	Oral LD50 Rat 700 mg/kg (Source: Canada_WHMIS)
Sodium Chloride	7647-14-5	Oral LD50 Rat 3550 mg/kg (Source: ECHA)

Acute Toxicity - Dermal Exposure:

No information found.

Chemical Name	CAS Number	Toxicity
Hydrochloric Acid	7647-01-0	Dermal LD50 Rabbit >5010 mg/kg (Source: JAPAN_GHS)
Sodium Chloride	7647-14-5	Dermal LD50 Rabbit >10000 mg/kg (no deaths occurred, Source: ECHA)

Acute Toxicity - Inhalation Exposure:

Not acutely toxic.

Chemical Name	CAS Number	Toxicity
Ethyl Alcohol	64-17-5	Inhalation LC50 Rat 116.9 mg/L 4 h (males, vapor, Source: ECHA_API); Inhalation LC50 Rat 133.8 mg/L 4 h (females, vapor, Source: ECHA_API)
Hydrochloric Acid	7647-01-0	Inhalation LC50 Acute Toxicity Estimate 0.5 mg/L 4 h (Source: ECHA)
Sodium Chloride	7647-14-5	Inhalation LC50 Rat >42 mg/L 1 h (no deaths occurred, aerosol, Source: ECHA_API)

11.2 Carcinogenicity:

International Agency for Research on Cancer (IARC)

Chemical Name	CAS Number	Classification
Hydrochloric Acid	7647-01-0	Group 1 (Carcinogenic to Humans) - Monograph 100F [2012]; Monograph 54 [1992] As Acid mists, strong inorganic

National Toxicology Program (NTP)

Chemical Name	CAS Number	Classification
Ethyl Alcohol	64-17-5	Male Rat - Not Tested; Female Rat - Not Tested; Male Mice - Inadequate Experiment; Female Mice - Inadequate Experiment (TR-510)

U.S. OSHA specifically regulated carcinogens

Chemical Name	CAS Number	Classification
	No data found.	

11.3 Additional Toxicology Information:

Causes skin irritation. Causes serious eye irritation. Corrosive to the respiratory tract.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Chemical Name	CAS Number	Species	Exposure	Toxicity
Ethyl Alcohol	64-17-5	Earthworm	Acute	LC50 48 h Eisenia foetida 0.1 - 1 mg/cm2 [filter paper] (IUCLID)
Sodium Chloride	7647-14-5	Earthworm	Acute	LC50 48 h Eisenia foetida 0.1 - 1 mg/cm2 [filter paper] (IUCLID)
Ethyl Alcohol	64-17-5	Freshwater Fish	Acute	LC50 96 h Oncorhynchus mykiss 12.0 - 16.0 mL/L [static] (EPA); LC50 96 h Pimephales promelas >100 mg/L [static] (EPA); LC50 96 h Pimephales promelas 13400 - 15100 mg/L [flow-through] (EPA)
Sodium Chloride	7647-14-5	Freshwater Fish	Acute	LC50 96 h Lepomis macrochirus 5560 - 6080 mg/L [flow-through] (EPA); LC50 96 h Lepomis macrochirus 12946 mg/L [static] (EPA); LC50 96 h Pimephales promelas 6020 - 7070 mg/L [static] (EPA); LC50 96 h Pimephales promelas 7050 mg/L [semi-static] (EPA); LC50 96 h Pimephales promelas 6420 - 6700 mg/L [static] (EPA); LC50 96 h Oncorhynchus mykiss 4747 - 7824 mg/L [flow-through] (EPA)
Ethyl Alcohol	64-17-5	Water Flea	Acute	LC50 48 h Daphnia magna 9268 - 14221 mg/L (IUCLID); EC50 48 h Daphnia magna 2 mg/L [Static] (EPA)
Sodium Chloride	7647-14-5	Water Flea	Acute	EC50 48 h Daphnia magna 1000 mg/L (IUCLID); EC50 48 h Daphnia magna 340.7 - 469.2 mg/L [Static] (EPA)

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1 Transportation by Land - Department of Transportation (DOT, United States of America)

Not regulated according to DOT regulations.

14.2 Transportation by Air - International Air Transport Association (IATA)

Not regulated according to IATA Dangerous Goods Regulations.

14.3 Transportation of Dangerous Goods (TDG, Canada)

Not regulated according to TDG regulations.

SECTION 15: Regulatory Information

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.01. Occupational Safety and Health Administration (OSHA) Hazards

Chemical Name	CAS Number	Regulatory Information
		No data found.

15.02. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Chemical Name	CAS Number	RQ	TPQ
Hydrochloric Acid	7647-01-0	500 lb TPQ (gas only)	5000 lb EPCRA RQ (gas only)

15.03. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Chemical Name	CAS Number	Regulatory Information
Hydrochloric Acid	7647-01-0	5000 lb final RQ; 2270 kg final RQ

15.04. Superfund Amendments and Reauthorization Act (SARA) 313 Toxics Release Inventory (TRI)

Chemical Name	CAS Number	List	Regulatory Information
Hydrochloric Acid	7647-01-0	Emission Reporting	1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

15.05. Massachusetts Right-to-Know Substance List

Chemical Name	CAS Number	Regulatory Information
Ethyl Alcohol	64-17-5	Teratogen
Hydrochloric Acid	7647-01-0	Extraordinarily hazardous

15.06. Pennsylvania Right-to-Know Hazardous Substances

Chemical Name	CAS Number	Regulatory Information
Ethyl Alcohol	64-17-5	Present
Hydrochloric Acid	7647-01-0	Environmental hazard

15.07. New Jersey Worker and Community Right-to-Know Components

Chemical Name	CAS Number	Regulatory Information
Ethyl Alcohol	64-17-5	sn 0844
Hydrochloric Acid	7647-01-0	sn 1012

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.08. California Proposition 65

Chemical Name	CAS Number	Regulatory Information
Ethyl Alcohol	64-17-5	"carcinogen, 7/1/1988 (when associated with alcohol abuse); carcinogen, 4/29/2011" As Alcoholic beverages [RR-01961-4]
Ethyl Alcohol	64-17-5	"developmental toxicity, 10/1/1987 (listed under Ethyl alcohol in alcoholic beverages)" As Alcoholic beverages [RR-01961-4]

15.09. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Chemical Name	CAS Number	List	Status
Ethyl Alcohol	64-17-5	DSL	Present
Ethyl Alcohol	64-17-5	NDSL	"Present" As Alcohols, C1-3 [68475-56-9]
Hydrochloric Acid	7647-01-0	DSL	Present
Sodium Chloride	7647-14-5	DSL	Present
Water	7732-18-5	DSL	Present

15.10. United States of America Toxic Substances Control Act (TSCA) List

Chemical Name	CAS Number	Status
Ethyl Alcohol	64-17-5	Present (ACTIVE)
Hydrochloric Acid	7647-01-0	Present (ACTIVE)
Sodium Chloride	7647-14-5	Present (ACTIVE)
Water	7732-18-5	Present [XU] (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Chemical Name	CAS Number	List	Number
Ethyl Alcohol	64-17-5	EINECS	200-578-6
Hydrochloric Acid	7647-01-0	EINECS	231-595-7
Sodium Chloride	7647-14-5	EINECS	231-598-3
Water	7732-18-5	EINECS	231-791-2

15.12. China - Inventory of Existing chemical Substances (IECSC)

Chemical Name	CAS Number	Status
Ethyl Alcohol	64-17-5	Present [38125]
Hydrochloric Acid	7647-01-0	Present [37053]
Sodium Chloride	7647-14-5	Present [24102]
Water	7732-18-5	Present [32224]

15.13. Korea - Existing Chemicals Inventory (KECI/KECL)

Chemical Name	CAS Number	List	Status
Ethyl Alcohol	64-17-5	Annex 1	Present [KE-13217]
Hydrochloric Acid	7647-01-0	Annex 1	Present [KE-20189]
Sodium Chloride	7647-14-5	Annex 1	Present [KE-31387]
Water	7732-18-5	Annex 1	Present [KE-35400]


15.14. Japan - Existing and New Chemical Substances Inventory (ENCS)

Chemical Name	CAS Number	MITI No.
Ethyl Alcohol	64-17-5	(2)-202
Hydrochloric Acid	7647-01-0	(1)-215
Sodium Chloride	7647-14-5	(1)-236
Water	7732-18-5	- (listed on Japanese Pharmacopoeia 8th Edition)

SECTION 16: Other Information

16.1 National Fire Protection Associate (NFPA) Rating

Health: 1
Flammability: 0
Reactivity 0
Special Hazard:



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

16.2 Document Revision

Last Revision Date:
2026-05-22

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.